

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	100	Very limited Depth to saturated zone Leaching limitation Restricted permeability	1.00 0.70 0.30	Very limited Depth to saturated zone Restricted permeability	1.00 0.22	Very limited Depth to saturated zone Restricted permeability	1.00 0.22
21: Muck-----	100	Very limited Depth to saturated zone Leaching limitation Low adsorption	1.00 0.90 0.05	Very limited Depth to saturated zone Low adsorption	1.00 1.00	Very limited Depth to saturated zone Low adsorption	1.00 0.05
21D: Muck-----	100	Very limited Depth to saturated zone Leaching limitation Low adsorption Slope	1.00 0.90 0.87 0.16	Very limited Depth to saturated zone Low adsorption Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Too steep for surface application Low adsorption Too steep for sprinkler application	1.00 1.00 0.87 0.39
27C: Terril-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application Too steep for sprinkler application	0.91 0.02
27D: Terril-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application Too steep for sprinkler application	1.00 0.77

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
34A: Estherville-----	100	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
34B: Estherville-----	100	Droughty	0.76	Droughty	0.76	Droughty	0.76
		Very limited		Very limited		Very limited	
34C: Estherville-----	100	Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.99	Droughty	0.99	Droughty	0.99
34D: Estherville-----	100	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
55A: Nicollet-----	95	Droughty	0.99	Droughty	0.99	Droughty	0.99
		Too steep for surface application		Too steep for surface application		Too steep for surface application	
34D: Estherville-----	100	Too steep for surface application		Too steep for surface application		Too steep for surface application	
		Too steep for sprinkler application	0.02	Too steep for sprinkler application		Too steep for sprinkler application	
55B: Nicollet-----	95	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
55A: Nicollet-----	95	Slope	0.63	Slope	0.63	Slope	0.63
		Droughty	0.41	Droughty	0.41	Droughty	0.41
55B: Nicollet-----	95	Too steep for surface application		Too steep for surface application		Too steep for surface application	
		Too steep for sprinkler application		Too steep for sprinkler application		Too steep for sprinkler application	
55A: Nicollet-----	95	Too steep for sprinkler application		Too steep for sprinkler application		Too steep for sprinkler application	
		Droughty	0.41	Droughty	0.41	Droughty	0.41
55B: Nicollet-----	95	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.02	Depth to saturated zone	0.02	Depth to saturated zone	0.02
55B: Nicollet-----	95	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone		Depth to saturated zone		Depth to saturated zone	

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62C2: Storden-----	100	Depth to saturated zone	0.02	Depth to saturated zone	0.02	Too steep for surface application	0.08
		Not limited		Not limited		Depth to saturated zone	0.02
62D2: Storden-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited	0.91
						Too steep for surface application	0.02
62E2: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited	1.00
						Too steep for surface application	1.00
62F2: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
62G2: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited	1.00
						Too steep for surface application	1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
90: Okoboji-----	100	Very limited Depth to saturated zone Leaching limitation Restricted permeability	1.00 0.70 0.30	Very limited Depth to saturated zone Restricted permeability	1.00 0.22	Too steep for sprinkler application Very limited Depth to saturated zone Restricted permeability	1.00 1.00 0.22
95: Harps-----	95	Very limited Depth to saturated zone Leaching limitation	1.00 0.70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
96B: Turlin-----	95	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity Too steep for surface application	1.00 0.08
107: Webster-----	95	Very limited Depth to saturated zone Leaching limitation	1.00 0.70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107B: Webster-----	95	Very limited Depth to saturated zone Leaching limitation	1.00 0.70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
108A: Wadena-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
108B: Wadena-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity Too steep for surface application	1.00 0.08
108C: Wadena-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity Too steep for surface application Too steep for sprinkler application	1.00 0.91 0.02
133: Colo-----	100	Very limited Depth to saturated zone Leaching limitation Flooding	1.00 0.70 0.60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
136A: Ankeny-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
138A: Clarion-----	100	Not limited		Not limited		Not limited	
138B: Clarion-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application	0.08
138C: Clarion-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application	0.91

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138C2: Clarion-----	100	Not limited		Not limited		Too steep for sprinkler application	0.02
						Somewhat limited Too steep for surface application	0.91
						Too steep for sprinkler application	0.02
138D2: Clarion-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.77
138E2: Clarion-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
158: Dorchester-----	90	Very limited Depth to saturated zone Leaching limitation Flooding	1.00 0.70 0.60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00
						Flooding	0.60
168B: Hayden-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application	0.08
168C: Hayden-----	100	Not limited		Not limited		Somewhat limited	

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too steep for surface application	0.91
						Too steep for sprinkler application	0.02
202: Cylinder-----	95	Very limited Filtering capacity Depth to saturated zone	1.00 0.43	Very limited Filtering capacity Depth to saturated zone	1.00 0.43	Very limited Filtering capacity Depth to saturated zone	1.00 0.43
203: Cylinder-----	95	Very limited Filtering capacity Depth to saturated zone	1.00 0.43	Very limited Filtering capacity Depth to saturated zone	1.00 0.43	Very limited Filtering capacity Depth to saturated zone	1.00 0.43
210G: Boone-----	100	Slope Droughty	1.00 1.00	Very limited Droughty Slope	1.00 1.00	Very limited Droughty Too steep for surface application	1.00 1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Depth to bedrock	0.46	Depth to bedrock	0.46	Filtering capacity	1.00
		Leaching limitation	0.45	Too acid	0.07	Depth to bedrock	0.46
214B: Rockton-----	100	Somewhat limited Depth to bedrock Droughty Too acid	0.46 0.33 0.02	Somewhat limited Depth to bedrock Droughty Too acid	0.46 0.33 0.07	Somewhat limited Depth to bedrock Droughty Too steep for surface application Too acid	0.46 0.33 0.08 0.07
236B: Lester-----	100	Not limited		Not limited		Somewhat limited	

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
236C: Lester-----	100	Not limited		Not limited		Too steep for surface application	0.08
						Somewhat limited Too steep for surface application	0.91
						Too steep for sprinkler application	0.02
236D: Lester-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.77
236E: Lester-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
236F: Lester-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
259: Biscay-----	95	Very limited Depth to saturated zone Filtering capacity	1.00	Very limited Depth to saturated zone Filtering capacity	1.00	Very limited Depth to saturated zone Filtering capacity	1.00
			1.00		1.00		1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
274: Rolfe-----	100	Leaching limitation	0.70				
		Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.02	Too acid	0.07	Too acid	0.07
307: Dundas-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Leaching limitation	0.70	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
308A: Wadena-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
308B: Wadena-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity Too steep for surface application	1.00 0.08
313G: Gosport-----	100	Very limited Slope	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Restricted permeability	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.95	Too steep for sprinkler application	1.00
		Droughty	0.72	Droughty	0.72	Depth to saturated zone	0.95
		Depth to bedrock	0.46	Depth to bedrock	0.46	Droughty	0.72

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
315B: Alluvial Land-----	95	Not rated		Not rated		Not rated	
323B: Terril-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity Too steep for surface application	1.00 0.08
325A: Le Sueur-----	95	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Depth to saturated zone	0.43
355A: Luther-----	95	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95
356G: Storden-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Too steep for sprinkler application	1.00 1.00
Hayden-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Too steep for sprinkler application	1.00 1.00
383: Marna-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
385A: Guckeen-----	95	Leaching limitation	0.50				
		Somewhat limited Restricted permeability	0.89	Somewhat limited Restricted permeability	0.78	Somewhat limited Restricted permeability	0.78
386: Cordova-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Leaching limitation	0.50	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
387B: Kamrar-----	100	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.22	Somewhat limited Restricted permeability Too steep for surface application	0.22 0.08
444A: Jacwin-----	95	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Depth to saturated zone	0.43
478G: Rock Land And Steep-	100	Not rated		Not rated		Not rated	
485A: Spillville-----	95	Somewhat limited Flooding	0.60	Very limited Flooding	1.00	Somewhat limited Flooding	0.60
485B: Spillville-----	95	Not limited		Not limited		Somewhat limited Too steep for surface application	0.08

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
506: Wacousta-----	100	Very limited Depth to saturated zone Leaching limitation	1.00 0.70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
507: Canisteo-----	100	Very limited Depth to saturated zone Leaching limitation	1.00 0.70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
536A: Hanlon-----	95	Somewhat limited Flooding	0.60	Very limited Flooding	1.00	Somewhat limited Flooding	0.60
551B: Calamine-----	100	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 0.89 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 0.78	Very limited Depth to saturated zone Restricted permeability Too steep for surface application	1.00 0.78 0.08
551D: Calamine-----	100	Very limited Depth to saturated zone Restricted permeability Runoff limitation Slope	1.00 0.89 0.40 0.16	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.78 0.16	Very limited Depth to saturated zone Too steep for surface application Restricted permeability Too steep for sprinkler application	1.00 1.00 0.78 0.39
558: Talcot-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Depth to saturated zone Filtering capacity	1.00 1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
559: Talcot-----	100	Leaching limitation	0.70				
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70				
566C: Terril Variant-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application	0.91
						Too steep for sprinkler application	0.02
566D: Terril Variant-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	0.77
566E: Terril Variant-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
583: Minnetonka-----	95	Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Runoff limitation	0.40				

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585B: Colo-----	60	Very limited Depth to saturated zone Leaching limitation Flooding	1.00 0.70 0.60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding Too steep for surface application	1.00 0.60 0.08
Spillville-----	40	Not limited		Not limited		Somewhat limited Too steep for surface application	0.08
606: Lanyon-----	100	Very limited Restricted permeability Depth to saturated zone Leaching limitation	1.00 1.00 0.50	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
636A: Buckney-----	100	Somewhat limited Flooding Droughty	0.60 0.18	Very limited Flooding Droughty	1.00 0.18	Somewhat limited Flooding Droughty	0.60 0.18
636B: Buckney-----	100	Somewhat limited Flooding Droughty	0.60 0.18	Very limited Flooding Droughty	1.00 0.18	Somewhat limited Flooding Droughty Too steep for surface application	0.60 0.18 0.08
715: Sandy Alluvial Land-	90	Not rated		Not rated		Not rated	
733: Calco-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation					
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value				
775B: Billett-----	100	Leaching limitation	0.70	Flooding	1.00	Flooding	0.60				
		Flooding	0.60								
		Very limited Filtering capacity	1.00					Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Too acid	0.02					Too acid	0.07	Too acid Too steep for surface application	0.07 0.01
775C: Billett-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00				
		Too acid	0.02	Too acid	0.07	Too steep for surface application	1.00				
		Slope	0.01	Slope	0.01	Too steep for sprinkler application	0.10				
777B: Wadena Variant-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Too acid	0.07				
						Too steep for surface application	0.08				
778B: Wadena Variant-----	100	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00				
						Too steep for surface application	0.08				
815: Dorchester-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00				
		Flooding	1.00	Flooding	1.00	Flooding	1.00				

Agricultural Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Webster County, Iowa

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Leaching limitation	0.70				