

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10B2: Lagonda-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
11C2: Lagonda-----	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.01	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.01	Moderately limited ~wetness (moderately limited)	0.51
12B2: Bevier-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~too clayey (slightly limited)	0.50 0.39 0.01	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~too clayey (slightly limited)	0.50 0.39 0.01	Slightly limited ~too clayey (slightly limited)	0.01	Slightly limited ~too clayey (slightly limited)	0.01	Slightly limited ~wetness (slightly limited)	0.29
15B: Grundy-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Crestmeade-----	Limited ~wetness (limited) ~percs slowly (moderately limited)	0.99 0.39	Limited ~wetness (limited) ~percs slowly (moderately limited)	0.99 0.39	Limited ~wetness (limited)	0.99	Limited ~wetness (limited)	0.99	Very limited ~wetness (very limited)	1.00
19C2: Menfro-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
19F: Menfro-----	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.30	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.30	Not limited		Not limited		Not limited	
20A: Shannondale----	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
20C2: Shannondale----	Limited ~high erodibility (limited) ~wetness (moderately limited)	0.80 0.36	Limited ~high erodibility (limited) ~wetness (moderately limited)	0.80 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
21C2: Knox-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
22F3: Knox-----	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.30	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.30	Not limited		Not limited		Not limited	
23B2: Higginsville---	Moderately limited ~moderate erodibility (moderately limited) ~wetness (moderately limited)	0.50 0.36	Moderately limited ~moderate erodibility (moderately limited) ~wetness (moderately limited)	0.50 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
23C2: Higginsville---	Limited ~high erodibility (limited) ~wetness (moderately limited)	0.80 0.36	Limited ~high erodibility (limited) ~wetness (moderately limited)	0.80 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
25B: Wakenda-----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
25C2: Wakenda-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
26B: Armstrong-----	Moderately limited ~moderate erodibility (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.50 0.44 0.39	Moderately limited ~moderate erodibility (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.50 0.44 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.59
26C2: Armstrong-----	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.59
26D2: Armstrong-----	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.59
27D3: Armstrong-----	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Limited ~high erodibility (limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.80 0.44 0.39	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.44 0.26	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.44 0.26	Moderately limited ~wetness (moderately limited)	0.59

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
28C:										
Keswick-----	Limited		Limited		Moderately limited		Moderately limited		Moderately limited	
	~high erodibility (limited)	0.80	~high erodibility (limited)	0.80	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44						
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
31F:										
Winnegan-----	Limited		Limited		Slightly limited		Slightly limited		Moderately limited	
	~high erodibility (limited)	0.80	~high erodibility (limited)	0.80	~wetness (slightly limited)	0.13	~wetness (slightly limited)	0.13	~wetness (moderately limited)	0.37
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
	~slope (moderately limited)	0.30	~slope (moderately limited)	0.30						
36D2:										
Gosport-----	Very limited		Very limited		Slightly limited		Slightly limited		Not limited	
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (slightly limited)	0.04	~too clayey (slightly limited)	0.04		
	~droughty (limited)	0.91	~high erodibility (limited)	0.80						
	~high erodibility (limited)	0.80	~too clayey (slightly limited)	0.04						
36F:										
Gosport-----	Very limited		Very limited		Slightly limited		Slightly limited		Not limited	
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (slightly limited)	0.04	~too clayey (slightly limited)	0.04		
	~high erodibility (limited)	0.80	~high erodibility (limited)	0.80						
	~droughty (limited)	0.66	~slope (moderately limited)	0.42						

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
37D2: Newcomer-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
37F: Newcomer-----	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.42	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.42	Not limited		Not limited		Not limited	
40F: Putco-----	Very limited ~droughty (very limited) ~high erodibility (limited) ~slope (limited)	1.00 0.80 0.79	Limited ~high erodibility (limited) ~slope (limited) ~small stones (moderately limited)	0.80 0.79 0.54	Slightly limited ~too clayey (slightly limited) ~droughty (slightly limited) ~small stones (slightly limited)	0.26 0.20 0.10	Slightly limited ~too clayey (slightly limited) ~droughty (slightly limited)	0.26 0.20	Slightly limited ~droughty (slightly limited)	0.20
42F: Schuline-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~slope (slightly limited)	0.50 0.39 0.20	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~slope (slightly limited)	0.50 0.39 0.20	Slightly limited ~too clayey (slightly limited)	0.05	Slightly limited ~too clayey (slightly limited)	0.05	Not limited	
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
47: Dockery-----	Limited ~flooding (limited) ~wetness (slightly limited)	0.90	Limited ~flooding (limited) ~wetness (slightly limited)	0.90	Slightly limited ~wetness (slightly limited)	0.28	Slightly limited ~wetness (slightly limited)	0.28	Moderately limited ~wetness (moderately limited)	0.45
50: Blackoar-----	Very limited ~wetness (very limited) ~flooding (moderately limited)	1.00	Very limited ~wetness (very limited) ~flooding (moderately limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
53: Colo-----	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited)	0.60	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.59
54: Zook-----	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.60	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.60	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.60	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.60	Limited ~wetness (limited)	0.99
56: Triplett-----	Limited ~wetness (limited) ~percs slowly (moderately limited)	0.99	Limited ~wetness (limited) ~percs slowly (moderately limited)	0.99	Limited ~wetness (limited)	0.99	Limited ~wetness (limited)	0.99	Very limited ~wetness (very limited)	1.00

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
60: Portage-----	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~percs slowly (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~percs slowly (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~seasonally ponded (limited) ~too clayey (limited)	1.00 1.00 0.80 0.76	Very limited ~wetness (very limited) ~seasonally ponded (limited) ~too clayey (limited)	1.00 1.00 0.80 0.76	Very limited ~wetness (very limited) ~seasonally ponded (limited)	1.00 1.00 0.80
61: Carlow-----	Very limited ~wetness (very limited) ~percs slowly (very limited) ~droughty (limited)	1.00 1.00 0.79	Very limited ~wetness (very limited) ~percs slowly (very limited) ~flooding (moderately limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~too clayey (moderately limited)	1.00 1.00 0.47	Very limited ~wetness (very limited) ~too clayey (moderately limited)	1.00 1.00 0.47	Very limited ~wetness (very limited)	1.00
62: Carlow-----	Very limited ~wetness (very limited) ~percs slowly (very limited) ~droughty (limited)	1.00 1.00 0.79	Very limited ~wetness (very limited) ~percs slowly (very limited) ~too clayey (moderately limited)	1.00 1.00 0.47	Very limited ~wetness (very limited) ~too clayey (moderately limited)	1.00 1.00 0.47	Very limited ~wetness (very limited) ~too clayey (moderately limited)	1.00 1.00 0.47	Very limited ~wetness (very limited)	1.00
64: Tina-----	Moderately limited ~wetness (moderately limited) ~percs slowly (slightly limited)	0.36 0.13	Moderately limited ~wetness (moderately limited) ~percs slowly (slightly limited)	0.36 0.13	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66C2: Gifford-----	Very limited ~percs slowly (very limited) ~wetness (limited) ~high erodibility (limited)	1.00 0.81 0.80	Very limited ~percs slowly (very limited) ~wetness (limited) ~high erodibility (limited)	1.00 0.81 0.80	Limited ~wetness (limited) ~too clayey (slightly limited)	0.81 0.05	Limited ~wetness (limited) ~too clayey (slightly limited)	0.81 0.05	Very limited ~wetness (very limited)	1.00
68: Tuskeego-----	Very limited ~wetness (very limited) ~percs slowly (very limited) ~flooding (moderately limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~percs slowly (very limited) ~flooding (moderately limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~too clayey (slightly limited)	1.00 0.07	Very limited ~wetness (very limited) ~too clayey (slightly limited)	1.00 0.07	Very limited ~wetness (very limited)	1.00
70: Speed-----	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited)	0.60 0.36	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited)	0.60 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
72: Tice-----	Limited ~flooding (limited) ~wetness (moderately limited)	0.90 0.36	Limited ~flooding (limited) ~wetness (moderately limited)	0.90 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73: Tice-----	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.05	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.05	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.05	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.36 0.05	Moderately limited ~wetness (moderately limited)	0.51
78: Levasy-----	Very limited ~ponded (wetness) (very limited) ~wetness (limited) ~too clayey (limited)	1.00 0.99 0.61	Very limited ~ponded (wetness) (very limited) ~wetness (limited) ~too clayey (limited)	1.00 0.99 0.61	Limited ~wetness (limited) ~seasonally ponded (limited) ~too clayey (limited)	0.99 0.80 0.61	Limited ~wetness (limited) ~seasonally ponded (limited) ~too clayey (limited)	0.99 0.80 0.61	Very limited ~wetness (very limited) ~seasonally ponded (limited)	1.00 0.80
81: Haynie-----	Not limited		Not limited		Not limited		Not limited		Not limited	
82: Sarpy-----	Very limited ~droughty (very limited) ~too sandy (moderately limited)	1.00 0.50	Limited ~droughty (limited) ~too sandy (moderately limited)	0.69 0.50	Limited ~droughty (limited) ~too sandy (moderately limited)	0.69 0.50	Limited ~droughty (limited) ~too sandy (moderately limited)	0.69 0.50	Limited ~droughty (limited)	0.69
83: Landes-----	Slightly limited ~droughty (slightly limited)	0.13	Not limited		Not limited		Not limited		Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
84: Haynie-----	Not limited		Not limited		Not limited		Not limited		Not limited	
Waldron-----	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
85: Waldron-----	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
86: Parkville-----	Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Limited ~wetness (limited)	0.99
	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60	~too clayey (slightly limited)	0.23	~too clayey (slightly limited)	0.23		
	~too clayey (slightly limited)	0.23	~too clayey (slightly limited)	0.23						
87: Modale-----	Moderately limited ~percs slowly (moderately limited)	0.39	Moderately limited ~percs slowly (moderately limited)	0.39	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36						
88: Cotter-----	Not limited		Not limited		Not limited		Not limited		Not limited	
89: Norborne-----	Not limited		Not limited		Not limited		Not limited		Not limited	
93: Booker-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
	~ponded (wetness) (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (limited)	0.69	~too clayey (limited)	0.69		
94: Grable-----	Not limited		Not limited		Not limited		Not limited		Not limited	
99: Haynie-----	Limited ~flooding (limited)	0.90	Limited ~flooding (limited)	0.90	Not limited		Not limited		Not limited	
Waldron-----	Limited ~flooding (limited)	0.90	Limited ~flooding (limited)	0.90	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~too clayey (moderately limited)	0.47	Moderately limited ~wetness (moderately limited)	0.59
	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44						
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Chariton County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	