

Wildlife Interpretations

General

Soils directly affect the kind and amount of vegetation that is available to wildlife as food and cover. They also affect the development of water impoundments. The kind and abundance of wildlife that populate an area depend largely on the amount and distribution of food, cover, water, and living space. If any one of these elements is missing, inadequate, or inaccessible, wildlife will be scarce or will not inhabit the area. If the soils have the potential, wildlife habitat can be created or improved by planting appropriate vegetation, properly managing the existing plant cover, and fostering the natural establishment of desirable plants.

Soils are rated according to their potential for providing habitat for various kinds of wildlife. This information can be used in planning parks, wildlife refuges, nature study areas, and other developments for wildlife. It can also be used in selecting soils that are suitable for establishing, improving, or maintaining specific elements of wildlife habitat.

Suitability Ratings

GOOD - means that the element of wildlife habitat or the kind of habitat is easily created, improved, or maintained. Few or no limitations affect management, and satisfactory results can be expected if the soil is used for the designated purpose.

FAIR - means that the element of wildlife habitat or kind of habitat can be created, improved, or maintained in most places. Moderately intensive management is required for satisfactory results.

POOR - means that limitations are severe for the designated element or kind of wildlife habitat. Habitat can be created, improved, or maintained in most places, but management is difficult and requires intensive effort.

Description of Wildlife Habitat Elements

Grain and seed crops are seed-producing annuals used by wildlife. Examples are corn, wheat, rye, oats, barley, millet, buckwheat, and sunflowers.

Grasses and legumes are domestic perennial grasses and herbaceous legumes that are planted for wildlife food and cover. Examples are fescue, bluegrass, brome grass, timothy, orchard grass, clover, alfalfa, trefoil, reed canary grass, and crown vetch.

Wild herbaceous plants are native and naturally established herbaceous grasses, forbs, and weeds, that provide food and cover for wildlife. Examples are bluestem, indiagrass, blueberry, goldenrod, lambsquarters, dandelions, blackberry, ragweed, wheatgrass, fescue, and nightshade.

Hardwood trees and the associated woody understory provide cover for wildlife and produce nuts or other fruit, buds, catkins, twigs, bark, or foliage that wildlife eat. Examples of native plants are oak, poplar, cherry, apple, birch, beech, maple, hickory, hazelnut, black walnut, and viburnum. Examples of fruit-bearing shrubs that are

commercially available and suitable for planting on soils rated good are hawthorn, honeysuckle, sumac, silky dogwood, highbush cranberry, autumn olive, and crabapple.

Coniferous plants are cone-bearing trees, shrubs, or ground cover that furnish habitat or supply food in the form of browse, seed, or fruit-like cones. Examples are pine, spruce, hemlock, fir, yew, cedar, larch, and juniper.

Wetland plants are annual and perennial wild herbaceous plants that grow on moist or wet sites, exclusive of submerged or floating aquatics. They produce food or cover for wildlife that use wetland as habitat. Examples of wetland plants are smartweed, wild millet, rushes, sedges, reeds, wildrice, arrowhead, water plantain, pickerelweed, and cattail.

Shallow water are bodies of surface water that have an average depth of less than 5 feet and are useful as habitat for wildlife. They can be naturally wet areas, or they can be created by dams or levees, or by water-control devices in marshes or streams. Examples are muskrat marshes, waterfowl feeding areas, wildlife watering developments, beaver ponds, and other wildlife ponds.

Kinds of Wildlife Habitat

Open land habitat consists of croplands, pastures, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. The kind of wildlife attracted to these areas include bobwhite quail, pheasant, meadowlark, field sparrow, killdeer, cottontail rabbit, red fox, and woodchuck.

Woodland habitat consists of hardwood or conifers, or a mixture of these and associated grasses, legumes and wild herbaceous plants. Examples of wildlife attracted to this habitat are wild turkey, woodcock, thrushes, woodpeckers, owl, tree squirrels, gray fox, porcupine, raccoon, and deer.

Wetland habitat consists of water-tolerant plants in open, marshy or swampy, shallow water areas. Examples of wildlife attracted to this habitat are ducks, geese, herons, bitterns, rails, kingfishers, muskrat, otter, mink, and beaver.

This subsection includes:

- **(a) Wildlife Management Ratings (one or two tables)**

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
15002: Mcgirk-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80								
60001: Menfro-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00						
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80
60003: Menfro-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80
60004: Menfro-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
60005: Menfro-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80
60051: Urban land----	Not rated		Not rated		Not rated		Not rated		Not rated	
Harvester-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~deep to water (limited)	0.88	Limited ~seasonally ponded (limited)	0.80	Limited ~deep to water (limited)	0.88	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80			~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
	~wetness (moderately limited)	0.35	~seasonally ponded (limited)	0.80					~seepage (slightly limited)	0.13
60052: Urban land----	Not rated		Not rated		Not rated		Not rated		Not rated	
Udorthents-----	Very limited ~droughty (very limited)	1.00	Limited ~deep to water (limited)	0.88	Very limited ~droughty (very limited)	1.00	Limited ~deep to water (limited)	0.88	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
	~large stones (limited)	0.68	~seasonally ponded (limited)	0.80	~large stones (limited)	0.68				

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
64002: Freeburg-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80			~deep to water (slightly limited)	0.24	~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80	~deep to water (slightly limited)	0.24						
64007: Freeburg-----	Very limited ~wetness (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~infrequent flooding (moderately limited)	0.50			~deep to water (slightly limited)	0.24	~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80	~deep to water (slightly limited)	0.24						
64010: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Freeburg-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80			~deep to water (slightly limited)	0.24	~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80	~deep to water (slightly limited)	0.24						
64011: Kliever-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~deep to water (moderately limited)	0.58	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.58
			~seasonally ponded (limited)	0.80					~seepage (moderately limited)	0.45

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
64012: Kliever-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~infrequent flooding (limited) ~seasonally ponded (limited)	1.00 0.80 0.80	Limited ~seasonally ponded (limited) ~deep to water (moderately limited)	0.80 0.58	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~slope (very limited) ~seasonally ponded (limited) ~deep to water (moderately limited)	1.00 0.80 0.58
64013: Kliever-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~infrequent flooding (limited) ~seasonally ponded (limited)	1.00 0.80 0.80	Limited ~seasonally ponded (limited) ~deep to water (moderately limited)	0.80 0.58	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~slope (very limited) ~seasonally ponded (limited) ~deep to water (moderately limited)	1.00 0.80 0.58
64014: Kliever-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~infrequent flooding (limited) ~seasonally ponded (limited)	1.00 0.80 0.80	Limited ~seasonally ponded (limited) ~deep to water (moderately limited)	0.80 0.58	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~slope (very limited) ~seasonally ponded (limited) ~deep to water (moderately limited)	1.00 0.80 0.58
66000: Moniteau-----	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 1.00 0.80	Limited ~seasonally ponded (limited) ~infrequent flooding (moderately limited)	0.80 0.50	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited) ~seepage (slightly limited)	0.80 0.18

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66004: Dockery-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.45			~deep to water (moderately limited)	0.45	~seepage (moderately limited)	0.45
	~wetness (moderately limited)	0.59								
66006: Waldron-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80	~infrequent flooding (moderately limited)	0.50	~flooding (prolonged) (slightly limited)	0.20	~deep to water (moderately limited)	0.45		
	~wetness (moderately limited)	0.59	~deep to water (moderately limited)	0.45						
66009: Haynie-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00
	~wetness (very limited)	1.00	~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80	~infrequent flooding (moderately limited)	0.50	~flooding (prolonged) (slightly limited)	0.20	~soil reaction (limited)	0.60	~soil reaction (limited)	0.60
66010: Sarpy-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~too sandy (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~too sandy (very limited)	1.00	Very limited ~too sandy (very limited)	1.00
	~wetness (very limited)	1.00	~deep to water (very limited)	1.00	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00	~seepage (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~droughty (limited)	0.69	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66026: Blake-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~flooding (prolonged) (slightly limited)	0.20	~seasonally ponded (limited)	0.80	~seepage (moderately limited)	0.45
	~wetness (slightly limited)	0.29	~infrequent flooding (moderately limited)	0.50	~deep to water (slightly limited)	0.02	~soil reaction (slightly limited)	0.00	~deep to water (slightly limited)	0.02
66027: Haynie-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00						
	~wetness (very limited)	1.00	~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80	~infrequent flooding (moderately limited)	0.50	~flooding (prolonged) (slightly limited)	0.20			~seepage (moderately limited)	0.45
66028: Leta-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80						
	~seasonally ponded (limited)	0.80	~infrequent flooding (moderately limited)	0.50	~flooding (prolonged) (slightly limited)	0.20	~deep to water (moderately limited)	0.45		
	~wetness (moderately limited)	0.59	~deep to water (moderately limited)	0.45						
70023: Eldon-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00						
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~slope (limited)	0.91
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70029: Moko-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~droughty (very limited)	1.00	~infrequent flooding (limited)	0.80	~deep to water (very limited)	1.00	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~wetness (very limited)	1.00	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80			~seasonally ponded (limited)	0.80
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
70046: Sacville-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80					~slope (moderately limited)	0.31
	~seasonally ponded (limited)	0.80								
73012: Gravois-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~slope (limited)	0.91
	~wetness (limited)	0.85	~seasonally ponded (limited)	0.80			~deep to water (moderately limited)	0.35	~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.35						
73035: Gravois-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~wetness (limited)	0.85	~seasonally ponded (limited)	0.80			~deep to water (moderately limited)	0.35	~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.35						

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73040: Maplewood-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80	~droughty (slightly limited)	0.14			~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80							~slope (slightly limited)	0.08
73041: Maplewood-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80	~droughty (slightly limited)	0.20			~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80							~seepage (slightly limited)	0.18
73042: Niangua-----	Very limited ~wetness (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
			~seasonally ponded (limited)	0.80	~small stones (slightly limited)	0.30			~seasonally ponded (limited)	0.80
Bardley-----	Very limited ~wetness (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~droughty (limited)	0.66	~seasonally ponded (limited)	0.80	~droughty (limited)	0.66			~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73048: Rueter-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00						
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~slope (limited)	0.91
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~droughty (moderately limited)	0.35	~soil reaction (slightly limited)	0.18	~seasonally ponded (limited)	0.80
73050: Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
Bardley-----	Very limited ~wetness (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~droughty (limited)	0.66	~seasonally ponded (limited)	0.80	~droughty (limited)	0.66			~seasonally ponded (limited)	0.80
73088: Rueter-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~small stones (moderately limited)	0.49	~soil reaction (slightly limited)	0.18	~seasonally ponded (limited)	0.80
73089: Rueter-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (very limited)	1.00	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~small stones (moderately limited)	0.49	~soil reaction (slightly limited)	0.18	~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73095: Gravois-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~wetness (limited)	0.85	~seasonally ponded (limited)	0.80			~deep to water (moderately limited)	0.35	~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.35						
73101: Wrengart-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~deep to water (limited)	0.82	Limited ~seasonally ponded (limited)	0.80	Limited ~deep to water (limited)	0.82	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80			~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
	~wetness (moderately limited)	0.37	~seasonally ponded (limited)	0.80					~seepage (moderately limited)	0.45
73112: Gunlock-----	Very limited ~shallow to bedrock (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~slope (limited)	0.91
	~wetness (limited)	0.93	~seasonally ponded (limited)	0.80			~deep to water (moderately limited)	0.32	~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.32					~seepage (slightly limited)	0.18
73250: Gatewood-----	Limited ~droughty (limited)	0.89	Limited ~infrequent flooding (limited)	0.80	Limited ~droughty (limited)	0.89	Limited ~seasonally ponded (limited)	0.80	Limited ~slope (limited)	0.91
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.53	~seasonally ponded (limited)	0.80
	~depth to bedrock (limited)	0.66	~deep to water (moderately limited)	0.53						

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73250: (cont) Moko-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00
	~droughty (very limited)	1.00	~infrequent flooding (limited)	0.80	~deep to water (very limited)	1.00	~seasonally ponded (limited)	0.80	~slope (limited)	0.91
	~wetness (very limited)	1.00	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80			~seasonally ponded (limited)	0.80
73251: Gateway-----	Limited ~droughty (limited)	0.89	Limited ~infrequent flooding (limited)	0.80	Limited ~droughty (limited)	0.89	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (moderately limited)	0.53	~seasonally ponded (limited)	0.80
	~depth to bedrock (limited)	0.66	~deep to water (moderately limited)	0.53						
Moko-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~droughty (very limited)	1.00	~infrequent flooding (limited)	0.80	~deep to water (very limited)	1.00	~seasonally ponded (limited)	0.80	~deep to water (very limited)	1.00
	~wetness (very limited)	1.00	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80			~seasonally ponded (limited)	0.80
73253: Ocie-----	Limited ~seasonally ponded (limited)	0.80	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~wetness (moderately limited)	0.45	~seasonally ponded (limited)	0.80			~deep to water (limited)	0.60	~slope (moderately limited)	0.31
			~deep to water (limited)	0.60						

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73254: Ocie-----	Limited ~seasonally ponded (limited)	0.80	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~wetness (moderately limited)	0.45	~seasonally ponded (limited)	0.80	~deep to water (limited)	0.60	~deep to water (limited)	0.60	~seasonally ponded (limited)	0.80
73255: Ocie-----	Limited ~seasonally ponded (limited)	0.80	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Very limited ~slope (very limited)	1.00
	~wetness (moderately limited)	0.45	~seasonally ponded (limited)	0.80	~small stones (slightly limited)	0.01	~deep to water (limited)	0.60	~seasonally ponded (limited)	0.80
73256: Arkana-----	Very limited ~wetness (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~slope (limited)	0.91
	~depth to bedrock (slightly limited)	0.21	~seasonally ponded (limited)	0.80	~droughty (slightly limited)	0.03			~seasonally ponded (limited)	0.80
73257: Caneyville----	Very limited ~wetness (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Very limited ~deep to water (very limited)	1.00
	~seasonally ponded (limited)	0.80	~infrequent flooding (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~slope (limited)	0.91
	~depth to bedrock (slightly limited)	0.13	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73258: Cotton-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80					~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80								
73259: Cotton-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~slope (limited)	0.91
	~shallow to bedrock (very limited)	1.00	~seasonally ponded (limited)	0.80					~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80							~seepage (slightly limited)	0.18
73260: Maplewood-----	Very limited ~wetness (very limited)	1.00	Limited ~infrequent flooding (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~droughty (slightly limited)	0.16			~seepage (slightly limited)	0.18
	~droughty (slightly limited)	0.16							~slope (slightly limited)	0.08
73261: Wrengart-----	Limited ~seasonally ponded (limited)	0.80	Limited ~deep to water (limited)	0.82	Limited ~seasonally ponded (limited)	0.80	Limited ~deep to water (limited)	0.82	Very limited ~slope (very limited)	1.00
	~wetness (moderately limited)	0.37	~infrequent flooding (limited)	0.80			~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
			~seasonally ponded (limited)	0.80					~seepage (moderately limited)	0.45

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74678: Racoon-----	Very limited ~wetness (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80						
	~shallow to bedrock (very limited)	1.00	~infrequent flooding (moderately limited)	0.50						
	~seasonally ponded (limited)	0.80								
75376: Cedargap-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80	Very limited ~deep to water (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~deep to water (slightly limited)	0.30	~seasonally ponded (limited)	0.80	~seepage (moderately limited)	0.45
	~wetness (slightly limited)	0.01	~infrequent flooding (moderately limited)	0.50					~deep to water (slightly limited)	0.30
75387: Hacreek-----	Very limited ~wetness (very limited)	1.00	Limited ~seasonally ponded (limited)	0.80						
	~shallow to bedrock (very limited)	1.00	~infrequent flooding (moderately limited)	0.50					~seepage (slightly limited)	0.18
	~seasonally ponded (limited)	0.80								
75399: Jamesfin-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~deep to water (very limited)	1.00						
	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
			~infrequent flooding (moderately limited)	0.50					~seepage (moderately limited)	0.45

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75415: Jemerson-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited) ~infrequent flooding (moderately limited)	1.00 0.80 0.50	Limited ~seasonally ponded (limited) ~deep to water (moderately limited)	0.80 0.47	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Limited ~seasonally ponded (limited) ~deep to water (moderately limited) ~seepage (moderately limited)	0.80 0.47 0.45
75456: Racket-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited) ~infrequent flooding (moderately limited)	1.00 0.80 0.50	Limited ~deep to water (limited) ~seasonally ponded (limited)	0.85 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Limited ~deep to water (limited) ~seasonally ponded (limited) ~seepage (moderately limited)	0.85 0.80 0.45
75457: Urban land-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Jamesfin-----	Very limited ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited) ~infrequent flooding (moderately limited)	1.00 0.80 0.50	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited)	1.00 0.80	Very limited ~deep to water (very limited) ~seasonally ponded (limited) ~seepage (moderately limited)	1.00 0.80 0.45
75458: Tanglenook-----	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~seasonally ponded (limited)	1.00 1.00 0.80	Limited ~seasonally ponded (limited) ~infrequent flooding (moderately limited)	0.80 0.50	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80	Limited ~seasonally ponded (limited)	0.80

Cole County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Upland mixed deciduous-conifer trees		Riparian herbaceous plants		Riparian shrubs, vines, and trees		Freshwater wetland plants		Irrigated freshwater wetland plants	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99000: Pits, quarries-	Not rated		Not rated		Not rated		Not rated		Not rated	
99001: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99012: Urban land----	Not rated		Not rated		Not rated		Not rated		Not rated	