

## Wildlife Interpretations

### **General**

Soils directly affect the kind and amount of vegetation that is available to wildlife as food and cover. They also affect the development of water impoundments. The kind and abundance of wildlife that populate an area depend largely on the amount and distribution of food, cover, water, and living space. If any one of these elements is missing, inadequate, or inaccessible, wildlife will be scarce or will not inhabit the area. If the soils have the potential, wildlife habitat can be created or improved by planting appropriate vegetation, properly managing the existing plant cover, and fostering the natural establishment of desirable plants.

Soils are rated according to their potential for providing habitat for various kinds of wildlife. This information can be used in planning parks, wildlife refuges, nature study areas, and other developments for wildlife. It can also be used in selecting soils that are suitable for establishing, improving, or maintaining specific elements of wildlife habitat.

### **Suitability Ratings**

**GOOD** - means that the element of wildlife habitat or the kind of habitat is easily created, improved, or maintained. Few or no limitations affect management, and satisfactory results can be expected if the soil is used for the designated purpose.

**FAIR** - means that the element of wildlife habitat or kind of habitat can be created, improved, or maintained in most places. Moderately intensive management is required for satisfactory results.

**POOR** - means that limitations are severe for the designated element or kind of wildlife habitat. Habitat can be created, improved, or maintained in most places, but management is difficult and requires intensive effort.

### **Description of Wildlife Habitat Elements**

Grain and seed crops are seed-producing annuals used by wildlife. Examples are corn, wheat, rye, oats, barley, millet, buckwheat, and sunflowers.

Grasses and legumes are domestic perennial grasses and herbaceous legumes that are planted for wildlife food and cover. Examples are fescue, bluegrass, brome grass, timothy, orchard grass, clover, alfalfa, trefoil, reed canary grass, and crown vetch.

Wild herbaceous plants are native and naturally established herbaceous grasses, forbs, and weeds, that provide food and cover for wildlife. Examples are bluestem, indiagrass, blueberry, goldenrod, lambsquarters, dandelions, blackberry, ragweed, wheatgrass, fescue, and nightshade.

Hardwood trees and the associated woody understory provide cover for wildlife and produce nuts or other fruit, buds, catkins, twigs, bark, or foliage that wildlife eat. Examples of native plants are oak, poplar, cherry, apple, birch, beech, maple, hickory, hazelnut, black walnut, and viburnum. Examples of fruit-bearing shrubs that are

commercially available and suitable for planting on soils rated good are hawthorn, honeysuckle, sumac, silky dogwood, highbush cranberry, autumn olive, and crabapple.

Coniferous plants are cone-bearing trees, shrubs, or ground cover that furnish habitat or supply food in the form of browse, seed, or fruit-like cones. Examples are pine, spruce, hemlock, fir, yew, cedar, larch, and juniper.

Wetland plants are annual and perennial wild herbaceous plants that grow on moist or wet sites, exclusive of submerged or floating aquatics. They produce food or cover for wildlife that use wetland as habitat. Examples of wetland plants are smartweed, wild millet, rushes, sedges, reeds, wildrice, arrowhead, water plantain, pickerelweed, and cattail.

Shallow water are bodies of surface water that have an average depth of less than 5 feet and are useful as habitat for wildlife. They can be naturally wet areas, or they can be created by dams or levees, or by water-control devices in marshes or streams. Examples are muskrat marshes, waterfowl feeding areas, wildlife watering developments, beaver ponds, and other wildlife ponds.

#### ***Kinds of Wildlife Habitat***

Open land habitat consists of croplands, pastures, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. The kind of wildlife attracted to these areas include bobwhite quail, pheasant, meadowlark, field sparrow, killdeer, cottontail rabbit, red fox, and woodchuck.

Woodland habitat consists of hardwood or conifers, or a mixture of these and associated grasses, legumes and wild herbaceous plants. Examples of wildlife attracted to this habitat are wild turkey, woodcock, thrushes, woodpeckers, owl, tree squirrels, gray fox, porcupine, raccoon, and deer.

Wetland habitat consists of water-tolerant plants in open, marshy or swampy, shallow water areas. Examples of wildlife attracted to this habitat are ducks, geese, herons, bitterns, rails, kingfishers, muskrat, otter, mink, and beaver.

*This subsection includes:*

- **(a) Wildlife Management Ratings (one or two tables)**

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1C: Menfro-----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
1D2: Menfro-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
1E2: Menfro-----	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.42	Limited ~high erodibility (limited) ~slope (moderately limited)	0.80 0.42	Not limited		Not limited		Not limited	
1F: Menfro-----	Very limited ~slope (very limited) ~high erodibility (limited)	1.00 0.80	Very limited ~slope (very limited) ~high erodibility (limited)	1.00 0.80	Not limited		Not limited		Not limited	
2F: Clarksville----	Very limited ~droughty (very limited) ~small stones (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~small stones (very limited) ~slope (very limited) ~high erodibility (limited)	1.00 1.00 0.80	Moderately limited ~small stones (moderately limited) ~droughty (slightly limited)	0.47 0.25	Moderately limited ~small stones (moderately limited) ~droughty (slightly limited)	0.39 0.25	Slightly limited ~droughty (slightly limited)	0.25
Menfro-----	Very limited ~slope (very limited) ~high erodibility (limited)	1.00 0.80	Very limited ~slope (very limited) ~high erodibility (limited)	1.00 0.80	Not limited		Not limited		Not limited	

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3C: Menfro-----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
3D2: Menfro, ERODED-	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
3E2: Menfro, ERODED-	Limited ~high erodibility (limited) ~slope (limited)	0.80 0.72	Limited ~high erodibility (limited) ~slope (limited)	0.80 0.72	Not limited		Not limited		Not limited	
4D2: Menfro, ERODED-	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
Bucklick, ERODED-----	Limited ~high erodibility (limited) ~droughty (slightly limited)	0.80 0.00	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
4E: Menfro-----	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Not limited		Not limited		Not limited	

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4E: (cont) Bucklick-----	Limited ~high erodibility (limited) ~slope (slightly limited) ~droughty (slightly limited)	0.80 0.15 0.00	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Not limited		Not limited		Not limited	
5C: Minnith-----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
7E2: Menfro, ERODED-	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
Caneyville, ERODED-----	Limited ~high erodibility (limited) ~droughty (moderately limited) ~depth to bedrock (slightly limited)	0.80 0.53 0.18	Limited ~high erodibility (limited) ~depth to bedrock (slightly limited) ~percs slowly (slightly limited)	0.80 0.18 0.13	Not limited		Slightly limited ~depth to bedrock (slightly limited)	0.18	Slightly limited ~depth to bedrock (slightly limited)	0.18
8D2: Minnith, ERODED	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
Lily, ERODED---	Limited ~droughty (limited) ~high erodibility (limited) ~depth to bedrock (moderately limited)	0.98 0.80 0.35	Limited ~high erodibility (limited) ~depth to bedrock (moderately limited)	0.80 0.35	Not limited		Moderately limited ~depth to bedrock (moderately limited)	0.35	Moderately limited ~depth to bedrock (moderately limited)	0.35

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
9C: Hildebrecht----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36						
9D: Hildebrecht----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36						
10F: Menfro-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Not limited		Not limited		Not limited	
	~high erodibility (limited)	0.80	~high erodibility (limited)	0.80						
Caneyville----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Not limited		Slightly limited ~depth to bedrock (slightly limited)	0.12	Slightly limited ~depth to bedrock (slightly limited)	0.12
	~high erodibility (limited)	0.80	~high erodibility (limited)	0.80						
	~percs slowly (slightly limited)	0.13	~percs slowly (slightly limited)	0.13						
Rubble-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11E: Goss-----	Very limited ~droughty (very limited)	1.00	Limited ~high erodibility (limited)	0.80	Slightly limited ~droughty (slightly limited)	0.16	Slightly limited ~droughty (slightly limited)	0.16	Slightly limited ~droughty (slightly limited)	0.16
	~high erodibility (limited)	0.80	~slope (moderately limited)	0.60						
	~slope (moderately limited)	0.60	~droughty (slightly limited)	0.16						
12E: Lily-----	Limited ~droughty (limited)	0.95	Limited ~high erodibility (limited)	0.80	Not limited		Slightly limited ~depth to bedrock (slightly limited)	0.30	Slightly limited ~depth to bedrock (slightly limited)	0.30
	~high erodibility (limited)	0.80	~slope (moderately limited)	0.42						
	~slope (moderately limited)	0.42	~depth to bedrock (slightly limited)	0.30						
Minnith-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15						
	~percs slowly (slightly limited)	0.13	~percs slowly (slightly limited)	0.13						
15E: Gasconade-----	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (slightly limited)	0.23	~shallow to bedrock (very limited)	1.00	~droughty (very limited)	1.00
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00			~too clayey (slightly limited)	0.23		
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
18C: Weller-----	Limited ~high erodibility (limited) ~percs slowly (moderately limited)	0.80 0.39	Limited ~high erodibility (limited) ~percs slowly (moderately limited)	0.80 0.39	Not limited		Not limited		Slightly limited ~wetness (slightly limited)	0.29
19C: Weingarten-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (slightly limited)	0.50 0.13	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (slightly limited)	0.50 0.13	Not limited		Not limited		Not limited	
19D: Weingarten-----	Limited ~high erodibility (limited) ~percs slowly (slightly limited)	0.80 0.13	Limited ~high erodibility (limited) ~percs slowly (slightly limited)	0.80 0.13	Not limited		Not limited		Not limited	
20: Wilbur, FREQUENTLY FLOODED-----	Limited ~flooding (limited) ~wetness (moderately limited)	0.90 0.52	Limited ~flooding (limited) ~wetness (moderately limited)	0.90 0.52	Moderately limited ~wetness (moderately limited)	0.52	Moderately limited ~wetness (moderately limited)	0.52	Limited ~wetness (limited)	0.77
21: Haymond, FREQUENTLY FLOODED-----	Limited ~flooding (limited)	0.90	Limited ~flooding (limited)	0.90	Not limited		Not limited		Not limited	

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24A: Elsah, FREQUENTLY FLOODED-----	Limited		Limited		Not limited		Not limited		Not limited	
	~flooding (limited)	0.90	~flooding (limited)	0.90						
	~moderate erodibility (moderately limited)	0.50	~moderate erodibility (moderately limited)	0.50						
	~droughty (slightly limited)	0.09								
25A: Midco, FREQUENTLY FLOODED-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00
	~flooding (limited)	0.90	~flooding (limited)	0.90	~small stones (slightly limited)	0.08				
	~small stones (moderately limited)	0.47	~small stones (moderately limited)	0.47						
Riverwash-----	Not rated		Not rated		Not rated		Not rated		Not rated	
26A: Auxvasse, RARELY FLOODED	Very limited		Very limited		Moderately limited		Moderately limited		Limited	
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60	~wetness (limited)	0.99
	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60						
	~moderate erodibility (moderately limited)	0.50	~moderate erodibility (moderately limited)	0.50						

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
27A: Ashton, RARELY FLOODED-----	Not limited		Not limited		Not limited		Not limited		Not limited	
28A: Freeburg, RARELY FLOODED	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.36	~wetness (moderately limited)	0.51
	~percs slowly (slightly limited)	0.13	~percs slowly (slightly limited)	0.13						
29: Kickapoo, FREQUENTLY FLOODED-----	Limited		Limited		Not limited		Not limited		Not limited	
	~flooding (limited)	0.90	~flooding (limited)	0.90						
	~droughty (slightly limited)	0.02								
32E: Gasconade-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (slightly limited)	0.23	~shallow to bedrock (very limited)	1.00	~droughty (very limited)	1.00
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00			~too clayey (slightly limited)	0.23		
Caneyville-----	Limited		Limited		Not limited		Moderately limited		Moderately limited	
	~droughty (very limited)	1.00	~high erodibility (limited)	0.80			~depth to bedrock (moderately limited)	0.42	~depth to bedrock (moderately limited)	0.42
	~high erodibility (limited)	0.80	~slope (moderately limited)	0.60						
	~slope (moderately limited)	0.60	~depth to bedrock (moderately limited)	0.42						

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
50: Darwin, RARELY FLOODED-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~ponded (wetness) (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80	~seasonally ponded (limited)	0.80
	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~too clayey (moderately limited)	0.38	~too clayey (moderately limited)	0.38		
52: Parkville, RARELY FLOODED	Very limited		Very limited		Limited		Limited		Limited	
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~too clayey (limited)	0.69	~too clayey (limited)	0.69	~wetness (limited)	0.99
	~too clayey (limited)	0.69	~too clayey (limited)	0.69	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60		
	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60						
53: Leta, RARELY FLOODED-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.59
	~too clayey (moderately limited)	0.43	~too clayey (moderately limited)	0.43	~too clayey (moderately limited)	0.43	~too clayey (moderately limited)	0.43		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
54: Waldron, RARELY FLOODED-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
55: Haynie, RARELY FLOODED-----	Not limited		Not limited		Not limited		Not limited		Not limited	
58: Dupo, RARELY FLOODED-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.59
	~percs slowly (slightly limited)	0.26	~percs slowly (slightly limited)	0.26						
62A: Haynie, RARELY FLOODED-----	Not limited		Not limited		Not limited		Not limited		Not limited	
Waldron, RARELY FLOODED-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						

Perry County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65: Orthents-----	Not Rated Not Rated ~droughty (slightly limited)	0.00	Not Rated Not Rated		Not limited		Not limited		Not limited	
Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
66: Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
AED: Orthent-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	