

## Engineering Interpretations

### **Construction Material and Excavating**

Soils are rated as sources for road fill, topsoil, sand, and gravel. Suitability ratings of good, fair, or poor are given for soils used as a source of road fill and topsoil. Ratings of probable and improbable are given for sand and gravel. A rating of probable means that on the basis of the available evidence, the source material is likely to be in or below the soil. A rating of improbable means that the source material is unlikely to be in or below the soil. The ratings for sand and gravel do not consider the quality of the source material because quality depends on how the source material is to be used.

### **Road Fill**

Road fill consists of soil material that is excavated from its original position and used in road embankments elsewhere. The evaluations for road fill are for low embankments that generally are less than 6 feet in height and are less exacting in design than high embankments such as those along superhighways. The rating is given for the whole soil, from the surface to a depth of about 5 feet, based on the assumption that soil horizons will be mixed in loading, dumping, and spreading. Soils are rated as to the amount of material available for excavation, the ease of excavation, and how well the material performs after it is in place.

### **Sand**

Sand as a construction material is usually defined as particles ranging in size from 0.074 mm (sieve #200) to 4.75 mm (sieve #4) in diameter. Sand is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the sand for specific purposes is not evaluated. If the lowest layer of the soil contains sand, the soil is rated as a probable source regardless of thickness. The assumption is that the sand layer below the depth of observation exceeds the minimum thickness.

### **Gravel**

Gravel as a construction material is defined as particles ranging in size from 4.76 mm (sieve #4) to 76 mm (3 inches) in diameter.

Gravel is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the gravel for specific purposes is not evaluated. If the lowest layer of the soil contains gravel, the soil is rated as a probable source regardless of thickness. The assumption is that the gravel layer below the depth of observation exceeds the minimum thickness.

### **Topsoil**

The term "topsoil" has several meanings. As used here, the term describes soil material used to cover an area so as to improve soil conditions for establishment and maintenance of adapted vegetation. Generally, the upper part of the soil, which is richest in organic matter, is most desirable; however, material excavated from deeper layers is also used. In this rating, the upper 40 inches of soil material is evaluated for use as topsoil. In the

borrow area, the material below 40 inches is evaluated for its suitability for plant growth after the upper 40 inches is removed. The soil properties that are used to rate the soil as topsoil are those that affect plant growth, the ease of excavation, loading, and spreading, and those that affect the reclamation of the borrow area.

*This subsection includes:*

- **(a) Construction Materials and Excavating**

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11C: Peridge-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Slightly limited ~too clayey (slightly limited)	0.21	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~area reclaim (slightly limited)	0.18	~too clayey (moderately limited)	0.60
							~too acid (slightly limited)	0.12		
11D: Peridge-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.63	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (slightly limited)	0.21	~slope (limited)	0.63
							~area reclaim (slightly limited)	0.18	~too clayey (moderately limited)	0.60
11E: Peridge-----	Slightly limited ~slope (slightly limited)	0.25	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (slightly limited)	0.21	~slope (very limited)	1.00
							~area reclaim (slightly limited)	0.18	~too clayey (moderately limited)	0.60
12A: Elsah, FREQUENTLY FLOODED-----	Not limited		Very limited		Very limited		Not limited		Very limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00			~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~flooding (moderately limited)	0.60

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13: Haymond, FREQUENTLY FLOODED-----	Not limited		Very limited		Very limited		Not limited		Moderately limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00			~flooding (moderately limited)	0.60
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29
14E: Holstein-----	Slightly limited ~slope (slightly limited)	0.25	Very limited		Very limited		Very limited		Very limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too sandy (moderately limited)	0.49	~cutbanks cave (slightly limited)	0.29
							~too clayey (moderately limited)	0.38	~too clayey (slightly limited)	0.03
15B: Iva-----	Moderately limited ~wetness (moderately limited)	0.48	Very limited		Very limited		Moderately limited		Very limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (moderately limited)	0.48	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29
16B: Menfro-----	Moderately limited ~shrink-swell (moderately limited)	0.37	Very limited		Very limited		Moderately limited		Slightly limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00				
16C: Menfro-----	Moderately limited ~shrink-swell (moderately limited)	0.37	Very limited		Very limited		Moderately limited		Slightly limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00				

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16D: Menfro-----	Moderately limited ~shrink-swell (moderately limited)	0.37	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
16E: Menfro-----	Limited ~slope (limited)	0.67	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~shrink-swell (moderately limited)	0.37	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
17F: Menfro-----	Limited ~slope (limited)	0.92	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~shrink-swell (slightly limited)	0.15	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
Clarksville----	Very limited ~slope (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (bottom layer)	0.99	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	0.99	~small stones (very limited)	1.00	~cutbanks cave (very limited)	1.00
							~area reclaim (very limited)	1.00	~too clayey (limited)	0.89
18D: Menfro-----	Slightly limited ~shrink-swell (slightly limited)	0.02	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
18D: (cont)										
Bucklick-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~too clayey (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~depth to bedrock (moderately limited)	0.36	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~slope (limited)	0.63	~slope (limited)	0.63
									~depth to bedrock (moderately limited)	0.50
18E:										
Menfro-----	Slightly limited ~slope (slightly limited)	0.25	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~shrink-swell (slightly limited)	0.12	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
Bucklick-----										
	Moderately limited ~shrink-swell (moderately limited)	0.45	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~slope (slightly limited)	0.25	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (very limited)	1.00	~slope (very limited)	1.00
									~too clayey (moderately limited)	0.33
19D:										
Menfro-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29
Holstein-----										
	Slightly limited ~shrink-swell (slightly limited)	0.20	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.55	~cutbanks cave (slightly limited)	0.29
							~too acid (slightly limited)	0.12	~too clayey (slightly limited)	0.03

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
19E:										
Menfro-----	Slightly limited ~slope (slightly limited)	0.25	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~shrink-swell (slightly limited)	0.12	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
Holstein-----	Moderately limited ~shrink-swell (moderately limited)	0.34	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~slope (slightly limited)	0.25	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.55	~cutbanks cave (slightly limited)	0.29
							~too acid (slightly limited)	0.12	~too clayey (slightly limited)	0.03
20E:										
Poynor-----	Limited ~slope (limited)	0.67	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~shrink-swell (slightly limited)	0.20	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~large stones (slightly limited)	0.00					~large stones (limited)	0.64	~too clayey (moderately limited)	0.45
21D:										
Menfro-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~slope (limited)	0.84	Limited ~slope (limited)	0.84
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.50	~cutbanks cave (slightly limited)	0.29
Bucklick-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~too clayey (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~depth to bedrock (moderately limited)	0.36	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~slope (limited)	0.84	~slope (limited)	0.84
								~depth to bedrock (moderately limited)	0.50	

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value						
22: Wilbur, FREQUENTLY FLOODED-----	Not limited		Very limited		Very limited		Not limited		Moderately limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00			~flooding (moderately limited)	0.60
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~wetness (moderately limited)	0.35
									~cutbanks cave (slightly limited)	0.29
23: Wakeland, FREQUENTLY FLOODED-----	Moderately limited		Very limited		Very limited		Moderately limited		Very limited	
	~wetness (moderately limited)	0.48	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (moderately limited)	0.48	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~flooding (moderately limited)	0.60
									~cutbanks cave (slightly limited)	0.29
31: Adler, RARELY FLOODED-----	Slightly limited		Very limited		Very limited		Slightly limited		Very limited	
	~wetness (slightly limited)	0.12	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (slightly limited)	0.12	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
32: Allemands, FREQUENTLY FLOODED-----	Very limited		Not Rated		Not Rated		Not Rated		Very limited	
	~wetness (very limited)	1.00	Not Rated		Not Rated		Not Rated		~ponded (wetness) (very limited)	1.00
	~shrink-swell (slightly limited)	0.29	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	Not Rated		~wetness (very limited)	1.00
							~wetness (very limited)	1.00	~flooding (moderately limited)	0.60
33: Alligator, RARELY FLOODED	Very limited		Very limited		Very limited		Very limited		Very limited	
	~shrink-swell (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (very limited)	1.00	~wetness (very limited)	1.00
	~low strength (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (very limited)	1.00	~cutbanks cave (very limited)	1.00
	~wetness (very limited)	1.00					~too acid (slightly limited)	0.30	~too clayey (very limited)	1.00
34: Beulah-----	Not limited		Possible source ~excess fines (thickest layer)	0.90	Very limited ~excess fines (bottom layer)	1.00	Limited ~too sandy (limited)	0.89	Very limited ~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.45	~excess fines (thickest layer)	1.00				
35: Diehlstadt, OCCASIONALLY FLOODED-----	Limited		Probable source		Very limited		Very limited		Very limited	
	~wetness (limited)	0.86	~possible source (thickest layer)	0.34	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~wetness (very limited)	1.00
					~excess fines (thickest layer)	1.00	~wetness (limited)	0.86	~cutbanks cave (very limited)	1.00
									~flooding (moderately limited)	0.60

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
36: Bosket-----	Not limited		Possible source ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~too sandy (limited)	0.83	Very limited ~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.08	~excess fines (thickest layer)	1.00				
37A: Bowdre, RARELY FLOODED-----	Limited		Very limited		Very limited		Limited		Very limited	
	~wetness (limited)	0.69	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (limited)	0.77	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (limited)	0.69	~cutbanks cave (slightly limited)	0.29
38A: Broseley-----	Not limited		Possible source ~possible source (thickest layer)	0.38	Very limited ~excess fines (bottom layer)	1.00	Very limited ~too sandy (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.31	~excess fines (thickest layer)	1.00				
39: Cairo, FREQUENTLY FLOODED-----	Very limited		Possible source		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.29	~possible source (bottom layer)	0.38	~excess fines (thickest layer)	1.00	~wetness (very limited)	1.00	~cutbanks cave (very limited)	1.00
									~flooding (moderately limited)	0.60

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40: Clana-----	Slightly limited ~wetness (slightly limited)	0.12	Possible source ~possible source (thickest layer) ~possible source (bottom layer)	0.33 0.33	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too sandy (very limited) ~wetness (slightly limited)	1.00 0.12	Very limited ~cutbanks cave (very limited) ~wetness (very limited)	1.00 1.00
41A: Caruthersville, RARELY FLOODED	Slightly limited ~wetness (slightly limited)	0.12	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Limited ~too sandy (limited) ~wetness (slightly limited)	0.67 0.12	Very limited ~cutbanks cave (very limited) ~wetness (very limited)	1.00 1.00
42: Commerce, RARELY FLOODED	Slightly limited ~wetness (slightly limited)	0.03	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Moderately limited ~too clayey (moderately limited) ~wetness (slightly limited)	0.33 0.03	Limited ~wetness (limited) ~cutbanks cave (slightly limited)	0.99 0.29
43: Cooter, OCCASIONALLY FLOODED-----	Slightly limited ~wetness (slightly limited)	0.12	Possible source ~excess fines (thickest layer) ~possible source (bottom layer)	1.00 0.36	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too sandy (very limited) ~wetness (slightly limited)	1.00 0.12	Very limited ~cutbanks cave (very limited) ~wetness (very limited) ~flooding (moderately limited)	1.00 1.00 0.60

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
44: Crevasse, FREQUENTLY FLOODED-----	Not limited		Possible source		Very limited		Very limited		Very limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.03	~excess fines (thickest layer)	1.00			~flooding (moderately limited)	0.60
									~wetness (slightly limited)	0.24
45: Diehlstadt, OCCASIONALLY FLOODED-----	Limited		Probable source		Very limited		Limited		Very limited	
	~wetness (limited)	0.86	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (limited)	0.86	~wetness (very limited)	1.00
					~excess fines (thickest layer)	1.00	~too sandy (moderately limited)	0.57	~cutbanks cave (very limited)	1.00
									~flooding (moderately limited)	0.60
46: Dubbs-----	Not limited		Possible source		Very limited		Slightly limited		Very limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too acid (slightly limited)	0.12	~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.08	~excess fines (thickest layer)	1.00	~too sandy (slightly limited)	0.04		
47: Dundee-----	Slightly limited		Very limited		Very limited		Slightly limited		Very limited	
	~wetness (slightly limited)	0.11	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (slightly limited)	0.17	~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.08	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too acid (slightly limited)	0.12	~cutbanks cave (slightly limited)	0.29
							~wetness (slightly limited)	0.11		

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value								
48: Farrenburg, RARELY FLOODED	Slightly limited		Very limited		Very limited		Limited		Very limited	
	~wetness (slightly limited)	0.12	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too sandy (limited)	0.82	~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (slightly limited)	0.12	~wetness (very limited)	1.00
49: Jackport-----	Very limited									
	~wetness (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (very limited)	1.00	~too clayey (very limited)	1.00
							~too acid (slightly limited)	0.30	~cutbanks cave (slightly limited)	0.29
50: Lilbourn, RARELY FLOODED	Very limited		Possible source		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~excess fines (thickest layer)	0.90	~excess fines (bottom layer)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00
			~possible source (bottom layer)	0.09	~excess fines (thickest layer)	1.00	~too sandy (limited)	0.89	~cutbanks cave (very limited)	1.00
51A: Malden-----	Not limited		Possible source		Very limited		Very limited		Very limited	
			~possible source (thickest layer)	0.36	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.05	~excess fines (thickest layer)	1.00				
52B: Memphis-----	Not limited		Very limited		Very limited		Slightly limited		Slightly limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (slightly limited)	0.29	~cutbanks cave (slightly limited)	0.29
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too acid (slightly limited)	0.12		

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
52C: Memphis-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Slightly limited ~too clayey (slightly limited)	0.29	Slightly limited ~cutbanks cave (slightly limited)	0.29
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too acid (slightly limited)	0.12		
52D3: Memphis, SEVERELY ERODED-----	Not limited		Very limited		Very limited		Limited		Limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~slope (limited)	0.84	~slope (limited)	0.84
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (slightly limited)	0.29	~cutbanks cave (slightly limited)	0.29
							~too acid (slightly limited)	0.12		
52E3: Memphis, SEVERELY ERODED-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~slope (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (slightly limited)	0.29	~cutbanks cave (slightly limited)	0.29
							~too acid (slightly limited)	0.12		
53: Mhoon, RARELY FLOODED-----	Limited		Very limited		Very limited		Limited		Very limited	
	~wetness (limited)	0.86	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (limited)	0.86	~wetness (very limited)	1.00
	~shrink-swell (moderately limited)	0.45	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.33	~cutbanks cave (slightly limited)	0.29

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
54: Reelfoot, RARELY FLOODED	Moderately limited		Very limited		Very limited		Moderately limited		Very limited	
	~wetness (moderately limited)	0.48	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (moderately limited)	0.48	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29
55: Roellen, OCCASIONALLY FLOODED-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (very limited)	1.00	~flooding (moderately limited)	0.60
								~too clayey (moderately limited)	0.60	
56E: Saffell-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~slope (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (thickest layer)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~small stones (very limited)	1.00	~cutbanks cave (very limited)	1.00
						~area reclaim (very limited)	1.00			
57B: Scotco-----	Not limited		Possible source		Very limited		Very limited		Very limited	
			~possible source (thickest layer)	0.06	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.06	~excess fines (thickest layer)	1.00				

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
57C: Scotco-----	Not limited		Possible source ~possible source (thickest layer) ~possible source (bottom layer)	0.06 0.06	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too sandy (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
58: Sharkey, RARELY FLOODED-----	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too clayey (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~cutbanks cave (slightly limited)	1.00 1.00 0.29
59: Sharkey, RARELY FLOODED-----	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too clayey (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~cutbanks cave (slightly limited)	1.00 1.00 0.29
60: Sharkey, RARELY FLOODED-----	Very limited ~shrink-swell (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too clayey (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~cutbanks cave (slightly limited)	1.00 1.00 0.29

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value								
60: (cont)										
Steele, RARELY FLOODED-----	Limited		Possible source		Very limited		Very limited		Very limited	
	~shrink-swell (limited)	0.81	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~cutbanks cave (very limited)	1.00
	~wetness (slightly limited)	0.26	~possible source (thickest layer)	0.35	~excess fines (thickest layer)	1.00	~wetness (slightly limited)	0.26	~wetness (very limited)	1.00
									~too clayey (moderately limited)	0.38
61:										
Sikeston, FREQUENTLY FLOODED-----	Very limited		Possible source		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.20	~possible source (bottom layer)	0.32	~excess fines (thickest layer)	1.00	~too clayey (moderately limited)	0.42	~cutbanks cave (very limited)	1.00
									~flooding (moderately limited)	0.60
62:										
Steele, RARELY FLOODED-----	Limited		Possible source		Very limited		Very limited		Very limited	
	~shrink-swell (limited)	0.81	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~too sandy (very limited)	1.00	~cutbanks cave (very limited)	1.00
	~wetness (slightly limited)	0.26	~possible source (thickest layer)	0.35	~excess fines (thickest layer)	1.00	~wetness (slightly limited)	0.26	~wetness (very limited)	1.00
									~too clayey (moderately limited)	0.38
63:										
Tiptonville----	Not limited		Very limited		Very limited		Slightly limited		Limited	
			~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (slightly limited)	0.21	~wetness (limited)	0.95
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00			~cutbanks cave (slightly limited)	0.29

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
64: Towosahgy-----	Not limited		Possible source ~possible source (bottom layer) ~possible source (thickest layer)	0.38 0.06	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Limited ~too sandy (limited)	0.81	Very limited ~cutbanks cave (very limited)	1.00
65: Tunica, RARELY FLOODED-----	Slightly limited ~shrink-swell (slightly limited) ~wetness (slightly limited)	0.29 0.26	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~too clayey (very limited) ~wetness (slightly limited)	1.00 0.26	Very limited ~wetness (very limited) ~too clayey (limited) ~cutbanks cave (slightly limited)	1.00 0.79 0.29
66: Wardell, RARELY FLOODED-----	Very limited ~wetness (very limited)	1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Very limited ~wetness (very limited) ~too clayey (slightly limited)	1.00 0.08	Very limited ~wetness (very limited) ~cutbanks cave (very limited)	1.00 1.00
67: Orthents-----	Not Rated		Not Rated  Not Rated		Not Rated  Not Rated		Not Rated  Not Rated  Not Rated		Not Rated  ~slope (moderately limited)	0.37
Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Cape Girardeau, Mississippi and Scott Counties, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value						
68: Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
70: Falaya, OCCASIONALLY FLOODED-----	Limited		Very limited		Very limited		Limited		Very limited	
	~wetness (limited)	0.86	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (limited)	0.86	~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too acid (slightly limited)	0.30	~flooding (moderately limited)	0.60
									~cutbanks cave (slightly limited)	0.29
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	