

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10B2: Lagonda-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (moderately limited)	1.00 0.31	Limited ~wetness (limited) ~too clayey (moderately limited)	0.89 0.60	Limited ~wetness (limited)	0.69	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.45 0.30
11C2: Lagonda-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited)	0.89 0.62	Limited ~wetness (limited)	0.69	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.45 0.33
12B2: Bevier-----	Limited ~wetness (limited) ~percs slowly (limited)	0.98 0.93	Very limited ~wetness (very limited) ~slope (moderately limited)	1.00 0.31	Limited ~too clayey (limited) ~wetness (moderately limited)	0.67 0.59	Slightly limited ~wetness (slightly limited)	0.29	Limited ~hard to pack (limited) ~too clayey (moderately limited) ~wetness (slightly limited)	0.70 0.41 0.28
15B: Grundy-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (moderately limited)	1.00 0.31	Limited ~wetness (limited) ~too clayey (limited)	0.89 0.70	Limited ~wetness (limited)	0.69	Limited ~hard to pack (limited) ~too clayey (moderately limited) ~wetness (moderately limited)	0.70 0.45 0.45

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Crestmeade-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (limited)	1.00 0.82	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited) ~hard to pack (limited) ~too clayey (limited)	0.99 0.70 0.64
19C2: Menfro-----	Slightly limited ~percs slowly (slightly limited)	0.25	Limited ~slope (limited) ~seepage (moderately limited)	0.91 0.50	Slightly limited ~too clayey (slightly limited)	0.11	Not limited		Not limited	
19F: Menfro-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited) ~too clayey (slightly limited)	1.00 0.11	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
20A: Shannondale----	Very limited ~wetness (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~wetness (very limited) ~seepage (very limited)	1.00 1.00	Limited ~wetness (limited) ~seepage (limited) ~too clayey (slightly limited)	0.89 0.72 0.15	Limited ~wetness (limited)	0.69	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.45 0.03

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
20C2: Shannondale----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Moderately limited ~wetness (moderately limited)	0.45
	~flooding (rare) (moderately limited)	0.60	~seepage (very limited)	1.00	~seepage (limited)	0.72	~flooding (rare) (moderately limited)	0.60	~too clayey (slightly limited)	0.03
	~percs slowly (slightly limited)	0.25	~slope (limited)	0.66	~flooding (rare) (moderately limited)	0.60				
21C2: Knox-----	Slightly limited ~percs slowly (slightly limited)	0.25	Very limited ~slope (very limited)	1.00	Slightly limited ~too clayey (slightly limited)	0.11	Not limited		Not limited	
			~seepage (moderately limited)	0.50						
22F3: Knox-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.11				
23B2: Higginsville---	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Moderately limited ~wetness (moderately limited)	0.45
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.15			~too clayey (slightly limited)	0.03
			~slope (moderately limited)	0.31						

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
23C2: Higginsville---	Very limited ~wetness (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~wetness (very limited) ~slope (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Limited ~wetness (limited) ~too clayey (slightly limited)	0.89 0.15	Limited ~wetness (limited)	0.69	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.45 0.03
25B: Wakenda-----	Slightly limited ~wetness (slightly limited) ~percs slowly (slightly limited)	0.29 0.25	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	0.50 0.31	Slightly limited ~wetness (slightly limited) ~too clayey (slightly limited)	0.15 0.11	Not limited		Not limited	
25C2: Wakenda-----	Slightly limited ~wetness (slightly limited) ~percs slowly (slightly limited)	0.29 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Slightly limited ~wetness (slightly limited) ~too clayey (slightly limited)	0.15 0.11	Not limited		Not limited	
26B: Armstrong-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited)	0.99 0.76	Limited ~wetness (limited)	0.80	Limited ~hard to pack (limited) ~too clayey (moderately limited) ~wetness (moderately limited)	0.70 0.54 0.50
26C2: Armstrong-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited)	0.99 0.76	Limited ~wetness (limited)	0.80	Moderately limited ~too clayey (moderately limited) ~wetness (moderately limited)	0.54 0.50

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
26D2: Armstrong-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~slope (limited)	1.00 0.93 0.63	Very limited ~slope (very limited) ~wetness (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited) ~slope (limited)	0.99 0.76 0.63	Limited ~wetness (limited) ~slope (limited)	0.80 0.63	Limited ~hard to pack (limited) ~slope (limited) ~too clayey (moderately limited)	0.70 0.63 0.54
27D3: Armstrong-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~slope (limited)	1.00 0.93 0.63	Very limited ~slope (very limited) ~wetness (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited) ~slope (limited)	0.99 0.76 0.63	Limited ~wetness (limited) ~slope (limited)	0.80 0.63	Limited ~hard to pack (limited) ~slope (limited) ~too clayey (moderately limited)	0.70 0.63 0.54
28C: Keswick-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (very limited)	1.00 1.00	Limited ~wetness (limited) ~too clayey (limited) ~too acid (slightly limited)	0.99 0.75 0.12	Limited ~wetness (limited)	0.80	Limited ~hard to pack (limited) ~too clayey (moderately limited) ~wetness (moderately limited)	0.70 0.53 0.50
31F: Winnegan-----	Very limited ~wetness (very limited) ~slope (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~slope (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~slope (very limited) ~wetness (limited) ~too clayey (moderately limited)	1.00 1.00 0.69 0.60	Very limited ~slope (very limited) ~wetness (moderately limited)	1.00 0.44	Very limited ~slope (very limited) ~wetness (moderately limited) ~too clayey (moderately limited)	1.00 0.35 0.30

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
36D2: Gospport-----	Very limited ~percs slowly (very limited) ~depth to bedrock (limited) ~slope (limited)	1.00 0.73 0.63	Very limited ~slope (very limited) ~depth to bedrock (limited)	1.00 0.73	Very limited ~depth to bedrock (very limited) ~slope (limited)	1.00 0.76 0.63	Limited ~slope (limited) ~depth to bedrock (moderately limited)	0.63 0.55	Limited ~hard to pack (limited) ~slope (limited) ~depth to bedrock (moderately limited)	0.70 0.63 0.55
36F: Gospport-----	Very limited ~percs slowly (very limited) ~slope (very limited) ~depth to bedrock (limited)	1.00 1.00 0.67	Very limited ~slope (very limited) ~depth to bedrock (limited)	1.00 0.67	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (limited)	1.00 1.00 0.76	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.51	Very limited ~slope (very limited) ~hard to pack (limited) ~too acid (moderately limited)	1.00 0.70 0.54
37D2: Newcomer-----	Limited ~slope (limited) ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	0.63 0.44 0.30	Very limited ~slope (very limited) ~seepage (moderately limited) ~depth to bedrock (moderately limited)	1.00 0.50 0.44	Very limited ~depth to bedrock (very limited) ~slope (limited)	1.00 0.63	Limited ~slope (limited) ~depth to bedrock (slightly limited)	0.63 0.30	Limited ~slope (limited) ~depth to bedrock (slightly limited)	0.63 0.30
37F: Newcomer-----	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	1.00 0.41 0.30	Very limited ~slope (very limited) ~seepage (moderately limited) ~depth to bedrock (moderately limited)	1.00 0.50 0.41	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~depth to bedrock (slightly limited)	1.00 0.22	Very limited ~slope (very limited) ~depth to bedrock (slightly limited)	1.00 0.22

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40F: Putco-----	Very limited ~slope (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~too clayey (limited)	1.00 0.80	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~small stones (limited) ~hard to pack (limited)	1.00 0.81 0.70
42F: Schuline-----	Very limited ~slope (very limited) ~percs slowly (limited)	1.00 0.71	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
47: Dockery-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (slightly limited)	1.00 1.00 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.79	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.60	Moderately limited ~wetness (moderately limited)	0.40
50: Blackoar-----	Very limited ~wetness (very limited) ~flooding (very limited) ~percs slowly	1.00 1.00 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage	1.00 1.00 0.50	Very limited ~wetness (very limited) ~flooding (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited)	1.00

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	(slightly limited)		(moderately limited)							
53: Colo-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (slightly limited)	1.00 1.00 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (limited) ~too clayey (slightly limited)	1.00 1.00 0.99 0.21	Very limited ~flooding (very limited) ~wetness (limited)	1.00 1.00 0.80	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (slightly limited)	0.70 0.50 0.08
54: Zook-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~too clayey (limited)	1.00 1.00 1.00 0.61	Very limited ~flooding (very limited) ~wetness (limited)	1.00 1.00 0.99	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.60 0.31
56: Triplett-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (limited)	1.00 0.74	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited) ~hard to pack (limited) ~too clayey (moderately limited)	0.99 0.70 0.51
60: Portage-----	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~flooding (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~ponded (wetness) (very limited)	1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~flooding (very limited)	1.00 1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~ponded (wetness) (very limited)	1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~too clayey (very limited)	1.00 1.00 1.00 1.00

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
61: Carlow-----	Very limited ~wetness (very limited) ~flooding (very limited) ~percs slowly (very limited)	1.00 1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~flooding (very limited) ~too clayey (limited)	1.00 1.00 1.00 0.85	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~hard to pack (limited) ~too clayey (limited)	1.00 1.00 0.70 0.70
62: Carlow-----	Very limited ~wetness (very limited) ~percs slowly (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.60	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.85 0.60	Very limited ~wetness (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~wetness (very limited) ~hard to pack (limited) ~too clayey (limited)	1.00 1.00 0.70 0.70
64: Tina-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~flooding (rare) (moderately limited)	1.00 0.71 0.60	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Limited ~wetness (limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	0.89 0.63 0.60	Limited ~wetness (limited) ~flooding (rare) (moderately limited)	0.69 0.60	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.70 0.45 0.34
66C2: Gifford-----	Very limited ~wetness (very limited) ~percs slowly (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~slope (limited)	1.00 0.91	Very limited ~wetness (very limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.65 0.60	Very limited ~wetness (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Limited ~wetness (limited) ~too clayey (moderately limited)	0.81 0.38

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
68: Tuskeego-----	Very limited ~wetness (very limited) ~flooding (very limited) ~percs slowly (very limited)	1.00 1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~flooding (very limited) ~too clayey (moderately limited)	1.00 1.00 1.00 0.60	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~hard to pack (limited) ~too clayey (moderately limited)	1.00 1.00 0.70 0.30
70: Speed-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (slightly limited)	1.00 1.00 1.00 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (limited) ~seepage	1.00 1.00 0.89	Very limited ~flooding (very limited) ~wetness (limited)	1.00 1.00 0.69	Moderately limited ~wetness (moderately limited)	0.45
72: Tice-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (slightly limited)	1.00 1.00 1.00 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (limited) ~too clayey (slightly limited)	1.00 1.00 0.89 0.09	Very limited ~flooding (very limited) ~wetness (limited)	1.00 1.00 0.69	Limited ~hard to pack (limited) ~wetness (moderately limited)	0.70 0.45
73: Tice-----	Very limited ~wetness (very limited) ~flooding (rare) (moderately limited) ~percs slowly (slightly limited)	1.00 0.60 0.25	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Limited ~wetness (limited) ~flooding (rare) (moderately limited) ~too clayey (slightly limited)	0.89 0.60 0.15	Limited ~wetness (limited) ~flooding (rare) (moderately limited)	0.69 0.60	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (slightly limited)	0.70 0.45 0.03

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
78: Levasy-----	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~too clayey (limited)	1.00 1.00 1.00 0.80	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 1.00 0.60	Very limited ~ponded (wetness) (very limited) ~wetness (limited) ~too clayey (moderately limited)	1.00 1.00 0.99 0.60
81: Haynie-----	Moderately limited ~flooding (rare) (moderately limited) ~percs slowly (slightly limited)	0.60 0.25	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~flooding (rare) (moderately limited)	0.60	Not limited	
82: Sarpy-----	Very limited ~poor filter (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~seepage (very limited)	1.00	Very limited ~too sandy (very limited) ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.60	Very limited ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~seepage (very limited) ~too sandy (very limited)	1.00 1.00
83: Landes-----	Very limited ~poor filter (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~seepage (very limited)	1.00	Very limited ~too sandy (very limited) ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.60	Very limited ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~seepage (very limited) ~too sandy (very limited)	1.00 1.00

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
84: Haynie-----	Moderately limited ~flooding (rare) (moderately limited) ~percs slowly (slightly limited)	0.60 0.25	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~flooding (rare) (moderately limited)	0.60	Not limited	
Waldron-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~flooding (rare) (moderately limited)	1.00 0.93 0.60	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Limited ~wetness (limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	0.99 0.65 0.60	Limited ~wetness (limited) ~flooding (rare) (moderately limited)	0.80 0.60	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
85: Waldron-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~flooding (rare) (moderately limited)	1.00 0.93 0.60	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Limited ~wetness (limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	0.99 0.65 0.60	Limited ~wetness (limited) ~flooding (rare) (moderately limited)	0.80 0.60	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
86: Parkville-----	Very limited ~wetness (very limited) ~flooding (rare) (moderately limited) ~percs slowly (slightly limited)	1.00 0.60 0.25	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~wetness (very limited) ~too clayey (limited) ~flooding (rare) (moderately limited)	1.00 0.90 0.60	Limited ~wetness (limited) ~flooding (rare) (moderately limited)	0.99 0.60	Limited ~too clayey (limited) ~wetness (moderately limited) ~too sandy (moderately limited)	0.79 0.60 0.60

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
87: Modale-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~too clayey (limited)	0.90	Limited ~wetness (limited)	0.69	Limited ~too clayey (limited)	0.79
	~percs slowly (limited)	0.93	~seepage (moderately limited)	0.50	~wetness (limited)	0.89	~flooding (rare) (moderately limited)	0.60	~hard to pack (limited)	0.70
	~flooding (rare) (moderately limited)	0.60			~flooding (rare) (moderately limited)	0.60			~wetness (moderately limited)	0.45
88: Cotter-----	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~flooding (rare) (moderately limited)	0.60	Not limited	
	~percs slowly (slightly limited)	0.25			~too clayey (slightly limited)	0.11				
89: Norborne-----	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (rare) (moderately limited)	0.60	Moderately limited ~flooding (rare) (moderately limited)	0.60	Not limited	
	~percs slowly (slightly limited)	0.25								
93: Booker-----	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00
	~wetness (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~wetness (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~wetness (very limited)	1.00
	~percs slowly (very limited)	1.00			~too clayey (very limited)	1.00	~flooding (rare) (moderately limited)	0.60	~too clayey (very limited)	1.00

Chariton County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
94: Grable-----	Very limited ~poor filter (very limited) ~flooding (rare) (moderately limited) ~percs slowly (slightly limited)	1.00 0.60 0.25	Very limited ~seepage (very limited)	1.00	Very limited ~too sandy (very limited) ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 1.00 0.60	Very limited ~seepage (very limited) ~flooding (rare) (moderately limited)	1.00 0.60	Very limited ~seepage (very limited) ~too sandy (very limited)	1.00 1.00
99: Haynie-----	Very limited ~flooding (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~flooding (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not limited	
Waldron-----	Very limited ~flooding (very limited) ~wetness (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (limited) ~too clayey (limited)	1.00 1.00 0.99 0.65	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.80	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	

