

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1B2: Union-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~seepage (moderately limited) ~slope (moderately limited)	1.00 0.50 0.31	Limited ~too clayey (limited) ~wetness (limited) ~too acid (limited)	1.00 0.89 0.76	Limited ~wetness (limited)	0.69	Limited ~too clayey (limited) ~too acid (limited) ~wetness (moderately limited)	0.99 0.76 0.45
1C2: Union-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited) ~slope (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Limited ~too clayey (limited) ~slope (limited) ~too acid (limited)	1.00 0.89 0.76	Limited ~wetness (limited)	0.69	Limited ~too clayey (limited) ~too acid (limited) ~wetness (moderately limited)	0.99 0.76 0.45
1D2: Union-----	Very limited ~wetness (very limited) ~percs slowly (limited) ~slope (limited)	1.00 0.93 0.63	Very limited ~slope (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Limited ~too clayey (limited) ~wetness (limited) ~too acid (limited)	1.00 0.89 0.76	Limited ~wetness (limited) ~slope (limited)	0.69 0.63	Limited ~too clayey (limited) ~too acid (limited) ~slope (limited)	0.99 0.76 0.63
2D: Goss-----	Limited ~slope (limited) ~percs slowly (slightly limited) ~large stones (slightly limited)	0.63 0.25 0.23	Very limited ~slope (very limited) ~seepage (very limited) ~large stones (moderately limited)	1.00 1.00 0.35	Limited ~too clayey (limited) ~slope (limited) ~large stones (slightly limited)	0.75 0.63 0.30	Limited ~seepage (limited) ~slope (limited)	0.75 0.63	Limited ~slope (limited) ~small stones (limited) ~too clayey (moderately limited)	0.63 0.61 0.53

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2F: Goss-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~seepage (very limited)	1.00	~too clayey (limited)	0.75	~seepage (limited)	0.75	~small stones (limited)	0.62
	~large stones (slightly limited)	0.24	~large stones (moderately limited)	0.43	~large stones (moderately limited)	0.31			~too clayey (moderately limited)	0.53
3: Twomile-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.99	Moderately limited ~wetness (moderately limited)	0.60
	~percs slowly (limited)	0.93			~too acid (slightly limited)	0.24			~too acid (slightly limited)	0.24
					~too clayey (slightly limited)	0.11				
5B: Hartville-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Limited ~hard to pack (limited)	0.70
	~percs slowly (limited)	0.93	~slope (moderately limited)	0.31	~too clayey (limited)	0.75			~too clayey (moderately limited)	0.53
									~wetness (moderately limited)	0.45
5C: Hartville-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Limited ~hard to pack (limited)	0.70
	~percs slowly (limited)	0.93	~slope (very limited)	1.00	~too clayey (limited)	0.75			~too clayey (moderately limited)	0.53
									~wetness (moderately limited)	0.45

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6B: Bucklick-----	Moderately limited ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	0.54 0.25	Moderately limited ~depth to bedrock (moderately limited) ~seepage (moderately limited) ~slope (moderately limited)	0.54 0.50 0.31	Very limited ~depth to bedrock (very limited) ~too clayey (moderately limited)	1.00 0.60	Moderately limited ~depth to bedrock (moderately limited)	0.39	Moderately limited ~depth to bedrock (moderately limited) ~too clayey (moderately limited)	0.39 0.30
6C: Bucklick-----	Moderately limited ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	0.54 0.25	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~seepage (moderately limited)	1.00 0.54 0.50	Very limited ~depth to bedrock (very limited) ~too clayey (moderately limited)	1.00 0.60	Moderately limited ~depth to bedrock (moderately limited)	0.39	Moderately limited ~depth to bedrock (moderately limited) ~too clayey (moderately limited)	0.39 0.30
6D: Bucklick-----	Limited ~slope (limited) ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	0.63 0.54 0.25	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~seepage (moderately limited)	1.00 0.54 0.50	Very limited ~depth to bedrock (very limited) ~slope (limited) ~too clayey (moderately limited)	1.00 0.63 0.60	Limited ~slope (limited) ~depth to bedrock (moderately limited)	0.63 0.39	Limited ~slope (limited) ~depth to bedrock (moderately limited) ~too clayey (moderately limited)	0.63 0.39 0.30
6E: Bucklick-----	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~percs slowly (slightly limited)	1.00 0.54 0.25	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~seepage (moderately limited)	1.00 0.54 0.50	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (moderately limited)	1.00 1.00 0.60	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.39	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~too clayey (moderately limited)	1.00 0.39 0.30

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6F: Bucklick-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~depth to bedrock (limited)	0.72	~depth to bedrock (limited)	0.72	~depth to bedrock (very limited)	1.00	~depth to bedrock (moderately limited)	0.54	~depth to bedrock (moderately limited)	0.54
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (moderately limited)	0.60			~too clayey (moderately limited)	0.30
Gatewood-----	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00
	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~percs slowly (limited)	0.93			~too clayey (very limited)	1.00			~too clayey (very limited)	1.00
7B: Menfro-----	Slightly limited ~percs slowly (slightly limited)	0.25	Moderately limited ~seepage (moderately limited)	0.50	Slightly limited ~too clayey (slightly limited)	0.11	Not limited		Not limited	
			~slope (moderately limited)	0.31						
7C2: Menfro-----	Slightly limited ~percs slowly (slightly limited)	0.25	Very limited ~slope (very limited)	1.00	Slightly limited ~too clayey (slightly limited)	0.11	Not limited		Not limited	
			~seepage (moderately limited)	0.50						
7D2: Menfro-----	Limited ~slope (limited)	0.63	Very limited ~slope (very limited)	1.00	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.11				

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7E2: Menfro-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited) ~too clayey (slightly limited)	1.00 0.11	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
7F: Menfro-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited) ~too clayey (slightly limited)	1.00 0.11	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
8B: Crider-----	Slightly limited ~percs slowly (slightly limited)	0.25	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	0.50 0.31	Not limited		Not limited		Not limited	
8C2: Crider-----	Slightly limited ~percs slowly (slightly limited)	0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Not limited		Not limited		Not limited	
8D2: Crider-----	Limited ~slope (limited) ~percs slowly (slightly limited)	0.63 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63	Limited ~slope (limited)	0.63

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8E: Crider-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
10F: Gasconade-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~large stones (limited)	1.00 1.00 0.67	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones (limited)	1.00 1.00 0.97	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (limited)	1.00 1.00 0.75	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~large stones (moderately limited)	1.00 1.00 0.41
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
12: Bremer-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.71	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~wetness (very limited) ~too clayey (moderately limited)	1.00 0.51	Limited ~wetness (limited)	0.99	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (slightly limited)	0.70 0.60 0.26
13A: Auxvasse-----	Very limited ~wetness (very limited) ~percs slowly (very limited)	1.00 1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (limited)	1.00 0.85	Limited ~wetness (limited)	0.99	Limited ~too clayey (limited) ~wetness (moderately limited)	0.70 0.60

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value						
14C:										
Hobson-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Limited ~small stones (limited)	0.83
	~percs slowly (limited)	0.93	~slope (very limited)	1.00	~too acid (slightly limited)	0.30			~wetness (moderately limited)	0.45
			~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.09			~too acid (slightly limited)	0.30
14D:										
Hobson-----	Very limited ~wetness (very limited)	1.00	Very limited ~slope (very limited)	1.00	Limited ~wetness (limited)	0.89	Limited ~wetness (limited)	0.69	Limited ~small stones (limited)	0.83
	~percs slowly (limited)	0.93	~wetness (very limited)	1.00	~wetness (limited)	0.63	~slope (limited)	0.63	~slope (limited)	0.63
	~slope (limited)	0.63	~seepage (moderately limited)	0.50	~too acid (slightly limited)	0.30			~wetness (moderately limited)	0.45
15:										
Gladden-----	Very limited ~flooding (very limited)	1.00	Very limited ~seepage (very limited)	1.00						
	~poor filter (very limited)	1.00	~seepage (very limited)	1.00	~seepage (very limited)	1.00	~seepage (very limited)	1.00	~small stones (limited)	0.82
	~percs slowly (slightly limited)	0.25			~too acid (slightly limited)	0.12			~too acid (slightly limited)	0.12
Midco-----	Very limited ~flooding (very limited)	1.00	Very limited ~small stones >35% (very limited)	1.00						
	~large stones (slightly limited)	0.01	~seepage (very limited)	1.00	~seepage (limited)	0.79	~seepage (limited)	0.75	~seepage (moderately limited)	0.50
			~large stones (slightly limited)	0.01	~large stones (slightly limited)	0.01				

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Blake-----	Limited ~wetness (limited) ~percs slowly (slightly limited)	0.98 0.25	Very limited ~wetness (very limited) ~seepage (moderately limited)	1.00 0.50	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.59 0.06	Slightly limited ~wetness (slightly limited)	0.29	Slightly limited ~wetness (slightly limited)	0.28
Waldron-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited) ~too clayey (limited)	0.99 0.65	Limited ~wetness (limited)	0.80	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
17: Hodge-----	Very limited ~flooding (very limited) ~poor filter (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~seepage (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~seepage (very limited) ~too sandy (moderately limited)	1.00 1.00 0.60	Very limited ~flooding (very limited) ~seepage (very limited)	1.00 1.00	Very limited ~seepage (very limited) ~too sandy (moderately limited)	1.00 0.60
Blake-----	Very limited ~flooding (very limited) ~wetness (limited) ~percs slowly (slightly limited)	1.00 0.98 0.25	Very limited ~flooding (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~flooding (very limited) ~wetness (moderately limited) ~too clayey (slightly limited)	1.00 0.59 0.06	Very limited ~flooding (very limited) ~wetness (slightly limited)	1.00 0.29	Slightly limited ~wetness (slightly limited)	0.28
19: Haynie-----	Slightly limited ~percs slowly (slightly limited)	0.25	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited	

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
19: (cont)										
Waldron-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited) ~too clayey (limited)	0.99 0.65	Limited ~wetness (limited)	0.80	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
20:										
Hodge-----	Very limited ~poor filter (very limited)	1.00	Very limited ~seepage (very limited)	1.00	Very limited ~seepage (very limited) ~too sandy (moderately limited)	1.00 0.60	Very limited ~seepage (very limited)	1.00	Very limited ~seepage (very limited) ~too sandy (moderately limited)	1.00 0.60
Haynie-----	Slightly limited ~percs slowly (slightly limited)	0.25	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited	
22:										
Waldron-----	Very limited ~wetness (very limited) ~percs slowly (limited)	1.00 0.93	Very limited ~wetness (very limited)	1.00	Limited ~wetness (limited) ~too clayey (limited)	0.99 0.65	Limited ~wetness (limited)	0.80	Limited ~hard to pack (limited) ~wetness (moderately limited) ~too clayey (moderately limited)	0.70 0.50 0.38
Booker-----	Very limited ~wetness (very limited) ~percs slowly (very limited)	1.00 1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (very limited)	1.00 1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~hard to pack (limited)	1.00 1.00 0.70

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
23C2: Winfield-----	Limited ~wetness (limited) ~percs slowly (slightly limited)	0.89 0.25	Very limited ~wetness (very limited) ~slope (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Moderately limited ~wetness (moderately limited) ~too clayey (slightly limited)	0.52 0.09	Slightly limited ~wetness (slightly limited)	0.22	Slightly limited ~wetness (slightly limited)	0.14
23D2: Winfield-----	Limited ~wetness (limited) ~slope (limited) ~percs slowly (slightly limited)	0.89 0.63 0.25	Very limited ~slope (very limited) ~wetness (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Limited ~slope (limited) ~wetness (moderately limited) ~too clayey (slightly limited)	0.63 0.52 0.09	Limited ~slope (limited) ~wetness (slightly limited)	0.63 0.22	Limited ~slope (limited) ~wetness (slightly limited)	0.63 0.14
24E: Gatewood-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~slope (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~too clayey (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~too clayey (very limited) ~slope (very limited)	1.00 1.00 1.00
25E: Beemont-----	Very limited ~percs slowly (very limited) ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.48	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.48	Very limited ~depth to bedrock (very limited) ~too clayey (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.33	Very limited ~too clayey (very limited) ~slope (very limited) ~hard to pack (limited)	1.00 1.00 0.70

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
29F:										
Menfro-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited) ~too clayey (slightly limited)	1.00 0.11	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
Bardley-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~percs slowly (slightly limited)	1.00 1.00 0.25	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~too clayey (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (very limited)	1.00 1.00 1.00
31:										
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Udorthents----	Not Rated		Not Rated		Not Rated		Not Rated		Not Rated	
					Not Rated				Not Rated	
					Not Rated				Not Rated	
32:										
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
36F:										
Bardley-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~percs slowly (slightly limited)	1.00 1.00 0.25	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~too clayey (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (very limited)	1.00 1.00 1.00

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
38A: Haymond-----	Very limited ~flooding (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~flooding (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Not limited	
Riverwash-----	Not rated		Not rated		Not rated		Not rated		Not rated	
39: Haymond-----	Not Rated ~flooding (very limited) ~percs slowly (slightly limited)	1.00 0.25	Not Rated ~flooding (very limited) ~seepage (moderately limited)	1.00 0.50	Not Rated ~flooding (very limited)	1.00	Not Rated ~flooding (very limited)	1.00	Not Rated	
40A: Racoon-----	Very limited ~wetness (very limited) ~flooding (very limited) ~percs slowly (limited)	1.00 1.00 0.93	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~flooding (very limited) ~too acid (slightly limited)	1.00 1.00 0.30	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~too acid (slightly limited) ~too clayey (slightly limited)	1.00 0.30 0.03
43: Cedargap-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~seepage (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~seepage (limited)	1.00 0.79	Very limited ~flooding (very limited) ~seepage (limited)	1.00 0.75	Very limited ~small stones >35% (very limited) ~seepage (moderately limited)	1.00 0.50

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
44: Gladden-----	Very limited ~flooding (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~flooding (very limited) ~seepage (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~seepage (limited) ~too acid (slightly limited)	1.00 0.79 0.12	Very limited ~flooding (very limited) ~seepage (limited)	1.00 0.75	Limited ~small stones (limited) ~seepage (moderately limited) ~too acid (slightly limited)	0.82 0.50 0.12
45: Pope-----	Very limited ~flooding (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~flooding (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~flooding (very limited) ~too acid (moderately limited)	1.00 0.54	Very limited ~flooding (very limited)	1.00	Moderately limited ~too acid (moderately limited)	0.54
46F: Lily-----	Very limited ~depth to bedrock (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~seepage (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~seepage (limited)	1.00 1.00 0.79	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~seepage (limited)	1.00 1.00 0.75	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too acid (moderately limited)	1.00 1.00 0.54
Holstein-----	Very limited ~slope (very limited) ~percs slowly (slightly limited)	1.00 0.25	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited) ~too clayey (slightly limited) ~too acid (slightly limited)	1.00 0.15 0.12	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~too acid (slightly limited) ~too clayey (slightly limited)	1.00 0.12 0.03

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value								
46F: (cont)										
Ramsey-----	Very limited									
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~seepage (very limited)	1.00
	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~seepage (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00
					~slope (very limited)	1.00			~slope (very limited)	1.00
47D:										
Hobson-----	Very limited		Very limited		Limited		Limited		Limited	
	~wetness (very limited)	1.00	~slope (very limited)	1.00	~wetness (limited)	0.89	~wetness (limited)	0.69	~small stones (limited)	0.76
	~percs slowly (limited)	0.93	~wetness (very limited)	1.00	~too clayey (limited)	0.80	~slope (limited)	0.63	~slope (limited)	0.63
	~slope (limited)	0.63	~seepage (moderately limited)	0.50	~slope (limited)	0.63			~too clayey (moderately limited)	0.60
Lily-----	Very limited									
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00	~seepage (limited)	0.79	~seepage (limited)	0.75	~slope (limited)	0.63
			~seepage (very limited)	1.00	~slope (limited)	0.63	~slope (limited)	0.63	~too acid (moderately limited)	0.54
Ramsey-----	Very limited									
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~seepage (very limited)	1.00
	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00	~seepage (very limited)	1.00	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00
					~slope (limited)	0.63			~slope (limited)	0.63
AED:										
Orthent-----	Not rated									

Franklin County, Missouri: Detailed Soil Map Legend

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value								
M-W: Water-----	Not rated									
W: Water-----	Not rated									