

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10A: Sturges-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (slightly limited)	1.00  0.02	Very limited: wetness (very limited) too clayey (moderately limited)	1.00  0.40	Very limited: wetness (very limited)	1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (limited)	1.00  1.00  0.67
12A: Crestmeade----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited)	1.00	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.05	Very limited: wetness (very limited)	1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (moderately limited)	1.00  1.00  0.37
14B: Grundy-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (moderately limited)	1.00  0.40	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.07	Limited: wetness (limited)	0.99	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (moderately limited)	1.00  0.60  0.41
20F: Locksprings---	Very limited: wetness (very limited) depth to bedrock (very limited) percs slowly (limited)	1.00  1.00  0.85	Very limited: slope >7% (very limited) wetness (very limited) large stones (very limited)	1.00  1.00  1.00	Very limited: wetness (very limited) depth to bedrock (very limited) too clayey (moderately limited)	1.00  1.00  0.56	Very limited: depth to bedrock (very limited) wetness (limited) slope (moderately limited)	1.00  0.99  0.37	Very limited: hard to pack (very limited) depth to bedrock (very limited) large stones (limited)	1.00  1.00  0.75

## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
21B: Weller-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (moderately limited)	1.00  0.40	Limited: wetness (limited) too clayey (slightly limited)	0.99  0.02	Limited: wetness (limited)	0.80	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (moderately limited)	1.00  0.50  0.30
22C: Weller-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (limited)	1.00  0.79	Limited: wetness (limited) too clayey (slightly limited)	0.99  0.02	Limited: wetness (limited)	0.80	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (moderately limited)	1.00  0.50  0.30
26C2: Chillicothe---	Very limited: wetness (very limited) percs slowly (moderately limited) depth to bedrock (slightly limited)	1.00  0.60  0.05	Very limited: wetness (very limited) slope (limited) potential seepage (moderately limited)	1.00  0.98  0.50	Very limited: depth to bedrock (very limited) wetness (limited) too clayey (slightly limited)	1.00  0.99  0.06	Limited: wetness (limited)	0.80	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (moderately limited)	1.00  0.50  0.38
28C: Greenton-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (limited)	1.00  0.98	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.22	Very limited: wetness (very limited)	1.00	Very limited: hard to pack (very limited) wetness (limited) too clayey (moderately limited)	1.00  0.94  0.60
28D2: Greenton-----	Very limited: wetness (very limited) percs slowly (limited) depth to bedrock (limited)	1.00  0.85  0.60	Very limited: slope >7% (very limited) wetness (very limited) depth to bedrock (limited)	1.00  1.00  0.60	Very limited: depth to bedrock (very limited) wetness (very limited) too clayey (slightly limited)	1.00  1.00  0.19	Very limited: wetness (very limited) depth to bedrock (moderately limited) slope (slightly limited)	1.00  0.45  0.16	Very limited: hard to pack (very limited) wetness (very limited) too clayey (moderately limited)	1.00  1.00  0.57

## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
30B: Sampsel-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (moderately limited)	1.00  0.40	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.01	Very limited: wetness (very limited)	1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (slightly limited)	1.00  1.00  0.23
34B2: Lagonda-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (moderately limited)	1.00  0.40	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.17	Limited: wetness (limited)	0.99	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (moderately limited)	1.00  0.60  0.54
34C2: Lagonda-----	Very limited: wetness (very limited) percs slowly (limited)	1.00  0.85	Very limited: wetness (very limited) slope (limited)	1.00  0.98	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.01	Limited: wetness (limited)	0.99	Very limited: hard to pack (very limited) wetness (moderately limited) too clayey (slightly limited)	1.00  0.60  0.18
36D2: Lamoni-----	Very limited: wetness (very limited) percs slowly (very limited) slope (slightly limited)	1.00  1.00  0.04	Very limited: slope >7% (very limited) wetness (very limited)	1.00  1.00	Very limited: wetness (very limited) too clayey (slightly limited) slope (slightly limited)	1.00  0.11  0.04	Very limited: wetness (very limited) slope (slightly limited)	1.00  0.04	Very limited: hard to pack (very limited) wetness (very limited) too clayey (moderately limited)	1.00  1.00  0.47
62D2: Caleb-----	Limited: wetness (limited) slope (slightly limited) percs slowly (slightly limited)	0.99  0.16  0.15	Very limited: slope >7% (very limited) wetness (very limited) probable seepage (very limited)	1.00  1.00  1.00	Limited: wetness (limited) seepage (limited) slope (slightly limited)	0.80  0.64  0.16	Slightly limited: wetness (slightly limited) slope (slightly limited)	0.30  0.16	Moderately limited: wetness (moderately limited) slope (slightly limited)	0.30  0.16

## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70C2:										
Dawn-----	Very limited: wetness (very limited) depth to bedrock (very limited) poor filter (very limited)	1.00  1.00  1.00	Very limited: probable seepage (very limited) slope >7% (very limited) depth to bedrock (very limited)	1.00  1.00  1.00	Very limited: wetness (very limited) seepage (very limited) depth to bedrock (very limited)	1.00  1.00  1.00	Very limited: depth to bedrock (very limited) seepage (very limited) wetness (limited)	1.00  1.00  0.99	Very limited: probable seepage (very limited) depth to bedrock (very limited) wetness (moderately limited)	1.00  1.00  0.60
72F:										
Gosport-----	Very limited: percs slowly (very limited) slope >15% (very limited) depth to bedrock (very limited)	1.00  1.00  1.00	Very limited: slope >7% (very limited) depth to bedrock (very limited)	1.00  1.00	Very limited: slope >15% (very limited) depth to bedrock (very limited) too clayey (slightly limited)	1.00  1.00  0.04	Very limited: slope >15% (very limited) depth to bedrock (very limited)	1.00  1.00	Very limited: hard to pack (very limited) slope >15% (very limited) depth to bedrock (very limited)	1.00  1.00  1.00
73:										
Sandover-----	Very limited: flooding (very limited) wetness (very limited) poor filter (very limited)	1.00  1.00  1.00	Very limited: flooding (very limited) probable seepage (very limited)	1.00  1.00	Very limited: flooding (very limited) too sandy (very limited) wetness (limited)	1.00  1.00  0.96	Very limited: flooding (very limited) seepage (very limited) wetness (limited)	1.00  1.00  0.73	Very limited: probable seepage (very limited) too sandy (very limited) wetness (moderately limited)	1.00  1.00  0.47
74:										
Dockery-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (slightly limited)	1.00  1.00  0.15	Very limited: flooding (very limited) wetness (very limited) potential seepage (moderately limited)	1.00  1.00  0.50	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: flooding (very limited) wetness (limited)	1.00  0.99	Moderately limited: wetness (moderately limited)	0.60
78:										
Colo-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (slightly limited)	1.00  1.00  0.15	Very limited: flooding (very limited) wetness (very limited) potential seepage (moderately limited)	1.00  1.00  0.50	Very limited: wetness (very limited) flooding (very limited)	1.00  1.00	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: wetness (very limited)	1.00

## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80: Tice-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (slightly limited)	1.00  1.00  0.15	Very limited: flooding (very limited) wetness (very limited) potential seepage (moderately limited)	1.00  1.00  0.50	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: wetness (very limited)	1.00
81: Tice-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (slightly limited)	1.00  1.00  0.15	Very limited: flooding (very limited) wetness (very limited) potential seepage (moderately limited)	1.00  1.00  0.50	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Limited: wetness (limited)	0.73
82A: Triplett----	Very limited: wetness (very limited) percs slowly (limited) flooding (rare) (moderately limited)	1.00  0.85  0.60	Very limited: wetness (very limited) slope (slightly limited)	1.00  0.02	Very limited: wetness (very limited) flooding (rare) (moderately limited) too clayey (slightly limited)	1.00  0.60  0.14	Very limited: wetness (very limited) flooding (rare) (moderately limited)	1.00  0.60	Very limited: hard to pack (very limited) wetness (very limited) too clayey (moderately limited)	1.00  1.00  0.51
84: Vesser-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (slightly limited)	1.00  1.00  0.15	Very limited: flooding (very limited) wetness (very limited) potential seepage (moderately limited)	1.00  1.00  0.50	Very limited: wetness (very limited) flooding (very limited) too clayey (slightly limited)	1.00  1.00  0.01	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: wetness (very limited) too clayey (slightly limited)	1.00  0.02
92: Carlow-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (very limited)	1.00  1.00  1.00	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: wetness (very limited) flooding (very limited) too clayey (moderately limited)	1.00  1.00  0.37	Very limited: flooding (very limited) wetness (very limited)	1.00  1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (limited)	1.00  1.00  0.66

## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
94: Zook-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (limited)	1.00 1.00 0.85	Very limited: flooding (very limited) wetness (very limited)	1.00 1.00	Very limited: wetness (very limited) flooding (very limited) too clayey (slightly limited)	1.00 1.00 0.13	Very limited: flooding (very limited) wetness (very limited)	1.00 1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (moderately limited)	1.00 1.00 0.49
98: Wabash-----	Very limited: wetness (very limited) flooding (very limited) percs slowly (very limited)	1.00 1.00 1.00	Very limited: flooding (very limited) wetness (very limited)	1.00 1.00	Very limited: wetness (very limited) flooding (very limited) too clayey (moderately limited)	1.00 1.00 0.32	Very limited: flooding (very limited) wetness (very limited)	1.00 1.00	Very limited: hard to pack (very limited) wetness (very limited) too clayey (limited)	1.00 1.00 0.64
99F: Putco-----	Limited: percs slowly (limited) slope (moderately limited)	0.85 0.37	Very limited: slope >7% (very limited)	1.00	Moderately limited: slope (moderately limited) too clayey (slightly limited)	0.37 0.22	Moderately limited: slope (moderately limited)	0.37	Very limited: hard to pack (very limited) too clayey (moderately limited) small stones (moderately limited)	1.00 0.60 0.49
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Dumps-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99002: Orthents-----	Slightly limited: percs slowly (slightly limited)	0.21	Moderately limited: slope (moderately limited) potential seepage (slightly limited)	0.40 0.30	Not limited		Not limited		Not limited	
99005: Orthents-----	Not rated		Not rated		Not rated		Not rated		Not rated	
M-W: Miscellaneous water-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption fields		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value								
W: Water-----	Not rated									