

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 1 OF 10

Waste Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8: Dumps-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Pits-----										
9: Udorthents----	Very limited ~slope (very limited) ~shallow to bedrock (very limited) ~large stones >35% (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~droughty (very limited) ~percs slowly (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~droughty (very limited) ~percs slowly (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~percs slowly (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~too stony (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
13B: Sampsel-----	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
13C: Sampsel-----	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.60	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 2 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
15: Ashton-----	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~depth to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~percs slowly (very limited) ~depth to bedrock (very limited) ~flooding (moderately limited)	1.00 1.00 0.60
20B: Credlon-----	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.36 0.10	Very limited ~depth to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.36 0.10	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
20C: Credlon-----	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.36 0.15	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	1.00 0.36 0.15	Very limited ~shallow to bedrock (very limited) ~slope (moderately limited) ~wetness (moderately limited)	1.00 0.45 0.36	Very limited ~depth to bedrock (very limited) ~slope (moderately limited) ~wetness (moderately limited)	1.00 0.45 0.36	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
23F: Goss-----	Very limited ~slope (very limited) ~shallow to bedrock (very limited) ~droughty (moderately limited)	1.00 1.00 0.39	Very limited ~slope (very limited) ~shallow to bedrock (very limited) ~droughty (moderately limited)	1.00 1.00 0.39	Very limited ~slope (very limited) ~shallow to bedrock (very limited) ~droughty (moderately limited)	1.00 1.00 0.39	Very limited ~slope (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~slope (very limited) ~too cobbly (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
30: Verdigris-----	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~shallow to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~depth to bedrock (very limited) ~flooding (limited)	1.00 0.90	Very limited ~percs slowly (very limited) ~depth to bedrock (very limited)	1.00 1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 3 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
									~flooding (moderately limited)	0.60
32: Racket-----	Very limited ~shallow to bedrock (very limited) ~poor filter (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~shallow to bedrock (very limited) ~poor filter (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~shallow to bedrock (very limited) ~poor filter (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~depth to bedrock (very limited) ~poor filter (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~percs slowly (very limited) ~depth to bedrock (very limited) ~wetness (limited)	1.00 1.00 1.00 0.69
33: Quarles-----	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~wetness (very limited) ~shallow to bedrock (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~flooding (limited)	1.00 1.00 1.00 0.90	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00 1.00
35: Aquents-----	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~shallow to bedrock (very limited)	1.00 1.00 1.00 1.00	Very limited ~wetness (very limited) ~ponded (wetness) (very limited) ~droughty (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~droughty (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~percs slowly (very limited)	1.00 1.00 1.00 1.00	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~too stony (very limited)	1.00 1.00 1.00 1.00
50B: Mcgirk-----	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (limited)	1.00 0.99 0.81	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (limited)	1.00 0.99 0.81	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (limited)	1.00 0.99 0.81	Very limited ~depth to bedrock (very limited) ~percs slowly (limited) ~wetness (limited)	1.00 0.99 0.81	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00 1.00
51C: Claiborne-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 4 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
52B: Deepwater-----	~large stones >35% (very limited)	1.00	~large stones >35% (very limited)	1.00	~large stones >35% (very limited)	1.00	~large stones >35% (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~slope (moderately limited)	0.45	~slope (moderately limited)	0.45	~slope (very limited)	1.00
52C: Deepwater-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~slope (slightly limited)	0.10	~slope (slightly limited)	0.10	~wetness (very limited)	1.00
53B: Mandeville-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
	~slope (slightly limited)	0.15	~slope (slightly limited)	0.15	~slope (moderately limited)	0.45	~slope (moderately limited)	0.45	~wetness (very limited)	1.00
54: Moniteau-----	~depth to bedrock (slightly limited)	0.24	~depth to bedrock (slightly limited)	0.24	~depth to bedrock (slightly limited)	0.24	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (slightly limited)	0.10	~slope (slightly limited)	0.10	~slope (slightly limited)	0.10	~slope (slightly limited)	0.10	~slope (moderately limited)	0.31
55B: Barco-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~wetness (very limited)	1.00
	~percs slowly (limited)	0.60	~percs slowly (limited)	0.60	~percs slowly (limited)	0.60	~percs slowly (limited)	0.60	~depth to bedrock (very limited)	1.00
	Moderately limited		Moderately limited		Moderately limited		Very limited		Very limited	

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 6 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
58B2: Hartwell-----	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
58B3: Hartwell-----	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~shallow to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~percs slowly (limited)	1.00 0.99 0.99	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
60B: Barden-----	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~depth to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
60B2: Barden-----	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~shallow to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~depth to bedrock (very limited) ~percs slowly (limited) ~wetness (slightly limited)	1.00 0.99 0.28	Very limited ~percs slowly (very limited) ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00
63B: Union-----	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~depth to bedrock (very limited) ~wetness (moderately limited)	1.00 0.36	Very limited ~percs slowly (very limited) ~wetness (very limited)	1.00 1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 7 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63C: Union-----	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	 1.00 0.36 0.15	Very limited ~shallow to bedrock (very limited) ~wetness (moderately limited) ~slope (slightly limited)	 1.00 0.36 0.15	~slope (slightly limited)	0.10	Very limited ~shallow to bedrock (very limited) ~slope (moderately limited) ~wetness (moderately limited)	0.10 1.00 0.45 0.36	~slope (slightly limited) ~depth to bedrock (very limited) ~depth to bedrock (very limited) ~slope (moderately limited) ~wetness (moderately limited)	1.00 1.00 1.00 1.00
66C: Doniphan-----	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~droughty (slightly limited)	 1.00 1.00 0.02	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~droughty (slightly limited)	 1.00 1.00 0.02	~slope (moderately limited)	0.30	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~slope (moderately limited)	1.00 1.00 1.00 0.30	~depth to bedrock (very limited) ~percs slowly (very limited) ~depth to bedrock (very limited) ~slope (limited)	1.00 1.00 1.00 0.91
66D: Doniphan-----	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~slope (limited)	 1.00 1.00 0.76	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~slope (limited)	 1.00 1.00 0.76	~slope (limited)	0.99	Very limited ~shallow to bedrock (very limited) ~large stones >35% (very limited) ~slope (limited)	1.00 1.00 1.00 0.99	~depth to bedrock (very limited) ~percs slowly (very limited) ~slope (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00 1.00
67C: Bardley-----	Slightly limited ~slope (slightly limited) ~depth to bedrock (slightly limited)	 0.15 0.09	Slightly limited ~slope (slightly limited) ~depth to bedrock (slightly limited)	 0.15 0.09	~depth to bedrock (slightly limited)	0.09	Moderately limited ~slope (moderately limited) ~depth to bedrock (slightly limited)	0.45 0.09 0.09	Very limited ~depth to bedrock (very limited) ~slope (moderately limited)	1.00 1.00 0.45
67E: Bardley-----	Very limited ~slope (very limited)	 1.00	Very limited ~slope (very limited)	 1.00	~depth to bedrock (slightly limited)	0.09	Very limited ~slope (very limited)	1.00 1.00	Very limited ~percs slowly (very limited)	1.00 1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 8 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
68C: Eldon-----	~droughty (moderately limited)	0.52	~droughty (moderately limited)	0.52	~droughty (moderately limited)	0.52	~slope (very limited)	1.00	~slope (very limited)	1.00
	~depth to bedrock (slightly limited)	0.30	~depth to bedrock (slightly limited)	0.30	~depth to bedrock (slightly limited)	0.30			~depth to bedrock (very limited)	1.00
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
68D: Eldon-----	~slope (limited)	0.76	~slope (limited)	0.76	~slope (moderately limited)	0.30	~slope (moderately limited)	0.30	~depth to bedrock (very limited)	1.00
									~slope (limited)	0.91
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
72C: Gasconade-----	~slope (limited)	0.76	~slope (limited)	0.76	~slope (limited)	0.99	~slope (limited)	0.99	~slope (very limited)	1.00
									~depth to bedrock (very limited)	1.00
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~shallow to bedrock (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
72F: Gasconade-----	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~slope (moderately limited)	0.30	~depth to bedrock (very limited)	1.00
	~large stones (slightly limited)	0.15	~large stones (slightly limited)	0.15	~slope (moderately limited)	0.30	~large stones (slightly limited)	0.15	~slope (limited)	0.91
	~shallow to bedrock (very limited)	1.00	~droughty (very limited)	1.00	~droughty (very limited)	1.00	~depth to bedrock (very limited)	1.00	~percs slowly (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
72F: Gasconade-----	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00

Benton County, Missouri: Detailed Soil Map Legend

08/23/2002

PAGE - 9 OF 10

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock outcrop---	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~large stones (slightly limited)	0.15	~depth to bedrock (very limited)	1.00
	Not rated		Not rated		Not rated		Not rated		Not rated	
74C: Knobby-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00
	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~slope (moderately limited)	0.30	~depth to bedrock (very limited)	1.00
	~large stones (slightly limited)	0.00	~large stones (slightly limited)	0.00	~slope (moderately limited)	0.30	~large stones (slightly limited)	0.00	~slope (limited)	0.91
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
74F: Knobby-----	Very limited ~shallow to bedrock (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00
	~droughty (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~large stones (slightly limited)	0.00	~depth to bedrock (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
80: Osage-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00
	~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00

Waste Management--Continued

Map symbol and soil name	Land application of manure and food processing waste		Land application of municipal sewage sludge		Disposal of wastewater by irrigation		Treatment of wastewater by slow rate process		Treatment of wastewater by rapid infiltration process	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~shallow to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
AED: Orthent-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	