

Hydric Soils
 Columbia County, New York

[This report lists only those map unit components that are rated as hydric. Dashes (---) in any column indicate that the data were not included in the database. Definitions of hydric criteria codes are included at the end of the report]

| Map symbol and map unit name | Component | Percent of map unit | Landform | Hydric rating | Hydric criteria |
|---|-------------|---------------------|----------|---------------|-------------------|
| Ad: Alden mucky silt loam | Alden | 75 | --- | Yes | 2B3, 3 |
| Au: Aurelie silt loam | Aurelie | 80 | --- | Yes | 2B3 |
| Bh: Birdsall silt loam | Birdsall | 75 | --- | Yes | 2B3, 3 |
| Ca: Canandaigua silt loam | Canandaigua | 80 | --- | Yes | 2B3, 3 |
| Cc: Carlisle muck | Carlisle | 80 | --- | Yes | 1, 3 |
| Fn: Fluvaquents-Udifluvents complex, frequently flooded | Fluvaquents | 40 | --- | Yes | 2B1, 2B2, 3, 4 |
| Fr: Fredon silt loam | Fredon | 80 | --- | Yes | 2B3 |
| Ha: Halsey mucky silt loam | Halsey | 80 | --- | Yes | 2B3 |

| | | | | | | |
|--|------------|----|-----|-----|-------------|--|
| LmC: | | | | | | |
| Lanesboro-Monarda association, strongly sloping, very stony | Monarda | 30 | --- | Yes | 2B3 | |
| Ln: | | | | | | |
| Limerick silt loam | Limerick | 75 | --- | Yes | 2B3 | |
| Lt: | | | | | | |
| Livingston and Madalin soils | Livingston | 45 | --- | Yes | 2B3 | |
| | Madalin | 30 | --- | Yes | 2B3, 3 | |
| Pa: | | | | | | |
| Palms muck | Palms | 80 | --- | Yes | 1, 3 | |
| Ra: | | | | | | |
| Raynham very fine sandy loam | Raynham | 75 | --- | Yes | 2B3 | |
| Sa: | | | | | | |
| Saprists and Aquents, ponded | Saprists | 45 | --- | Yes | 1, 3 | |
| | Aquents | 30 | --- | Yes | 2B1, 2B2, 3 | |
| Sh: | | | | | | |
| Shaker loam | Shaker | 80 | --- | Yes | 2B3 | |
| Sw: | | | | | | |
| Sun silt loam | Sun | 80 | --- | Yes | 2B3, 3 | |
| Wa: | | | | | | |
| Walpole sandy loam | Walpole | 80 | --- | Yes | 2B3 | |

Explanation of hydric criteria codes:

1. All Histels except for Folistels, and Histosols except for Folists.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. are somewhat poorly drained and have a water table at the surface (0.0 feet) during the growing season, or
 - B. are poorly drained or very poorly drained and have either:
 - 1.) a water table at the surface (0.0 feet) during the growing season if textures are coarse sand, sand, or fine sand in all layers within a depth of 20 inches, or
 - 2.) a water table at a depth of 0.5 foot or less during the growing season if permeability is equal to or greater than 6.0 in/hr in all layers within a depth of 20 inches, or
 - 3.) a water table at a depth of 1.0 foot or less during the growing season if permeability is less than 6.0 in/hr in any layer within a depth of 20 inches.
3. Soils that are frequently ponded for long or very long duration during the growing season.
4. Soils that are frequently flooded for long or very long duration during the growing season.