

**STATE AND LOCAL List - ESSEX COUNTY, MASSACHUSETTS, NORTH PART
SEPTEMBER, 2002 NATURAL RESOURCES CONSERVATION SERVICE**

fsl = fine sandy loam

State and local important soils are one to two factors from making the prime list.

w: wet s: stony, droughty, or stony e: erodible

Class I has very few limitations for agriculture.

Publ. Sym.	Slp. Rnge	Map Unit Name	cap cls.	SUBC	State Symbol
AgC	8 to 15	Agawam fine sandy loam	3	e	275C
BeC	8 to 15	Belgrade very fine sandy loam	3	e	225C
BuC	8 to 15	Buxton silt loam	3	e	228C
CaC	8 to 15	Canton fine sandy loam	3	e	420C
CbB	3 to 8	Canton fine sandy loam, very stony	6	s	421B
CbC	8 to 15	Canton fine sandy loam, very stony	6	s	421C
CmC	8 to 15	Charlton fine sandy loam	3	e	405C
CoB	3 to 8	Charlton fine sandy loam, very stony	6	s	406B
CoC	8 to 15	Charlton fine sandy loam, very stony	6	s	406C
De	0 to 3	Deerfield loamy fine sand	3	w	256A
HfA	0 to 3	Hinckley loamy sand	3	s	253A
HfB	3 to 8	Hinckley loamy sand	3	s	253B
MmC	8 to 15	Merrimac fine sandy loam	3	e	254C
MoC	8 to 15	Montauk fine sandy loam	3	e	300C
MsB	3 to 8	Montauk fine sandy loam, very stony	6	s	301B
MsC	8 to 15	Montauk fine sandy loam, very stony	6	s	301C
PaC	8 to 15	Paxton fine sandy loam	3	e	305C
PbB	3 to 8	Paxton fine sandy loam, very stony	6	s	306B
PbC	8 to 15	Paxton fine sandy loam, very stony	6	s	306C
SgC	8 to 15	Scituate fine sandy loam	3	e	315C
ShB	3 to 8	Scituate fine sandy loam, very stony	6	s	316B
ShC	8 to 15	Scituate fine sandy loam, very stony	6	s	316C
SsC	8 to 15	Suffield silt loam	3	e	719C
StC	8 to 15	Sutton fine sandy loam	3	e	410C
SuB	3 to 8	Sutton fine sandy loam, very stony	6	s	411B
SuC	8 to 15	Sutton fine sandy loam, very stony	6	s	411C
UnC	8 to 15	Unadilla very fine sandy loam	3	e	230C
WnA	0 to 3	Windsor loamy sand	3	e	255A
WnB	3 to 8	Windsor loamy sand	3	s	255B
WrC	8 to 15	Woodbridge fine sandy loam	3	e	310C
WsB	3 to 8	Woodbridge fine sandy loam, very stony	6	s	311B
WsC	8 to 15	Woodbridge fine sandy loam, very stony	6	s	311C

A slope = 0 - 3 % slope, unless otherwise noted

B slope = 3 - 8 %

C slope = 8 - 15 %

D slope = 15 - 25 %

E slope = 25 - 45 %