

## MASSACHUSETTS "OTHER" SOILS

(Not Prime, Unique, or of State and Local Importance)

USDA- NATURAL RESOURCES CONSERVATION SERVICE - September, 2002

State Symbol	soil map unit name	slp (%)	slp sym
275	Agawam fine sandy loam	15 to 25	D
277	Agawam fine sandy loam, variant	15 to 25	D
500	Amenia silt loam	15 to 25	D
502	Amenia silt loam, extremely stony	0 to 25	A,B,C,D
501	Amenia silt loam, very stony	15 to 25	D
741	Amostown-Windsor variant-Urban land complex	0 to 15	A,B,C
722	Annisquam fine sandy loam, extremely bouldery	0 to 45	A,B,C,D,E,F
657	Aquents	0 to 3	A
375	Ashfield fine sandy loam	15 to 25	D
376	Ashfield fine sandy loam, very stony	15 to 25	D
911	Ashfield-Shelburne association, extremely stony	0 to 45	A,B,C,D,E,F
42	Augres and Wareham soils	0 to 8	A,B
430	Barnstable sandy loam	15 to 25	D
431	Barnstable sandy loam, very stony	15 to 25	D
433	Barnstable sandy loam, very bouldery	0 to 25	A,B,C,D
485	Barnstable-Plymouth complex	0 to 45	A,B,C,D,E,F
489	Barnstable-Plymouth complex, very bouldery	0 to 45	A,B,C,D,E,F
488	Barnstable-Plymouth complex, bouldery	0 to 45	A,B,C,D,E,F
490	Barnstable-Plymouth -Nantucket complex	0 to 45	A,B,C,D,E,F
494	Barnstable-Plymouth-Nantucket complex, very bouldery	0 to 45	A,B,C,D,E,F
610	Beaches	-	-
609	Beaches, bouldery	-	-
351	Becket fine sandy loam	15 to 25	D
353	Becket fine sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
352	Becket fine sandy loam, very stony	15 to 45	D,E,F
900	Becket-Monadnock association, extremely stony	0 to 65	A,B,C,D,E,F
908	Becket-Skerry association, extremely stony	0 to 65	A,B,C,D,E,F
450	Berkshire fine sandy loam/loam	15 to 25	D
452	Berkshire fine sandy loam/loam, extremely stony	0 to 65	A,B,C,D,E,F
451	Berkshire fine sandy loam/loam, very stony	15 to 65	D,E,F
901	Berkshire-Marlow association, extremely stony	0 to 65	A,B,C,D,E,F
127	Berkshire-Tunbridge complex	0 to 65	A,B,C,D,E,F
333	Bernardston channery silt loam	15 to 55	D,E,F
330	Bernardston silt loam/very fine sandy loam	15 to 45	D,E,F
332	Bernardston silt loam/very fine sandy loam, extremely stony	0 to 55	A,B,C,D,E,F
331	Bernardston silt loam/very fine sandy loam, very stony	15 to 55	D,E,F
7	Berryland coarse sand	0 to 3	A
25	Berryland loamy sand, variant (mucky analog)	0 to 3	A
11	Berryland loamy sand/loamy coarse sand (mucky analog)	0 to 3	A
425	Bice fine sandy loam, very stony	15 to 35	D,E
933	Bice-Millsite association, very rocky	0 to 55	A,B,C,D,E,F
17	Biddeford silt loam	0 to 3	A
319	Birchwood loamy sand	15 to 45	D,E,F
324	Birchwood loamy sand, very stony	15 to 45	D,E,F
320	Birchwood sandy loam/fine sandy loam	15 to 45	D,E,F
321	Birchwood sandy loam/fine sandy loam, very stony	15 to 45	D,E,F
634	Birchwood -Urban land complex	0 to 15	A,B,C
27	Birdsall coarse sand	0 to 3	A
44	Birdsall mucky silt loam	0 to 3	A
9	Birdsall silt loam/very fine sandy loam	0 to 3	A

State Symbol	soil map unit name	slp (%)	slp sym
620	Boxford-Urban land complex	0 to 15	A,B,C
528	Brayton silt loam	0 to 8	A,B
89	Brayton silt loam, very stony	0 to 8	A,B
101	Brimfield-Brookfield-Rock outcrop complex	0 to 45	A,B,C,D,E,F
340	Broadbrook silt loam/very fine sandy loam/loam (gravelly analogs)	15 to 25	D
726	Broadbrook silt loam/very fine sandy loam/loam, (gravelly analogs), extremely stony	0 to 25	A,B,C,D
341	Broadbrook silt loam/very fine sandy loam/loam, very stony (gravelly analogs)	15 to 25	D
47	Brockton sandy loam/fine sandy loam/loam	0 to 3	A
48	Brockton sandy loam/fine sandy loam/loam, extremely stony	0 to 3	A
400	Brookfield fine sandy loam	15 to 25	D
402	Brookfield fine sandy loam, very stony	15 to 35	D,E
401	Brookfield fine sandy loam, extremely stony	0 to 35	A,B,C,D,E
100	Brookfield-Brimfield-Rock outcrop complex	0 to 45	A,B,C,D,E,F
728	Brookfield-Rock outcrop-Brimfield complex	0 to 45	A,B,C,D,E,F
375	Buckland loam/fine sandy loam	15 to 25	D
377	Buckland loam/fine sandy loam, extremely stony	0 to 25	A,B,C,D
378	Buckland loam/fine sandy loam, very stony	15 to 25	D
228	Buxton silt loam	15 to 25	D
709	Buxton-Rock outcrop complex	0 to 35	A,B,C,D,E
77	Cabot fine sandy loam/loam (mucky analogs)	0 to 15	A,B,C
155	Cabot fine sandy loam/loam, (mucky analogs), extremely stony	0 to 15	A,B,C
154	Cabot loam/fine sandy loam, (mucky analogs), very stony	0 to 15	A,B,C
710	Canton & Charlton fine sandy loams, extremely stony	0 to 45	A,B,C,D,E,F
420	Canton fine sandy loam	15 to 45	D,E,F
424	Canton fine sandy loam, extremely bouldery	0 to 25	A,B,C,D
422	Canton fine sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
421	Canton fine sandy loam, very stony	15 to 25	D
629	Canton fine sandy loam-Charlton-urban land complex	0 to 15	A,B,C
112	Canton-Chatfield complex	0 to 45	A,B,C,D,E,F
110	Canton-Chatfield-rock outcrop complex	0 to 45	A,B,C,D,E,F
460	Canton-Montauk-Plymouth complex	0 to 45	A,B,C,D,E,F
461	Canton-Montauk-Plymouth complex, extremely bouldery	0 to 45	A,B,C,D,E,F
628	Canton-Urban land complex	0 to 15	A,B,C
635	Canton-Urban land-Rock outcrop complex	0 to 15	A,B,C
142	Cardigan-Nassau complex	0 to 75	A,B,C,D,E,F
252	Carver coarse sand	0 to 35	A,B,C,D,E
259	Carver loamy coarse sand	0 to 25	A,B,C,D
292	Carver and Gloucester soils	0 to 45	A,B,C,D,E,F
263	Carver-Hinesburg complex	0 to 25	A,B,C,D
278	Carver-Merrimac complex	0 to 45	A,B,C,D,E,F
637	Carver-Urban land complex	0 to 15	A,B,C
743	Charlton and Gloucester, very stony	15 to 45	D,E,F
730	Charlton and Narragansett, extremely stony	0 to 45	A,B,C,D,E,F
405	Charlton fine sandy loam	15 to 45	D,E,F
407	Charlton fine sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
404	Charlton fine sandy loam, stony	15 to 45	D,E,F
406	Charlton fine sandy loam, very stony	15 to 45	D,E,F
926	Charlton-Chatfield association, extremely stony	0 to 45	A,B,C,D,E,F
113	Charlton-Chatfield complex	15 to 45	D,E,F
925	Charlton-Chatfield-Hollis association, very rocky	0 to 45	A,B,C,D,E,F
103	Charlton-Hollis-Rock outcrop complex	0 to 45	A,B,C,D,E,F
630	Charlton-Hollis-Urban land complex	0 to 15	A,B,C
409	Charlton-Paxton association	15 to 45	D,E,F
902	Charlton-Paxton association, extremely stony	0 to 45	A,B,C,D,E,F
413	Charlton-Paxton association, very stony	0 to 45	A,B,C,D,E,F
705	Charlton-Paxton, rocky	0 to 45	A,B,C,D,E,F

State Symbol	soil map unit name	slp (%)	slp sym
711	Charlton-Rock outcrop-Hollis complex	0 to 45	A,B,C,D,E,F
706	Charlton-Rock outcrop-Paxton complex	0 to 45	A,B,C,D,E,F
631	Charlton-urban land-Hollis complex, rocky	0 to 15	A,B,C
119	Chatfield-Canton complex, rocky	25 to 50	E,F
115	Chatfield-Hollis	0 to 45	A,B,C,D,E,F
903	Chatfield-Hollis association, extremely stony	0 to 45	A,B,C,D,E,F
109	Chatfield-Hollis complex, rocky	0 to 45	A,B,C,D,E,F
102	Chatfield-Hollis-Rock outcrop complex	0 to 45	A,B,C,D,E,F
111	Chatfield-Rock outcrop-Canton complex	0 to 45	A,B,C,D,E,F
462	Cheshire fine sandy loam	15 to 45	D,E,F
464	Cheshire fine sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
463	Cheshire fine sandy loam, very stony	15 to 45	D,E,F
444	Chichester fine sandy loam	15 to 25	D
445	Chichester fine sandy loam, very stony	15 to 45	D,E,F
180	Chilmark sandy loam	15 to 25	D
181	Chilmark sandy loam, very stony	15 to 25	D
465	Colrain fine sandy loam	15 to 45	D,E,F
467	Colrain fine sandy loam, extremely stony	0 to 50	A,B,C,D,E,F
466	Colrain fine sandy loam, very stony	15 to 50	D,E,F
118	Colrain-Millsite complex, rocky	0 to 50	A,B,C,D,E,F
282	Colton gravelly loamy sand	15 to 35	D,E
267	Copake fine sandy loam	15 to 25	D
632	Copake-Urban land complex	0 to 15	A,B,C
701	Cranberry bed, abandoned, mineral substratum	0 to 3	A
751	Dam, concrete	-	-
619	Deerfield-Urban land complex	0 to 8	A,B
532	Dummerston silt loam	15 to 45	D,E,F
151	Dummerston-Macomber complex	0 to 55	A,B,C,D,E,F
611	Dune land	0 to 45	A,B,C,D,E,F
470	Dutchess silt loam (channery analog)	15 to 25	D
472	Dutchess silt loam, (channery analog) extremely stony	0 to 55	A,B,C,D,E,F
471	Dutchess silt loam, (channery analog), very stony	15 to 55	D,E,F
141	Dutchess-Cardigan complex	15 to 55	D,E,F
264	Eastchop fine sand/loamy fine sand/loamy sand	15 to 35	D,E
285	Eastchop fine sand/loamy fine sand/loamy sand, very stony	8 to 55	C,D,E,F
455	Eastchop-Montauk complex	15 to 55	D,E,F
456	Eastchop-Montauk complex, very bouldery	0 to 55	A,B,C,D,E,F
727	Enosburg fine sandy loam/sandy loam	0 to 8	A,B
731	Enosburg loamy sand/loamy fine sand	0 to 8	A,B
658	Epiquent, cultivated	0 to 3	A
385	Essex coarse sandy loam/sandy loam/fine sandy loam (gravelly analogs)	15 to 25	D
386	Essex coarse sandy loam/fine sandy loam, very stony (gravelly analogs)	15 to 55	D,E,F
387	Essex coarse sandy loam/fine sandy loam/sandy loam, extremely stony (gravelly analogs)	0 to 55	A,B,C,D,E,F
294	Evesboro sand	8 to 25	C,D
291	Evesboro sand, overblown	0 to 8	A,B
107	Farmington loam, rocky	0 to 25	A,B,C,D
108	Farmington-Rock outcrop complex	0 to 35	A,B,C,D,E
616	Fluvaquents	0 to 3	A
34	Fredon fine sandy loam	0 to 3	A
930	Fullam-Lanesboro association, very stony	15 to 45	D,E,F
447	Gloucester and Canton soils, extremely stony	0 to 45	A,B,C,D,E,F
443	Gloucester fine sandy loam/sandy loam, (gravelly analogs), extremely bouldery	0 to 45	A,B,C,D,E,F
442	Gloucester fine sandy loam/sandy loam, extremely stony (gravelly analog)	0 to 45	A,B,C,D,E,F
440	Gloucester sandy loam/fine sandy loam (gravelly analog)	15 to 25	D
441	Gloucester sandy loam/fine sandy loam, very stony (gravelly analogs)	15 to 45	D,E,F
448	Gloucester fine sandy loam/sandy loam, (gravelly analog), variant	15 to 45	D,E,F
755	Gloucester fine sandy loam/sandy loam, variant, (gravelly analog), very stony	15 to 45	D,E,F
752	Gloucester loamy sand (gravelly analog)	15 to 25	D
754	Gloucester loamy sand, (gravelly analog), extremely stony	0 to 45	A,B,C,D,E,F
753	Gloucester loamy sand, very stony (gravelly analog)	15 to 45	D,E,F
449	Gloucester-Hinckley complex	15 to 45	D,E,F
446	Gloucester-Hinckley complex, very stony	0 to 45	A,B,C,D,E,F

State Symbol	soil map unit name	slp (%)	slp sym
298	Groton and Hinckley complex	0 to 45	A,B,C,D,E,F
269	Groton gravelly sandy loam	15 to 35	D,E
274	Groton sandy loam	8 to 35	C,D,E
93	Hadley silt loam/very fine sandy loam, escarpment	15 to 45	D,E,F
744	Hadley-Winooski-Urban land complex	0 to 8	A,B
35	Halsey fine sandy loam	0 to 3	A
251	Haven silt loam/very fine sandy loam	15 to 25	D
624	Haven silt loam - urban land complex	0 to 15	A,B,C
348	Henniker fine sandy loam	15 to 25	D
348	Henniker fine sandy loam, very stony	15 to 45	D,E,F
257	Hinckley and Windsor soils	0 to 35	A,B,C,D,E
242	Hinckley sandy loam/fine sandy loam/very fine sandy loam, (gravelly analog)	8 to 35	C,D,E
244	Hinckley fine sandy loam/loamy sand, variant	8 to 35	C,D,E
289	Hinckley gravelly sandy loam, bouldery	0 to 35	A,B,C,D,E
241	Hinckley gravelly loamy sand	8 to 35	C,D,E
253	Hinckley loamy sand	8 to 35	C,D,E
245	Hinckley sandy loam/fine sandy loam	8 to 35	C,D,E
290	Hinckley sandy loam/fine sandy loam, ( gravelly analog) very stony	0 to 35	A,B,C,D,E
243	Hinckley very gravelly sandy loam	8 to 35	C,D,E
745	Hinckley-Merrimac-Urban land complex	0 to 15	A,B,C
625	Hinckley-Urban land complex	0 to 15	A,B,C
226	Hinesburg loamy sand	15 to 25	D
224	Hinesburg sandy loam/fine sandy loam	15 to 25	D
758	Hollis fine sandy loam	0 to 45	A,B,C,D,E,F
638	Hollis-Charlton fine sandy loams	0 to 45	A,B,C,D,E,F
757	Hollis-Charlton fine sandy loams, extremely rocky	0 to 45	A,B,C,D,E,F
756	Hollis-Charlton fine sandy loams, very rocky	0 to 45	A,B,C,D,E,F
114	Hollis-Chatfield complex	0 to 45	A,B,C,D,E,F
912	Hollis-Chatfield association, extremely stony	0 to 45	A,B,C,D,E,F
104	Hollis-rock outcrop-Charlton complex	0 to 45	A,B,C,D,E,F
724	Hollis-Urban land-Rock outcrop	0 to 15	A,B,C
759	Holyoke & Sunderland very fine sandy loam, very rocky	0 to 25	A,B,C,D
760	Holyoke & Sunderland very fine sandy loam, extremely rocky	0 to 90	A,B,C,D,E,F
732	Holyoke very fine sandy loam/sandy loam/loam/ silt loam, very stony	0 to 45	A,B,C,D,E,F
733	Holyoke-Rock outcrop complex	0 to 45	A,B,C,D,E,F
134	Holyoke-Yalesville complex, rocky	0 to 45	A,B,C,D,E,F
612	Hooksan sand	0 to 25	A,B,C,D
613	Hooksan-Dune land complex	0 to 45	A,B,C,D,E,F
639	Hooksan-urban Land	0 to 8	A,B
614	Hooksan-wet substratum	0 to 8	A,B
272	Hoosic gravelly fine sandy loam/sandy loam	15 to 25	D
76	Kendaia silt loam	0 to 15	A,B,C
78	Kendaia silt loam, extremely stony	0 to 15	A,B,C
520	Lanesboro loam/silt loam	15 to 25	D
521	Lanesboro loam/silt loam, very stony	15 to 45	D,E,F
931	Lanesboro-Dummerston association, very stony	15 to 45	D,E,F
67	Leicester fine sandy loam	0 to 8	A,B
68	Leicester fine sandy loam, extremely stony	0 to 8	A,B
91	Leicester fine sandy loam, very stony	0 to 8	A,B
19	Lim very fine sandy loam	0 to 3	A
713	Limerick and Rumney soils	0 to 3	A
8	Limerick silt loam	0 to 3	A
24	Limerick silt loam, protected	0 to 3	A
22	Limerick-Saco silt loams	0 to 3	A
393	Ludlow loam/fine sandy loam, extremely stony	0 to 15	A,B,C
126	Lyman -Rock outcrop complex	0 to 80	A,B,C,D,E,F
904	Lyman-Tunbridge association, extremely stony	0 to 45	A,B,C,D,E,F
913	Lyman-Tunbridge-Berkshire association, very rocky	0 to 45	A,B,C,D,E,F
83	Lyme, extremely stony	0 to 3	A
85	Lyons mucky silt loam	0 to 3	A
86	Lyons silt loam (mucky analog) , extremely stony	0 to 3	A
152	Macomber-Taconic complex	0 to 45	A,B,C,D,E,F

State Symbol	soil map unit name	slp (%)	slp sym
656	Made land	0 to 15	A,B,C
355	Marlow fine sandy loam/loam	15 to 25	D
357	Marlow fine sandy loam/loam, extremely stony	0 to 45	A,B,C,D,E,F
356	Marlow fine sandy loam/loam, very stony	15 to 45	D,E,F
914	Marlow-Berkshire association, extremely stony	0 to 45	A,B,C,D,E,F
37	Massasoit-Mashpee complex	0 to 8	A,B
69	Mattapoisett fine sandy loam/sandy loam, extremely stony	0 to 8	A,B
12	Maybid silt loam	0 to 3	A
13	Maybid silty clay loam, variant	0 to 3	A
327	Meckesville loam/fine sandy loam/sandy loam	15 to 25	D
329	Meckesville loam/fine sandy loam/sandy loam, extremely stony	0 to 25	A,B,C,D
328	Meckesville loam/fine sandy loam/sandy loam, very stony	15 to 25	D
254	Merrimac fine sandy loam/sandy loam	15 to 35	D,E
299	Merrimac-Udipsamments-Urban land complex	0 to 15	A,B,C
626	Merrimac - Urban land complex	0 to 15	A,B,C
368	Metacomet fine sandy loam	15 to 25	D
369	Metacomet fine sandy loam, very stony	15 to 25	D
128	Millsite-Chichester-Woodstock complex, rocky	0 to 60	A,B,C,D,E,F
116	Millsite-Westminster complex, rocky	0 to 65	A,B,C,D,E,F
120	Millsite-Westminster complex, very rocky	0 to 65	A,B,C,D,E,F
121	Millsite-Westminster-Rock outcrop complex	0 to 65	A,B,C,D,E,F
129	Millsite-Woodstock complex, very rocky	0 to 60	A,B,C,D,E,F
457	Monadnock fine sandy loam/sandy loam	15 to 45	D,E,F
458	Monadnock fine sandy loam/sandy loam, very stony	15 to 45	D,E,F
300	Montauk fine sandy loam/loam/sandy loam	15 to 45	D,E,F
302	Montauk fine sandy loam/sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
301	Montauk fine sandy loam, very stony	15 to 45	D,E,F
303	Montauk-Barnstable complex	15 to 45	D,E,F
304	Montauk-Barnstable complex, bouldery	0 to 45	A,B,C,D,E,F
915	Montauk-Canton association, extremely stony	0 to 45	A,B,C,D,E,F
927	Montauk-Scituate-Canton association, extremely stony	0 to 45	A,B,C,D,E,F
636	Montauk-Urban land complex	0 to 15	A,B,C
309	Moshup loam, very stony	0 to 15	A,B,C
380	Nantucket sandy loam	15 to 35	D,E
381	Nantucket sandy loam, stony	15 to 35	D,E
382	Nantucket sandy loam, very stony	15 to 35	D,E
497	Nantucket-Plymouth complex	0 to 45	A,B,C,D,E,F
498	Nantucket-Plymouth complex, very stony	0 to 35	A,B,C,D,E
415	Narragansett silt loam/very fine sandy loam	15 to 25	D
416	Narragansett silt loam/very fine sandy loam, very stony	15 to 25	D
417	Narragansett very fine sandy loam/silt loam, extremely stony	0 to 25	A,B,C,D
106	Narragansett-Hollis-rock outcrop complex	0 to 35	A,B,C,D,E
746	Narragansett-Holyoke-Rock outcrop	0 to 35	A,B,C,D,E
143	Nassau -Cardigan complex, rocky	0 to 75	A,B,C,D,E,F
29	Naumberg fine sandy loam	0 to 8	A,B
505	Nellis loam	15 to 35	D,E
507	Nellis loam, extremely stony	0 to 35	A,B,C,D,E
506	Nellis loam, very stony	15 to 35	D,E
427	Newfields sandy loam, extremely stony	0 to 15	A,B,C
325	Newport loam/silt loam/fine sandy loam (channery analogs)	15 to 25	D
326	Newport loam/silt loam/fine sandy loam, very stony	15 to 25	D
627	Newport -Urban land complex	0 to 15	A,B,C
46	Norwell sandy loam/fine sandy loam	0 to 8	A,B
49	Norwell sandy loam/fine sandy loam, extremely stony	0 to 8	A,B
273	Oakville loamy sand	8 to 25	C,D
392	Paxton and Montauk soils, extremely stony	0 to 45	A,B,C,D,E,F
305	Paxton fine sandy loam	15 to 35	D,E
307	Paxton fine sandy loam, extremely stony	0 to 45	A,B,C,D,E,F
306	Paxton fine sandy loam, very stony	15 to 45	D,E,F
916	Paxton-Charlton association, extremely stony	0 to 45	A,B,C,D,E,F
747	Paxton-Charlton-Urban land complex	0 to 15	A,B,C
622	Paxton-Urban land complex	0 to 15	A,B,C
74	Peacham muck, extremely stony	0 to 8	A,B

State Symbol	soil map unit name	slp (%)	slp sym
360	Peru loam/fine sandy loam	15 to 25	D
362	Peru loam/fine sandy loam, extremely stony	0 to 25	A,B,C,D
361	Peru loam/fine sandy loam, very stony	15 to 25	D
905	Peru-Marlow association, extremely stony	0 to 45	A,B,C,D,E,F
75	Pillsbury loam/fine sandy loam, extremely stony	0 to 8	A,B
906	Pillsbury association, extremely stony	0 to 8	A,B
917	Pillsbury-Peacham association, extremely stony	0 to 8	A,B
922	Pillsbury-Peacham-Wonsqueak association, extremely stony	0 to 8	A,B
38	Pipestone loamy coarse sand/loamy fine sand/loamy sand	0 to 3	A
601	Pits, quarry	-	-
600	Pits, sand/sand and gravel/gravel/borrow land	-	-
605	Pits, till/borrow land, loamy	-	-
617	Pits-Udorthents complex, gravelly	0 to 15	A,B,C
514	Pittsfield and Nellis loams, extremely stony	0 to 35	A,B,C,D,E
510	Pittsfield loam/fine sandy loam	15 to 35	D,E
512	Pittsfield loam/fine sandy loam, extremely stony	0 to 35	A,B,C,D,E
511	Pittsfield loam/fine sandy loam, very stony	15 to 35	D,E
633	Pittsfield-Urban land complex	0 to 15	A,B,C
347	Pittstown loam/silt loam, extremely stony	0 to 25	A,B,C,D
346	Pittstown loam/silt loam, very stony	15 to 25	D
435	Plymouth loamy coarse sand/loamy sand/sandy loam	0 to 35	A,B,C,D,E
436	Plymouth loamy coarse sand/loamy sand/sandy loam, very stony	0 to 35	A,B,C,D,E
437	Plymouth loamy coarse sand/loamy sand/sandy loam, bouldery	0 to 35	A,B,C,D,E
438	Plymouth loamy coarse sand/loamy sand/sandy loam, extremely bouldery	0 to 35	A,B,C,D,E
486	Plymouth - Barnstable complex	0 to 45	A,B,C,D,E,F
483	Plymouth-Barnstable complex, very bouldery	0 to 45	A,B,C,D,E,F
484	Plymouth-Barnstable complex, extremely bouldery	0 to 45	A,B,C,D,E,F
493	Plymouth-Barnstable-Nantucket complex, very bouldery	0 to 45	A,B,C,D,E,F
474	Plymouth-Canton-Nantucket complex, very bouldery	0 to 45	A,B,C,D,E,F
480	Plymouth-Carver complex	0 to 45	A,B,C,D,E,F
481	Plymouth-Carver complex, bouldery	0 to 45	A,B,C,D,E,F
482	Plymouth-Carver complex, extremely bouldery	0 to 45	A,B,C,D,E,F
479	Plymouth-Evesboro complex	0 to 45	A,B,C,D,E,F
475	Plymouth-Montauk complex, extremely bouldery	0 to 45	A,B,C,D,E,F
476	Plymouth-Nantucket complex, extremely bouldery	0 to 45	A,B,C,D,E,F
478	Plymouth-Poquonock, bouldery	0 to 45	A,B,C,D,E,F
235	Poocham very fine sandy loam	25 to 65	E,F
322	Poquonock loamy sand	15 to 25	D
323	Poquonock loamy sand, very stony	15 to 25	D
247	Quonset loamy sand (channery analogs)	0 to 35	A,B,C,D,E
262	Quonset sandy loam (channery analogs)	15 to 35	D,E
30	Raynham silt loam/very fine sandy loam	0 to 8	A,B
33	Raypol silt loam	0 to 8	A,B
715	Ridgebury and Leicester, extremely stony	0 to 15	A,B,C
907	Ridgebury association, extremely stony	0 to 8	A,B
70	Ridgebury fine sandy loam/sandy loam	0 to 8	A,B
71	Ridgebury fine sandy loam/sandy loam, extremely stony	0 to 8	A,B
87	Ridgebury fine sandy loam/silty clay loam, variant	0 to 8	A,B
88	Ridgebury fine sandy loam/sandy loam, very stony	0 to 8	A,B
763	Ridgebury fine sandy loam/sandy loam, variant, very stony (mucky analogs)	0 to 8	A,B
918	Ridgebury-Whitman association, extremely stony	0 to 8	A,B
923	Ridgebury-Whitman-Palms association, extremely stony	0 to 8	A,B
4	Rippowam fine sandy loam/very fine sandy loam/silt loam	0 to 3	A
615	Riverwash	0 to 3	A
735	Rock outcrop	0 to 65	A,B,C,D,E,F
716	Rock outcrop-Buxton complex	0 to 45	A,B,C,D,E,F
717	Rock outcrop-Charlton-Hollis complex	0 to 45	A,B,C,D,E,F
105	Rock outcrop-Hollis complex	0 to 45	A,B,C,D,E,F
734	Rock outcrop-Holyoke complex	0 to 45	A,B,C,D,E,F
748	Rock outcrop-Narragansett-Holyoke complex	0 to 45	A,B,C,D,E,F
18	Rumney fine sandy loam	0 to 3	A
36	Saco mucky silt loam/mucky very fine sandy loam	0 to 8	A,B
5	Saco silt loam/very fine sandy loam	0 to 8	A,B
718	Saco silt loam/very fine sandy loam (mucky analogs), variant	0 to 8	A,B
16	Scantic silt loam	0 to 8	A,B
736	Scantic silt loam, variant	0 to 8	A,B

State Symbol	soil map unit name	slp (%)	slp sym
10	Scarboro and Birdsall soils	0 to 3	A
3	Scarboro and Walpole soils	0 to 3	A
6	Scarboro fine sandy loam/sandy loam (mucky analog)	0 to 3	A
20	Scarboro fine sandy loam/sandy loam (mucky analog), variant	0 to 3	A
43	Scarboro loamy fine sand/loamy sand (mucky analog)	0 to 3	A
39	Scarboro muck	0 to 8	A,B
15	Scarboro-Rippowam complex	0 to 3	A
621	Scio-urban land complex	0 to 8	A,B
14	Scitico silt loam	0 to 8	A,B
315	Scituate fine sandy loam/sandy loam	15 to 25	D
318	Scituate fine sandy loam/sandy loam, extremely bouldery	0 to 25	A,B,C,D
317	Scituate fine sandy loam/sandy loam, extremely stony	0 to 25	A,B,C,D
316	Scituate fine sandy loam/sandy loam, very stony	15 to 25	D
919	Scituate-Montauk association, extremely stony	0 to 45	A,B,C,D,E,F
28	Searsport muck/loamy sand	0 to 3	A
725	Shaker fine sandy loam	0 to 8	A,B
114	Shapleigh fine sandy loam	0 to 55	A,B,C,D,E,F
764	Shapleigh fine sandy loam, extremely rocky	0 to 65	A,B,C,D,E,F
104	Shapleigh fine sandy loam, very rocky	0 to 65	A,B,C,D,E,F
370	Shelburne fine sandy loam/loam	15 to 25	D
372	Shelburne fine sandy loam/loam, extremely stony	0 to 50	A,B,C,D,E,F
371	Shelburne fine sandy loam/loam, very stony	15 to 50	D,E,F
920	Shelburne-Ashfield association, extremely stony	0 to 50	A,B,C,D,E,F
26	Sippican coarse sand	0 to 3	A
81	Sippican loamy sand, extremely stony	0 to 8	A,B
365	Skerry fine sandy loam	15 to 25	D
367	Skerry fine sandy loam, extremely stony	0 to 35	A,B,C,D,E
366	Skerry fine sandy loam, very stony	15 to 35	D,E
699	Soils not surveyed	0 to 90	-
79	Stissing silt loam	0 to 8	A,B
80	Stissing silt loam, very stony	0 to 8	A,B
515	Stockbridge gravelly silt loam	15 to 25	D
516	Stockbridge gravelly silt loam, very stony	15 to 35	D,E
675	Stockpile, organic & topsoil	0 to 90	-
703	Storm-washed gravel	0 to 25	A,B,C,D
719	Suffield silt loam	15 to 35	D,E
765	Suffield silt loam, eroded	0 to 35	A,B,C,D,E
410	Sutton fine sandy loam	15 to 25	D
411	Sutton fine sandy loam, very stony	15 to 25	D
412	Sutton fine sandy loam, extremely stony	0 to 25	A,B,C,D
40	Swanton fine sandy loam/very fine sandy loam	0 to 8	A,B
932	Taconic-Macomber association, very stony	0 to 55	A,B,C,D,E,F
153	Taconic-Rock outcrop complex	0 to 55	A,B,C,D,E,F
737	Terrace escarpments	15 to 65	D,E,F
708	Tidal flats	0 to 3	A
23	Tihonet coarse sand	0 to 3	A
909	Tunbridge-Lyman association, extremely stony	0 to 65	A,B,C,D,E,F
122	Tunbridge-Lyman complex	0 to 65	A,B,C,D,E,F
123	Tunbridge-Lyman complex, very stony	0 to 65	A,B,C,D,E,F
924	Tunbridge-Lyman-Berkshire association, extremely stony	0 to 65	A,B,C,D,E,F
707	Udipsamments, hilly	15 to 50	D,E,F
702	Udipsamments, rolling	0 to 15	A,B,C
665	Udipsamments, smoothed	0 to 8	A,B
700	Udipsamments, wet substratum	0 to 8	A,B
660	Udorthents, gravelly, rolling	0 to 15	A,B,C
659	Udorthents, gravelly, smoothed	0 to 8	A,B
654	Udorthents, loamy	0 to 25	A,B,C,D
652	Udorthents, refuse substratum/dumps/landfill	0 to 35	A,B,C,D,E
653	Udorthents, sandy	0 to 35	A,B,C,D,E
651	Udorthents, smoothed/earthen dam	0 to 45	A,B,C,D,E,F
655	Udorthents, wet substratum	0 to 25	A,B,C,D
656	Udorthents-urban land complex/made land	0 to 25	A,B,C,D

State Symbol	soil map unit name	slp (%)	slp sym
602	Urban land	0 to 15	A,B,C
641	Urban land, outwash substratum	0 to 15	A,B,C
640	Urban land, till substratum	0 to 15	A,B,C
603	Urban land, wet substratum	0 to 8	A,B
604	Urban Land-Boxford complex	0 to 8	A,B
738	Urban Land-Hadley-Winooski association	0 to 8	A,B
739	Urban Land-Hinckley-Windsor association	0 to 15	A,B,C
740	Urban Land-Wethersfield-Paxton association	0 to 25	A,B,C,D
41	Walpole and Wareham soils	0 to 8	A,B
31	Walpole fine sandy loam/sandy loam/very fine sandy loam	0 to 8	A,B
21	Walpole fine sandy loam/sandy loam, variant	0 to 8	A,B
227	Wapanucket fine sandy loam/sandy loam	0 to 8	A,B
32	Wareham loamy fine sand/loamy sand	0 to 8	A,B
268	Warwick fine sandy loam/loam (channery analogs), very rocky	0 to 45	A,B,C,D,E,F
266	Warwick fine sandy loam/loam (channery analogs)	15 to 45	D,E,F
394	Westbury sandy loam/fine sandy loam	0 to 3	A
117	Westminster-Millsite complex, rocky	0 to 55	A,B,C,D,E,F
921	Westminster-Millsite association, extremely stony	0 to 55	A,B,C,D,E,F
397	Wethersfield fine sandy loam/loam	15 to 25	D
399	Wethersfield fine sandy loam/loam, extremely stony	0 to 25	A,B,C,D
398	Wethersfield fine sandy loam/loam, very stony	15 to 25	D
720	Whately fine sandy loam/sandy loam, variant (mucky analog)	0 to 3	A
72	Whitman fine sandy loam/sandy loam/loam	0 to 8	A,B
73	Whitman fine sandy loam/sandy loam/loam, extremely stony (mucky analogs)	0 to 8	A,B
82	Whitman silt loam, variant	0 to 3	A
84	Whitman silt loam, variant, very stony	0 to 3	A
389	Wilbraham silt loam	0 to 8	A,B
388	Wilbraham silt loam, extremely stony	0 to 8	A,B
255	Windsor loamy fine sand/loamy sand	8 to 35	C,D,E
749	Windsor fine sandy loam/loamy sand-silty substratum variant	8 to 25	C,D
721	Windsor-Rock outcrop complex	0 to 45	A,B,C,D,E,F
750	Windsor-Scitico-Amostown complex	0 to 15	A,B,C
312	Woodbridge fine sandy loam, extremely stony	0 to 25	A,B,C,D
311	Woodbridge fine sandy loam, very stony	15 to 25	D
313	Woodbridge fine sandy loam/loam, variant	15 to 25	D
910	Woodbridge-Paxton association, extremely stony	0 to 35	A,B,C,D,E
623	Woodbridge-Urban land complex	0 to 15	A,B,C
124	Woodstock-Millsite-Rock outcrop complex	0 to 45	A,B,C,D,E,F
131	Yalesville-Holyoke complex, rocky	0 to 35	A,B,C,D,E