

**NATURAL RESOURCES CONSERVATION SERVICE  
CONSERVATION PRACTICE STANDARD**

**WATERING FACILITY**

(No.)

**CODE 614**

**DEFINITION**

A permanent or portable device to provide an adequate amount and quality of drinking water for livestock and/or wildlife.

**PURPOSE**

To provide access to drinking water for livestock and/or wildlife in order to:

- Meet daily water requirements
- Improve animal distribution

**CONDITIONS WHERE PRACTICE APPLIES**

This practice applies to all land uses where there is a need for new or improved watering facilities for livestock and/or wildlife.

**CRITERIA**

**General Criteria Applicable To All Purposes**

Design watering facilities with adequate capacity and supply to meet the daily water requirements of the livestock and/or wildlife planned to use the facility. Include the storage volume necessary to provide water between periods of replenishment. Refer to the National Range and Pasture Handbook for guidance on livestock water quantity and quality requirements. For wildlife, base water quantity and quality requirements on targeted species needs.

Locate facilities to promote even grazing distribution and reduce grazing pressure on sensitive areas.

Design the watering facility to provide adequate access to the animals planned to use the facility. Incorporate escape features into the watering facility design where local knowledge and experience indicate that wildlife may be at risk of drowning.

Include design elements to meet the specific needs of the animals that are planned to use the watering facility, both livestock and wildlife.

Protect areas around watering facilities where animal concentrations or overflow from the watering facility will cause resource concerns. Use criteria in Heavy Use Area Protection (561) to design the protection.

Install permanent watering facilities on a firm, level foundation that will not settle differentially. Examples of suitable foundation materials are bedrock, compacted gravel and stable, well compacted soils.

Design and install watering facilities to prevent overturning by wind and animals.

Design watering facilities and all valves and controls to withstand or be protected from damage by livestock, wildlife, freezing and ice damage.

Construct watering facilities from durable materials that have a life expectancy that meets or exceeds the planned useful life of the installation. Follow appropriate NRCS design procedures for the material being used or industry standards where NRCS standards do not exist.

Use the criteria in Pipeline (516) to design piping associated with the watering facility. Include backflow prevention devices on facilities connected to wells, domestic or municipal water systems.

### CONSIDERATIONS

Design fences associated with the watering facilities to allow safe access and exit for area wildlife species. To protect bats and other species that access water by skimming across the surface, fencing material should not extend across the water surface. If fencing across the water is necessary, it should be made highly visible by avoiding the use of single wire fences, and using fencing materials such as woven wire or by adding streamers or coverings on the fence.

For watering facilities that will be accessible to wildlife, give consideration to the effects the location of the facility will have on target and non-target species. Also consider the effect of introducing a new water source within the ecosystem in the vicinity of the facility. This should include things such as the concentration of grazing, predation, entrapment, drowning, disease transmission, hunting and expansion of the wildlife populations beyond the carrying capacity of available habitat.

Consider the following guidelines for materials commonly used for watering facilities.

Concrete	3000 psi compressive strength
Galvanized Steel	20 gauge thickness
Plastic	Ultraviolet resistance
Fiberglass	Ultraviolet resistance

Where water is supplied continuously or under pressure to the watering facility, consider the use of automatic water level controls to control the flow of water to the facility and to prevent unnecessary overflows.

Watering facilities often collect debris and algae and should be cleaned on a regular basis. Consider increasing the pipe sizes for inlets and outlets to reduce the chances of clogging. Maintenance of a watering facility can be made easier by providing a method to completely drain the watering facility.

Steep slopes leading to watering facilities can cause erosion problems from overuse by animals as well as problems with piping and valves from excess pressure. Choose the location of watering facilities to minimize these problems from steep topography.

Consider the use of animal-activated devices to supply water, such as nose valves.

### PLANS AND SPECIFICATIONS

Plans and specifications for watering facilities shall provide the information necessary to install the facility. As a minimum, this shall include the following:

- A map or aerial photograph showing the location of the facility, including section, township and range
- A drawing showing topographical contours
- A location of some form of surveying control (northing, easting, elevation), either local or State grid coordinates
- Detail drawings showing the enhancement, necessary appurtenances (such as foundations, pipes and valves) and stabilization of any areas disturbed by the installation of the watering facility
- Construction specifications describing the installation of the facility

### OPERATION AND MAINTENANCE

Provide an Operation and Maintenance (O&M) plan specific to the type of watering facility to the landowner. As a minimum, include the following items in the plan:

- a monitoring schedule to ensure maintenance of adequate inflow and outflow
- checking for leaks and repair as necessary
- if present, the checking of the automatic water level device to insure proper operation
- checking to ensure that adjacent areas are protected against erosion
- if present, checking to ensure the outlet pipe is freely operating and not causing erosion problems
- a schedule for periodic cleaning of the facility

## REFERENCES

Brigham, William and Craig Stevenson, 1997. Wildlife Water Catchment Construction in Nevada, Technical Note 397.

Tsukamoto, George and San Juan Stiver, 1990. Wildlife water Development, Proceedings of the Wildlife Water Development Symposium, Las Vegas, NV. USDI Bureau of Land Management.

Yoakum, J. and W.P. Dasmann. 1971. Habitat manipulation practices. Ch. 14 in Wildlife Management Techniques, Third Edition. Ed. Robert H. Giles, Jr. Pub. The Wildlife Society. 633 pp.

National Engineering Handbook, Part 650, Engineering Field Handbook, Chapters 5, 11 & 12. USDA-Natural Resources Conservation Service.

National Range and Pasture Handbook, Chapter 6, pp. 6-12, Table 6-7 & 6-8. USDA-Natural Resources Conservation Service.

National Research Council, 1996. Nutrient Requirements of Domestic Animals. National Academy Press.