Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
2	Heil silt loam, 0 to 1 percent slopes	Heil	82	0 to 1	6s	35	41	10	2	0.37	48	6	Closed Depression	Not suited	D
		Belfield	12	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Arnegard	2	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Daglum	1	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
3	Dimmick silty clay, 0 to 1 percent slopes	Dimmick	85	0 to 1	5w	30	30	10	5	0.02	0	8	Wet Land	Not suited	D
		Heil	10	0 to 1	6s	35		10	2	0.37	48	6	Closed Depression	Not suited	D
		Regan	5	0 to 1	4w	18		9W	5	0.32	86	4L	Saline Lowland	Saline	C/D
4	Grail clay loam, 0 to 2 percent slopes	Grail	70	0 to 2	2c	100	93	1	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Savage	15	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	6	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Belfield	5	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Lawther	3	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Rhoades	1	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
5C	Wayden silty clay, 3 to 9 percent slopes	Wayden	66	3 to 9	6s	25	34	10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Moreau	12	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Cabba	10	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Belfield	4	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Janesburg	3	3 to 9	6s	34		9C	2	0.32	48	6	Claypan	Claypan	D
		Lawther	3	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Dogtooth	2	0 to 6	6s	24		10	2	0.32	56	5	Thin Claypan	Not suited	D
6B	Vebar-Parshall fine sandy loams, 0 to 6 percent slopes	Vebar	47	0 to 6	3e	58	62	6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	26	0 to 6	3e	68		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Tally	10	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Flasher	6	3 to 9	6e	26		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Arnegard	4	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Shambo	3	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Yegen	3	0 to 6	3e	73		5	5	0.24	86	3	Sandy	Droughty Loam	B
		Cabba	1	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
7C	Vebar-Flasher fine sandy loams, 3 to 9 percent slopes	Vebar	47	6 to 9	4e	46	44	6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Flasher	28	3 to 9	6e	26		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Parshall	11	2 to 6	3e	67		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Beisigl	6	3 to 6	4e	33		7	3	0.17	134	2	Limy Sands	Sand	A
		Amor	3	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Arnegard	3	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Cabba	1	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Farnuf	1	2 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
8	Belfield-Savage-Daglum silt loams, 0 to 2 percent slopes	Belfield	37	0 to 2	2s	75	74	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	24	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Savage	17	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	10	0 to 2	2c	100		1	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Shambo	6	0 to 2	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	4	0 to 2	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Regent	1	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Rhoades	1	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
8B	Belfield-Savage-Daglum silt loams, 2 to 6 percent slopes	Belfield	31	2 to 6	2e	71	68	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	25	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Savage	16	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Shambo	10	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Regent	7	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Lawther	6	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Reeder	3	3 to 6	2e	80		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Arnegard	1	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Rhoades	1	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
9B	Regent silty clay loam, 3 to 6 percent slopes	Regent	70	3 to 6	2e	80	77	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Moreau	10	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Savage	10	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	4	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Belfield	2	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	2	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Daglum	2	2 to 6	4s	43		9C	2	0.37	38	7	Claypan	Claypan	D
9C	Regent-Cabba complex, 6 to 9 percent slopes	Moreau	27	6 to 9	4e	50	48	4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Regent	27	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	20	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Wayden	11	3 to 9	6s	25		10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Savage	7	6 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	3	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Janesburg	3	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Belfield	2	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
10B	Beisigl-Lihen loamy fine sands, 0 to 6 percent slopes	Beisigl	36	3 to 6	4e	33	39	7	3	0.17	134	2	Limy Sands	Sand	A
		Lihen	33	0 to 6	4e	44		7	5	0.17	134	2	Sands	Sand	A
		Blanchard	14	0 to 6	6e	34		10	5	0.17	134	2	Thin Sands	Not suited	A

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Flasher	8	3 to 9	6e	26		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Vebar	4	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	3	0 to 6	3e	68		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Arnegard	1	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Cabba	1	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
10D	Beisigl-Flasher loamy fine sands, 6 to 20 percent slopes	Beisigl	34	6 to 15	6e	23	28	10	3	0.17	134	2	Limy Sands	Sand	A
		Flasher	27	6 to 15	6e	14		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Vebar	20	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	6	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Telfer	6	9 to 15	6e	29		10	5	0.24	86	3	Sands	Sand	A
		Lihen	5	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Arnegard	1	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Regan	1	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
11B	Moreau silty clay, 3 to 6 percent slopes	Moreau	64	3 to 6	3e	63	59	4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Wayden	9	3 to 9	6s	25		10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Janesburg	7	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Lawther	7	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Regent	6	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	4	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Belfield	3	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
12B	Daglum-Rhoades loams, 0 to 6 percent slopes	Daglum	44	0 to 6	4s	44	39	9C	2	0.32	48	6	Claypan	Claypan	D
		Rhoades	36	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Belfield	8	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Dogtooth	5	0 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Moreau	3	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Slickspots	2	0 to 6	8s	14		10	1	0.32	86	4	Not Assigned	Not suited	D
		Ekalaka	1	0 to 6	4s	39		9L	2	0.24	86	3	Sandy Claypan	Claypan	D
		Harriet	1	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
13	Lawther silty clay, 0 to 2 percent slopes	Lawther	65	0 to 2	2e	80	78	4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Moreau	10	0 to 3	3e	65		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Savage	10	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	5	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Grail	5	0 to 2	2c	100		1	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	4	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	1	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
14B	Parshall fine sandy loam, 0 to 6 percent slopes	Parshall	74	2 to 6	3e	67	71	1	5	0.2	86	3	Sandy	Loam	B
		Arnegard	12	0 to 2	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Vebar	5	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Amor	4	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Shambo	3	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Belfield	1	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Regan	1	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
15	Arnegard loam, 0 to 2 percent slopes	Arnegard	70	0 to 2	2c	100	93	1	5	0.24	48	6	Loamy	Loam	B
		Parshall	11	0 to 2	3e	70		1	5	0.2	86	3	Sandy	Loam	B
		Shambo	10	0 to 2	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Grail	4	0 to 2	2c	100		1	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	2	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Vebar	2	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Bowdle	1	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
16	Shambo loam, 0 to 2 percent slopes	Shambo	59	0 to 2	2c	85	85	3	5	0.28	48	6	Loamy	Loam	B

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Arnegard	14	0 to 2	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Amor	9	0 to 3	2s	80		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Parshall	5	0 to 2	3e	70		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Sen	5	0 to 3	2s	80		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Stady	5	0 to 2	2e	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Savage	3	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
16B	Shambo loam, 2 to 6 percent slopes	Shambo	72	2 to 6	2e	80	81	3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	11	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Savage	6	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Stady	5	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Daglum	2	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Grail	2	0 to 2	2c	100		1	5	0.32	48	6	Loamy Overflow	Overflow	C
		Morton	2	3 to 6	2e	80		6D	3	0.28	48	6	Loamy	Droughty Loam	B
17B	Sen silt loam, 3 to 6 percent slopes	Sen	66	3 to 6	2e	76	76	6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Golva	12	2 to 6	2e	80		3	5	0.32	48	6	Loamy	Loam	B
		Chama	6	3 to 6	3e	67		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Grail	6	0 to 2	2c	100		1	5	0.32	48	6	Loamy Overflow	Overflow	C
		Belfield	4	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Regent	4	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	2	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
17C	Chama-Cabba silt loams, 6 to 9 percent slopes	Chama	34	6 to 9	4e	54	59	8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Sen	23	3 to 6	2e	76		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Cabba	21	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Grail	5	0 to 6	2c	98		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Moreau	5	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Regent	5	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Golva	4	6 to 9	3e	64		3	5	0.32	48	6	Loamy	Loam	B
		Arnegard	3	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
17D	Chama-Cabba silt loams, 9 to 15 percent slopes	Cabba	41	9 to 15	6e	23	40	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Chama	31	9 to 15	6e	41		10	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Sen	24	6 to 9	3e	61		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Arnegard	1	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Golva	1	6 to 9	3e	64		3	5	0.32	48	6	Loamy	Loam	B
		Grail	1	2 to 6	2c	95		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Moreau	1	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
18B	Amor-Shambo loams, 3 to 6 percent	Amor	67	3 to 6	2e	76	75	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Shambo	15	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Morton	7	3 to 6	2e	80		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Chama	4	3 to 6	3e	67		8	3	0.24	86	4L	Thin Loamy	Limy Upland	B
		Cabba	3	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Arnegard	2	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Vebar	2	3 to 6	3e	57		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
18C	Amor-Cabba loams, 6 to 9 percent slopes	Amor	38	6 to 9	3e	61	51	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Cabba	37	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Chama	10	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Arnegard	7	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Regent	5	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	1	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Flasher	1	3 to 9	6e	26		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Vebar	1	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
18D	Amor-Cabba loams, 9 to 15 percent	Amor	45	9 to 15	4e	46	39	6D	3	0.24	48	6	Loamy	Droughty Loam	B

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Cabba	33	9 to 15	6e	23		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Chama	7	9 to 15	6e	41		10	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Shambo	7	6 to 15	4e	56		3	5	0.28	48	6	Loamy	Loam	B
		Regent	4	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Flasher	2	6 to 15	6e	14		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Arnegard	1	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Belfield	1	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
19F	Cabba-Chama silt loams, 15 to 70 percent slopes	Cabba	37	6 to 70	7e	11	20	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Amor	30	15 to 25	6e	32		10	3	0.24	48	6	Loamy	Steep Loam	B
		Chama	21	15 to 45	7e	20		10	3	0.32	86	4L	Thin Loamy	Not suited	B
		Flasher	5	15 to 35	7e	10		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Vebar	3	15 to 50	7e	20		10	3	0.2	86	3	Sandy	Not suited	B
		Regan	2	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
		Lallie	1	0 to 1	4w	25		2K	5	0.28	86	4L	Wet Meadow	Wet	D
		Savage	1	6 to 15	4e	51		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
20F	Flasher-Beisigl-Parshall complex, 3 to 70 percent slopes	Flasher	35	15 to 35	7s	2	13	10	2	0.1	0	8	Shallow Sandy	Not suited	D
		Beisigl	27	6 to 50	7s	2		10	3	0.17	0	8	Limy Sands	Not suited	A
		Lihen	9	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Parshall	9	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Vebar	8	15 to 35	7s	3		10	3	0.2	0	8	Sandy	Not suited	B
		Cabba	4	9 to 35	7s	2		10	2	0.17	0	8	Shallow Loamy	Not suited	D
		Shambo	4	6 to 15	4e	56		3	5	0.28	48	6	Loamy	Loam	B
		Amor	2	6 to 25	7s	5		10	3	0.24	0	8	Loamy	Not suited	B
		Arnegard	2	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
21B	Ruso fine sandy loam, 0 to 6 percent	Ruso	64	0 to 6	3e	39	46	6G	4	0.2	86	3	Sandy	Droughty Loam	B

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Parshall	17	0 to 6	3e	68		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Bowdle	7	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lehr	4	0 to 6	3e	44		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Wabek	4	2 to 9	6s	22		10	2	0.15	86	3	Very Shallow	Not suited	A
		Shambo	3	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Ekalaka	1	0 to 6	4s	39		9L	2	0.24	86	3	Sandy Claypan	Claypan	D
22	Bowdle loam, 0 to 2 percent slopes	Bowdle	71	0 to 2	2s	60	59	6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lehr	15	0 to 2	3e	45		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Shambo	4	0 to 2	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	3	0 to 2	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Manning	3	0 to 2	3e	40		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	3	0 to 2	3e	70		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Lallie	1	0 to 1	4w	25		2K	5	0.28	86	4L	Wet Meadow	Wet	D
22B	Bowdle loam, 2 to 6 percent slopes	Bowdle	68	2 to 6	3e	57	61	6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Amor	12	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Shambo	10	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Lehr	3	0 to 6	3e	44		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Yegen	3	0 to 6	3e	73		5	5	0.24	86	3	Sandy	Droughty Loam	B
		Manning	2	0 to 2	3e	40		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Wanagan	2	2 to 6	3e	57		6G	5	0.28	48	6	Loamy	Droughty Loam	B
23F	Flasher-Beisigl-Rock outcrop complex, 6 to 70 percent slopes	Flasher	51	15 to 70	7e	7	11	10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Beisigl	25	6 to 50	7e	10		10	3	0.17	134	2	Limy Sands	Not suited	A
		Parshall	6	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Vebar	3	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Lihen	2	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Telfer	2	15 to 25	7e	16		10	5	0.17	134	2	Sands	Not suited	A

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Regan	1	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
		Wabek	1	6 to 15	6s	23		10	2	0.2	56	5	Very Shallow	Not suited	A
24	Straw loam, 0 to 2 percent slopes	Straw	59	0 to 2	2e	95	89	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Korell	12	0 to 2	2c	90		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Korchea	11	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Arnegard	9	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Lallie	6	0 to 1	4w	25		2K	5	0.28	86	4L	Wet Meadow	Wet	D
		Rhoades	2	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Belfield	1	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
25B	Lihen loamy fine sand, 0 to 6 percent slopes	Lihen	67	0 to 6	4e	44	47	7	5	0.17	134	2	Sands	Sand	A
		Manning	11	0 to 2	3e	40		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Beisigl	9	3 to 6	4e	33		7	3	0.17	134	2	Limy Sands	Sand	A
		Parshall	5	0 to 6	3e	68		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Arnegard	3	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Vebar	3	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Amor	2	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
26	Regan silt loam, 0 to 2 percent slopes	Regan	63	0 to 2	4w	35	38	2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
		Marysland	15	0 to 1	4w	30		2K	4	0.24	86	4L	Wet Meadow	Wet	D
		Arveson	8	0 to 1	4w	30		2K	4	0.24	86	4L	Wet Meadow	Wet	B/D
		Peta	8	0 to 2	2c	85		1	5	0.2	86	3	Subirrigated	Subirrigated	B
		Regan	3	0 to 1	4w	18		9W	5	0.32	86	4L	Saline Lowland	Saline	C/D
		Harriet	2	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Straw	1	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
27E	Sinnigam-Janesburg loams, 0 to 25 percent slopes	Sinnigam	55	0 to 6	6s	11	16	10	1	0.28	48	6	Shallow Loamy	Not suited	D

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Janesburg	19	3 to 25	6s	8		10	2	0.28	0	8	Claypan	Claypan	D
		Cabba	10	9 to 35	7s	2		10	2	0.17	0	8	Shallow Loamy	Not suited	D
		Rhoades	5	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Felor	3	0 to 6	2e	88		3	5	0.32	48	6	Loamy	Loam	B
		Moreau	3	6 to 9	4e	50		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Savage	3	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Wayden	2	3 to 9	6s	25		10	2	0.28	86	4	Shallow Clayey	Not suited	D
28	Harriet loam, 0 to 2 percent slopes	Harriet	67	0 to 1	6s	25	28	10	2	0.37	48	6	Saline Lowland	Not suited	D
		McKenzie	17	0 to 1	4w	25		2K	5	0.28	86	4	Closed Depression	Wet	D
		Belfield	4	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Rhoades	4	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Daglum	3	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Slickspots	3	0 to 6	8s	14		10	1	0.32	86	4	Not Assigned	Not suited	D
		Regan	2	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
29	Korchea loam, 0 to 2 percent slopes	Korchea	74	0 to 2	2e	90	83	1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Velva	11	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Lallie	6	0 to 1	4w	25		2K	5	0.28	86	4L	Wet Meadow	Wet	D
		Straw	5	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Shambo	2	0 to 2	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Belfield	1	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Harriet	1	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
30	Straw loam, channeled, 0 to 2 percent slopes	Straw	24	0 to 2	2e	76	41	1	5	0.32	48	6	Loamy Overflow	Overflow	B
		Korchea	12	0 to 2	6w	52		10	5	0.28	86	4L	Loamy Overflow	Overflow	B
		Belfield	6	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	6	0 to 2	2c	100		1	5	0.32	48	6	Loamy Overflow	Overflow	C
		Daglum	4	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Lallie	4	0 to 1	4w	25		2K	5	0.37	86	4L	Wet Meadow	Wet	D
		Dimmick	3	0 to 1	5w	30		10	5	0.02	0	8	Wet Land	Not suited	D
		Harriet	1	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
31B	Watrous loam, 0 to 6 percent slopes	Watrous	74	0 to 6	2e	64	58	6D	2	0.28	48	6	Loamy	Droughty Loam	B
		Janesburg	13	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Cabba	5	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Arnegard	3	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Sinnigam	3	0 to 6	6s	10		10	1	0.1	0	8	Shallow Loamy	Not suited	D
		Heil	2	0 to 1	6s	35		10	2	0.37	48	6	Closed Depression	Not suited	D
32	Dumps and pits	Cabba	5	6 to 70	7e	11	8	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Lehr	5	0 to 25	7e	33		10	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Wabek	5	9 to 35	7s	15		10	2	0.2	56	5	Very Shallow	Not suited	A
33B	Savage clay loam, 2 to 6 percent slopes	Savage	72	2 to 6	2e	85	83	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Shambo	7	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Regent	6	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	5	0 to 2	2c	100		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Belfield	4	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	3	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Daglum	2	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Moreau	1	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
34F	Brandenburg-Cabba-Savage complex, 3 to 70 percent slopes	Brandenburg	38	6 to 70	7s	15	29	10	2	0.24	48	5	Very Shallow	Not suited	A
		Cabba	20	3 to 70	7e	11		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Savage	12	6 to 15	4e	51		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Arnegard	8	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Searing	6	6 to 9	4e	50		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Daglum	4	2 to 6	4s	43		9C	2	0.37	38	7	Claypan	Claypan	D

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Janesburg	4	6 to 15	6s	27		9C	2	0.28	48	6	Claypan	Claypan	D
		Amor	3	15 to 25	6e	32		10	3	0.24	48	6	Loamy	Steep Loam	B
		Chama	3	15 to 45	7e	20		10	3	0.32	86	4L	Thin Loamy	Not suited	B
		Ringling	2	9 to 35	7s	15		10	2	0.24	48	5	Very Shallow	Not suited	A
35F	Cabba-Amor-Savage complex, 6 to 70 percent slopes	Cabba	39	9 to 35	7s	2	17	10	2	0.17	0	8	Shallow Loamy	Not suited	D
		Amor	26	6 to 25	7s	5		10	3	0.24	0	8	Loamy	Not suited	B
		Savage	12	2 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Regent	8	6 to 15	3e	56		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Flasher	5	15 to 35	7s	2		10	2	0.1	0	8	Shallow Sandy	Not suited	D
		Chama	3	15 to 45	7e	20		10	3	0.32	86	4L	Thin Loamy	Not suited	B
		Moreau	3	9 to 15	6e	38		10	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Sinnigam	3	6 to 9	6e	9		10	1	0.28	48	6	Shallow Loamy	Not suited	D
		Janesburg	1	6 to 25	6s	23		10	2	0.28	48	6	Claypan	Claypan	D
36	Velva fine sandy loam, 0 to 2 percent slopes	Velva	80	0 to 2	3e	70	71	5	5	0.2	86	3	Sandy Terrace	Loam	B
		Korchea	9	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Banks	3	0 to 6	4e	44		7	5	0.2	86	3	Sandy Terrace	Sand	A
		Straw	3	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Havrelon	2	0 to 2	2e	85		1K	5	0.32	86	4L	Loamy Terrace	Loam	B
		Lallie	2	0 to 1	4w	25		2K	5	0.28	86	4L	Wet Meadow	Wet	D
		Belfield	1	0 to 2	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
37B	Ekalaka fine sandy loam, 0 to 6 percent slopes	Ekalaka	44	0 to 6	4s	39	51	9L	2	0.24	86	3	Sandy Claypan	Claypan	D
		Yegen	17	0 to 6	3e	73		5	5	0.24	86	3	Sandy	Droughty Loam	B
		Desart	14	0 to 6	4s	53		9L	3	0.2	86	3	Sandy	Very Droughty Loam	C
		Parshall	14	0 to 6	3e	68		1	5	0.2	86	3	Loamy Overflow	Overflow	B

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Rhoades	7	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Vebar	4	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
41	Belfield-grail clay loams, saline, 0 to 2 percent slopes	Belfield	41	0 to 2	3s	38	42	9W	5	0.32	48	6	Saline Lowland	Saline	C
		Grail	26	0 to 2	3s	50		9W	5	0.32	48	6	Saline Lowland	Saline	C
		Savage	17	0 to 2	3s	45		9W	5	0.32	48	6	Saline Lowland	Saline	C
		Daglum	9	0 to 2	6s	23		9W	2	0.32	48	6	Saline Lowland	Not suited	D
		Regent	3	0 to 3	2s	85		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Lawther	2	0 to 2	3s	42		9W	5	0.32	86	4	Saline Lowland	Saline	D
		Harriet	1	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Rhoades	1	0 to 2	6s	15		10	2	0.32	48	6	Thin Claypan	Not suited	D
51	Parshall fine sandy loam, saline, 0 to 2 percent slopes	Parshall	84	0 to 2	4s	34	38	9W	5	0.2	86	3	Saline Lowland	Saline	B
		Tally	9	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Lihen	3	0 to 6	4e	44		7	5	0.17	134	2	Sands	Sand	A
		Arnegard	2	0 to 2	3s	50		9W	5	0.24	48	6	Saline Lowland	Saline	B
		Bowdle	1	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Vebar	1	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
61	Arnegard loam, saline, 0 to 2 percent slopes	Arnegard	80	0 to 2	3s	50	49	9W	5	0.24	48	6	Saline Lowland	Saline	B
		Parshall	6	0 to 2	4s	34		9W	5	0.2	86	3	Saline Lowland	Saline	B
		Shambo	6	2 to 6	3s	40		9W	5	0.28	48	6	Saline Lowland	Saline	B
		Grail	3	0 to 2	3s	50		9W	5	0.32	48	6	Saline Lowland	Saline	C
		Vebar	3	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Amor	1	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Belfield	1	0 to 2	3s	38		9W	5	0.32	48	6	Saline Lowland	Saline	C

Adams County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
81	Belfield-Savage-Daglum silt loams, saline, 0 to 2 percent slopes	Belfield	37	0 to 2	3s	38	38	9W	5	0.32	48	6	Saline Lowland	Saline	C
		Daglum	24	0 to 2	6s	23		9W	2	0.32	48	6	Saline Lowland	Not suited	D
		Savage	17	0 to 2	3s	45		9W	5	0.32	48	6	Saline Lowland	Saline	C
		Grail	10	0 to 2	3s	50		9W	5	0.32	48	6	Saline Lowland	Saline	C
		Shambo	6	2 to 6	3s	40		9W	5	0.28	48	6	Saline Lowland	Saline	B
		Arnegard	4	0 to 2	3s	50		9W	5	0.24	48	6	Saline Lowland	Saline	B
		Regent	1	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Rhoades	1	0 to 2	6s	15		10	2	0.32	48	6	Thin Claypan	Not suited	D