Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
1	Parnell silt loam, 0 to 1 percent slope	Parnell	85	0 to 1	5w	20	25	10	5	0.28	48	6	Wet Land	Not suited	D
		Vallers	5	0 to 1	4w	40		2K	5	0.28	86	4L	Wet Meadow	Wet	C/D
		Arnegard	4	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Tonka	4	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
		Heil	2	0 to 1	6s	35		10	2	0.37	48	6	Closed Depression	Not suited	D
2	Tonka silt loam, 0 to 1 percent slopes	Tonka	85	0 to 1	4w	40	45	2	5	0.37	48	6	Wet Meadow	Wet	C/D
		Bowbells	5	0 to 3	2c	100		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Parnell	4	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Hamerly	3	0 to 3	2e	85		1K	5	0.24	86	4L	Limy Subirrigated	Subirrigated	C
		Williams	3	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
3D	Seroco-Telfer loamy fine sands, 0 to 1	Seroco	60	0 to 15	6e	28	29	10	5	0.17	134	2	Thin Sands	Not suited	A
		Telfer	30	6 to 9	6e	30		10	5	0.17	134	2	Sands	Sand	A
		Lihen	3	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Banks	2	0 to 2	4e	35		7	5	0.17	134	2	Sandy Terrace	Sand	A
		Krem	2	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	B
		Parshall	2	2 to 6	3e	67		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Blown-out land	1	0 to 6	6e	14		10	5	0.15	250	1	Not Assigned	Not suited	A
3E	Seroco-Dune land complex, 3 to 25 p	Seroco	60	3 to 25	6e	19	15	10	5	0.17	134	2	Thin Sands	Not suited	A
		Dune land	30	3 to 25	8e	4		10	5	0.1	220	1	Not Assigned	Not suited	A
		Lihen	4	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Blown-out land	3	0 to 6	6e	14		10	5	0.15	250	1	Not Assigned	Not suited	A
		Telfer	3	6 to 15	6e	26		10	5	0.17	134	2	Sands	Sand	A
5	Dimmick silty clay, 0 to 1 percent slop	Dimmick	75	0 to 1	5w	30	28	10	5	0.02	0	8	Wet Land	Not suited	D
		Heil	8	0 to 1	6s	35		10	2	0.37	48	6	Closed Depression	Not suited	D
		Parnell	7	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Lallie	5	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
		Regan	5	0 to 1	4w	18		9W	5	0.32	86	4L	Saline Lowland	Saline	C/D
7	Straw silty clay loam, 0 to 2 percent s	Straw	81	0 to 2	2e	95	91	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Velva	5	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Korchea	4	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Magnus	4	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Korell	3	0 to 2	2c	90		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Rhoades	2	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Dimmick	1	0 to 1	5w	30		10	5	0.02	0	8	Wet Land	Not suited	D
8	Grail silty clay loam, 0 to 2 percent slo	Grail	80	0 to 2	2c	100	97	1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Belfield	6	0 to 2	2s	75		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Savage	5	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	3	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Lawther	3	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Regent	3	0 to 3	2s	85		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
8B	Grail silty clay loam, 2 to 6 percent slo	Grail	80	2 to 6	2c	95	92	1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Savage	7	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	5	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Regent	4	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	2	2 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Lawther	2	2 to 6	2e	76		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
8C	Grail silty clay loam, 6 to 9 percent slo	Grail	80	6 to 9	3e	76	74	3	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Savage	7	6 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Regent	6	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	3	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	2	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
		Lawther	2	6 to 9	3e	61		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
9B	Regent silty clay loam, 3 to 6 percent	Regent	85	3 to 6	2e	80	77	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Janesburg	3	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Moreau	3	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Savage	3	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	2	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Dogtooth	2	3 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Grail	2	2 to 6	2c	95		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
9C	Regent silty clay loam, 6 to 9 percent	Regent	80	6 to 9	3e	64	60	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Wayden	5	3 to 9	6s	25		10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Janesburg	4	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
		Cabba	3	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Grail	3	2 to 6	2c	95		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Morton	3	6 to 9	3e	64		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Dogtooth	2	6 to 9	6s	19		10	2	0.28	48	6	Thin Claypan	Not suited	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
10	Savage silty clay loam, 0 to 2 percent	Savage	80	0 to 2	2c	90	88	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	7	0 to 2	2c	100		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Belfield	4	0 to 2	2s	75		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	4	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Daglum	3	0 to 2	4s	45		9C	2	0.37	38	7	Claypan	Claypan	D
		Rhoades	2	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
11C	Cherry silty clay loam, gullied, 2 to 9 p	Cherry	80	2 to 9	3e	64	61	8	5	0.32	86	4L	Thin Loamy	Limy Upland	B
		Lambert	5	2 to 6	3e	48		8	5	0.37	86	4L	Thin Loamy	Limy Upland	B
		Cabba	4	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Belfield	3	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Golva	3	2 to 6	2e	80		3	5	0.32	48	6	Loamy	Loam	B
		Rhoades	3	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Chama	2	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
14	Havrelon silty clay loam, 0 to 2 percer	Havrelon	80	0 to 2	2e	85	81	1K	5	0.32	86	4L	Loamy Terrace	Loam	B
		Trembles	7	0 to 2	3e	65		5	5	0.2	86	3	Sandy Terrace	Droughty Loam	B
		Lohler	6	0 to 2	2e	80		4C	5	0.32	86	4	Clayey	Overflow	D
		Ridgelawn	4	0 to 2	2e	55		6G	4	0.37	86	4L	Loamy Terrace	Droughty Loam	B
		Banks	2	0 to 2	3e	55		7	5	0.28	48	6	Sandy Terrace	Sand	A
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
15	Lawther silty clay, 0 to 2 percent slope	Lawther	80	0 to 2	2e	80	79	4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Savage	5	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	4	0 to 2	2s	75		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Moreau	4	0 to 3	3e	65		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Regent	4	0 to 3	2s	85		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	3	0 to 2	4s	40		9C	2	0.28	86	4	Claypan	Claypan	D
17	Heil silty clay loam, 0 to 1 percent slo	Heil	85	0 to 1	6s	35	35	10	2	0.37	48	6	Closed Depression	Not suited	D
		Harriet	3	0 to 1	6s	25		10	2	0.37	86	4L	Saline Lowland	Not suited	D
		Regan	3	0 to 1	4w	18		9W	5	0.32	86	4L	Saline Lowland	Saline	C/D
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Williams	3	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		McKenzie	2	0 to 1	4w	25		2K	5	0.28	86	4	Closed Depression	Wet	D
		Dimmick	1	0 to 1	5w	30		10	5	0.02	0	8	Wet Land	Not suited	D
20	Lohler silty clay, 0 to 2 percent slopes	Lohler	85	0 to 2	2e	80	78	4C	5	0.32	86	4	Clayey	Overflow	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Havrelon	5	0 to 2	2e	85		1K	5	0.32	86	4L	Loamy Terrace	Loam	B
		Hoffmanville	4	0 to 2	2e	70		4C	4	0.32	86	4	Loamy Terrace	Clayey Subsoil	D
		Trembles	3	0 to 2	3e	65		5	5	0.2	86	3	Sandy Terrace	Droughty Loam	B
		Rhoades	2	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
21B	Lihen loamy fine sand, 0 to 6 percent	Lihen	85	0 to 6	4e	44	43	7	5	0.17	134	2	Sands	Sand	A
		Krem	5	0 to 6	4e	49		7	5	0.17	134	2	Sands	Sand	B
		Telfer	3	0 to 6	4e	39		7	5	0.17	134	2	Sands	Sand	A
		Ulen	3	0 to 2	4e	50		1K	5	0.17	134	2	Limy Subirrigated	Subirrigated	B
		Arveson	2	0 to 1	4w	30		2K	4	0.24	86	4L	Wet Meadow	Wet	D
		Seroco	2	0 to 9	6e	14		10	5	0.15	220	1	Thin Sands	Not suited	A
21D	Telfer loamy fine sand, 6 to 15 percer	Telfer	85	6 to 15	6e	26	27	10	5	0.17	134	2	Sands	Sand	A
		Lihen	5	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Parshall	5	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Krem	3	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	B
		Seroco	2	2 to 35	7e	9		10	5	0.15	220	1	Thin Sands	Not suited	A
22B	Krem loamy fine sand, 0 to 6 percent	Krem	80	0 to 6	4e	49	52	7	5	0.17	134	2	Sands	Sand	B
		Williams	7	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Parshall	6	0 to 6	3e	68		1	5	0.2	86	3	Sandy	Loam	B
		Lihen	5	0 to 6	4e	44		7	5	0.17	134	2	Sands	Sand	A
		Blown-out land	1	0 to 6	6e	14		10	5	0.15	250	1	Not Assigned	Not suited	A
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
22D	Krem loamy fine sand, 6 to 15 percen	Krem	80	6 to 15	6e	29	31	10	5	0.17	134	2	Sands	Sand	B
		Lihen	5	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Williams	5	9 to 15	4e	51		3	5	0.28	48	6	Loamy	Loam	B
		Zahl	4	9 to 15	6e	35		10	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Flaxton	3	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Parshall	3	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
27	Mandan silt loam, 0 to 3 percent slope	Mandan	85	0 to 3	2c	95	93	1	5	0.32	56	5	Loamy	Loam	B
		Linton	6	0 to 3	2c	85		3	5	0.32	56	5	Loamy	Loam	B
		Bowdle	3	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Wilton	3	0 to 3	2c	95		1	5	0.28	48	6	Loamy	Loam	B
		Temvik	2	0 to 3	2c	85		3	5	0.32	48	6	Loamy	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
27B	Mandan silt loam, 3 to 6 percent slope	Mandan	80	3 to 6	2e	90	87	1	5	0.32	56	5	Loamy	Loam	B
		Linton	5	3 to 6	2e	80		3	5	0.32	56	5	Loamy	Loam	B
		Temvik	5	3 to 6	2e	80		3	5	0.32	48	6	Loamy	Loam	B
		Bowdle	3	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Williams	3	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Wilton	3	3 to 6	2e	90		1	5	0.28	48	6	Loamy	Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
28	Wilton silt loam, 0 to 3 percent slopes	Wilton	80	0 to 3	2c	95	94	1	5	0.28	48	6	Loamy	Loam	B
		Grassna	6	0 to 2	2c	100		1	5	0.28	48	6	Loamy	Loam	B
		Temvik	6	0 to 3	2c	85		3	5	0.32	48	6	Loamy	Loam	B
		Bryant	4	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Williams	3	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
28B	Temvik-Williams silt loams, 3 to 6 per	Temvik	60	3 to 6	2e	80	81	3	5	0.32	48	6	Loamy	Loam	B
		Williams	30	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Wilton	3	3 to 6	2e	90		1	5	0.28	48	6	LOAMY OVERFLOV	Overflow	B
		Zahl	3	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Grassna	2	0 to 2	2c	100		1	5	0.28	48	6	Loamy Overflow	Overflow	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
28C	Temvik-Williams silt loams, 6 to 9 per	Temvik	55	6 to 9	3e	64	65	3	5	0.32	48	6	Loamy	Loam	B
		Williams	30	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
		Zahl	6	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Grassna	3	2 to 6	2e	95		1	5	0.28	48	6	Loamy Overflow	Overflow	B
		Bowdle	2	6 to 9	3e	46		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Bryant	2	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Wilton	2	6 to 9	3e	72		3	5	0.28	48	6	Loamy	Loam	B
35C	Amor-Werner loams, 6 to 9 percent sl	Amor	60	6 to 9	3e	61	54	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Werner	25	6 to 9	6e	34		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Vebar	5	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Shambo	3	6 to 9	3e	64		3	5	0.28	48	6	Loamy	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Grail	2	2 to 6	2c	95		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Janesburg	2	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
35D	Amor-Werner loams, 9 to 15 percent	Amor	55	9 to 15	4e	46	41	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Werner	30	9 to 15	6e	26		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Shambo	4	6 to 15	4e	56		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Vebar	3	9 to 15	6e	35		6D	3	0.2	86	3	Sandy	Not suited	B
		Grail	2	6 to 9	3e	76		3	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Reeder	2	9 to 15	4e	48		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Flasher	1	6 to 15	6e	14		10	2	0.17	134	2	Shallow Sandy	Not suited	D
36	Williams loam, 0 to 3 percent slopes	Williams	85	0 to 3	2c	90	89	3	5	0.28	48	6	Loamy	Loam	B
		Bowbells	7	0 to 3	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Flaxton	3	0 to 3	3e	75		1	5	0.24	56	5	Sandy	Loam	B
		Temvik	2	0 to 3	2c	85		3	5	0.32	48	6	Loamy	Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
		Zahl	1	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
36B	Williams loam, 3 to 6 percent slopes	Williams	85	3 to 6	2e	85	83	3	5	0.28	48	6	Loamy	Loam	B
		Bowbells	5	3 to 6	2e	95		1	5	0.24	48	6	Loamy	Loam	B
		Zahl	4	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Flaxton	2	3 to 6	4e	71		5	5	0.24	56	5	Sandy	Loam	B
		Temvik	2	3 to 6	2e	80		3	5	0.32	48	6	Loamy	Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
36C	Williams loam, 6 to 9 percent slopes	Williams	80	6 to 9	3e	68	64	3	5	0.28	48	6	Loamy	Loam	B
		Zahl	9	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Amor	4	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Sen	3	6 to 9	3e	61		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Vebar	2	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
38C	Williams-Zahl loams, 6 to 9 percent sl	Williams	55	6 to 9	3e	68	60	3	5	0.28	48	6	Loamy	Loam	B
		Zahl	30	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Bowbells	4	3 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Werner	4	6 to 9	6e	34		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Reeder	3	6 to 9	3e	64		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Temvik	2	6 to 9	3e	64		3	5	0.32	48	6	Loamy	Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
38D	Zahl-Williams loams, 9 to 15 percent	Zahl	55	9 to 15	6e	35	42	10	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Williams	30	9 to 15	4e	51		3	5	0.28	48	6	Loamy	Loam	B
		Reeder	4	9 to 15	4e	48		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Werner	4	9 to 15	6e	26		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Bowbells	3	3 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Temvik	2	9 to 15	4e	48		3	5	0.32	48	6	Loamy	Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
38E	Zahl loam, 15 to 35 percent slopes	Zahl	70	9 to 60	7e	17	22	10	5	0.28	86	4L	Thin Loamy	Not suited	B
		Williams	10	15 to 25	6e	36		10	5	0.28	48	6	Loamy	Steep Loam	B
		Cabba	5	9 to 35	7e	16		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Cherry	5	9 to 25	6e	30		10	5	0.32	86	4L	Thin Loamy	Limy Upland	B
		Arnegard	4	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Werner	4	15 to 25	7e	18		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Miranda	2	3 to 6	6s	28		10	2	0.28	48	6	Thin Claypan	Not suited	D
40	Shambo loam, 0 to 2 percent slopes	Shambo	80	0 to 2	2c	85	84	3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	5	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Savage	4	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	3	0 to 2	2s	75		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	3	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Farnuf	3	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Tally	2	0 to 2	3e	65		5	5	0.2	86	3	Sandy	Droughty Loam	B
40B	Shambo loam, 2 to 6 percent slopes	Shambo	80	2 to 6	2e	80	79	3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	5	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Savage	4	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	3	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Belfield	3	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Daglum	3	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Tally	2	2 to 6	3e	63		5	5	0.2	86	3	Sandy	Droughty Loam	B
41B	Parshall loam, 0 to 6 percent slopes	Parshall	80	0 to 6	3e	68	68	1	5	0.28	56	5	Sandy	Loam	B
		Arnegard	4	0 to 6	2e	98		1	5	0.24	48	6	Loamy	Loam	B
		Tally	4	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Vebar	4	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Flaxton	3	0 to 6	3e	68		5	5	0.2	86	3	Sandy	Loam	B
		Lihen	3	0 to 6	3e	54		5	5	0.24	86	3	Sands	Sand	A
		Ruso	2	0 to 6	3e	39		6G	4	0.2	86	3	Sandy	Droughty Loam	B
43	Colvin silt loam, 0 to 1 percent slopes	Colvin	85	0 to 1	2w	70	68	1K	5	0.28	86	4L	Wet Meadow	Wet	C/D
		Harriet	5	0 to 1	6s	25		10	2	0.37	86	4L	Saline Lowland	Not suited	D
		Grassna	4	0 to 2	2c	100		1	5	0.28	48	6	Loamy Overflow	Overflow	B
		Bearden	2	0 to 2	2e	95		1K	5	0.37	86	4L	Limy Subirrigated	Subirrigated	B
		Marysland	2	0 to 1	4w	30		2K	4	0.24	86	4L	Wet Meadow	Wet	D
		Rauville	2	0 to 1	6w	35		10	5	0.28	86	4L	Wet Land	Not suited	D
44	Arnegard loam, 0 to 2 percent slopes	Arnegard	85	0 to 2	2c	100	97	1	5	0.24	48	6	Loamy	Loam	B
		Amor	3	0 to 3	2s	80		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Belfield	3	0 to 2	2s	75		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	3	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Vebar	3	0 to 3	3e	60		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Williams	2	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
44B	Arnegard loam, 2 to 6 percent slopes	Arnegard	85	2 to 6	2e	95	92	1	5	0.24	48	6	Loamy	Loam	B
		Belfield	5	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	3	2 to 6	2c	95		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Amor	2	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Vebar	2	3 to 6	3e	57		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Williams	2	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
44C	Arnegard loam, 6 to 9 percent slopes	Arnegard	80	6 to 9	3e	76	74	3	5	0.24	48	6	Loamy	Loam	B
		Amor	4	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Shambo	4	6 to 9	3e	64		3	5	0.28	48	6	Loamy	Loam	B
		Vebar	4	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Bowbells	3	3 to 6	2e	95		1	5	0.24	48	6	Loamy	Loam	B
		Williams	3	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
		Belfield	2	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
47	Havrelon loam, 0 to 2 percent slopes	Havrelon	79	0 to 2	2e	85	81	1K	5	0.32	86	4L	Loamy Terrace	Loam	B
		Trembles	10	0 to 2	3e	65		5	5	0.2	86	3	Sandy Terrace	Droughty Loam	B
		Ridgelawn	4	0 to 2	2e	55		6G	4	0.37	86	4L	Loamy Terrace	Droughty Loam	B
		Banks	2	0 to 2	3e	55		7	5	0.28	48	6	Sandy Terrace	Sand	A
		Lohler	2	0 to 2	2e	80		4C	5	0.37	86	4	Clayey	Overflow	D
		Mandan	2	0 to 3	2c	95		1	5	0.32	56	5	Loamy	Loam	B
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
51	Straw silt loam, 0 to 2 percent slopes	Straw	79	0 to 2	2e	95	90	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Korchea	8	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Velva	4	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Magnus	3	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Stady	3	0 to 2	2e	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Daglum	2	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
53	Banks loam, 0 to 2 percent slopes	Banks	79	0 to 2	3e	55	55	7	5	0.28	48	6	Sandy Terrace	Sand	A
		Ridgelawn	5	0 to 2	2e	55		6G	4	0.37	86	4L	Loamy Terrace	Droughty Loam	B
		Trembles	5	0 to 2	3e	65		5	5	0.2	86	3	Sandy Terrace	Droughty Loam	B
		Seroco	4	0 to 9	6e	14		10	5	0.15	220	1	Thin Sands	Not suited	A
		Havrelon	3	0 to 2	2e	85		1K	5	0.32	86	4L	Loamy Terrace	Loam	B
		Lohler	3	0 to 2	2e	80		4C	5	0.37	86	4	Clayey	Overflow	D
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
54B	Lihen fine sandy loam, 0 to 6 percent	Lihen	80	0 to 6	3e	54	54	5	5	0.24	86	3	Sands	Sand	A
		Tally	7	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Krem	5	0 to 6	4e	49		7	5	0.17	134	2	Sands	Sand	B
		Flaxton	3	0 to 6	3e	68		5	5	0.2	86	3	Sandy	Loam	B
		Parshall	3	0 to 6	3e	68		1	5	0.2	86	3	Sandy	Loam	B
		Seroco	2	0 to 9	6e	14		10	5	0.15	220	1	Thin Sands	Not suited	A
55B	Vebar fine sandy loam, 3 to 6 percent	Vebar	80	3 to 6	3e	57	57	6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Cohagen	5	3 to 6	6e	28		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Parshall	5	0 to 2	3e	70		1	5	0.2	86	3	Sandy	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Tally	3	2 to 6	3e	63		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Flasher	2	3 to 6	6e	24		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Flaxton	2	3 to 6	3e	67		5	5	0.2	86	3	Sandy	Loam	B
55C	Vebar fine sandy loam, 6 to 9 percent	Vebar	70	6 to 9	4e	46	46	6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	8	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Cohagen	7	6 to 9	6e	22		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Arnegard	5	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Flasher	4	6 to 9	6e	19		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Tally	4	6 to 9	4e	50		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Amor	2	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
56B	Lefor fine sandy loam, 0 to 6 percent	Lefor	80	0 to 6	3e	58	60	6D	3	0.2	86	3	Sandy	Droughty Loam	C
		Vebar	5	0 to 6	3e	58		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Parshall	4	0 to 6	3e	68		1	5	0.2	86	3	Sandy	Loam	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Belfield	3	0 to 6	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Moreau	3	0 to 6	3e	68		4C	3	0.32	86	4L	Clayey	Clayey Subsoil	D
		Cohagen	2	3 to 6	6e	28		10	2	0.24	86	3	Shallow Sandy	Not suited	D
56D	Lefor fine sandy loam, 6 to 15 percent	Lefor	70	9 to 15	6e	35	38	6D	3	0.2	86	3	Sandy	Droughty Loam	C
		Cohagen	8	9 to 15	6e	17		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Parshall	7	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Vebar	5	9 to 15	6e	35		6D	3	0.2	86	3	Sandy	Not suited	B
		Moreau	4	6 to 15	7e	48		10	3	0.32	86	4L	Clayey	Clayey Subsoil	D
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Belfield	3	6 to 9	3e	57		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
57B	Flaxton fine sandy loam, 0 to 6 percent	Flaxton	80	0 to 6	3e	68	68	5	5	0.2	86	3	Sandy	Loam	B
		Parshall	5	0 to 6	3e	68		1	5	0.2	86	3	Sandy	Loam	B
		Williams	5	3 to 9	4e	69		3	5	0.2	86	3	Loamy	Loam	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Livona	3	3 to 6	3e	67		5	5	0.24	86	3	Sandy	Loam	B
		Krem	2	0 to 6	4e	49		7	5	0.17	134	2	Sands	Sand	B
		Noonan	2	0 to 6	4s	39		9L	2	0.2	86	3	Claypan	Claypan	D
57C	Flaxton fine sandy loam, 6 to 9 percent	Flaxton	80	6 to 9	4e	54	54	5	5	0.2	86	3	Sandy	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Zahl	6	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Tally	4	6 to 9	4e	50		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Parshall	3	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Williams	3	3 to 9	4e	69		3	5	0.2	86	3	Loamy	Loam	B
		Livona	2	6 to 9	4e	54		5	5	0.24	86	3	Sandy	Loam	B
		Vebar	2	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
58B	Flaxton-Williams complex, 3 to 6 perc	Flaxton	59	3 to 6	3e	67	70	5	5	0.2	86	3	Sandy	Loam	B
		Williams	20	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Parshall	6	0 to 2	3e	70		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Livona	5	3 to 6	3e	67		5	5	0.24	86	3	Sandy	Loam	B
		Zahl	4	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Noonan	2	3 to 6	4s	43		9L	2	0.37	48	6	Claypan	Claypan	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
58C	Flaxton-Williams complex, 6 to 9 perc	Flaxton	55	6 to 9	4e	54	58	5	5	0.2	86	3	Sandy	Loam	B
		Williams	25	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
		Zahl	7	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Parshall	5	2 to 6	3e	67		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Arnegard	2	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Livona	2	6 to 9	4e	54		5	5	0.24	86	3	Sandy	Loam	B
		Tally	2	6 to 9	4e	50		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Vebar	2	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
58D	Flaxton-Williams complex, 9 to 15 per	Flaxton	50	9 to 15	6e	41	45	5	5	0.2	86	3	Sandy	Loam	B
		Williams	30	9 to 15	4e	51		3	5	0.28	48	6	Loamy	Loam	B
		Zahl	11	9 to 15	6e	35		10	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Livona	3	9 to 15	6e	41		5	5	0.24	86	3	Sandy	Loam	B
		Parshall	3	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
59B	Parshall fine sandy loam, 0 to 6 perce	Parshall	80	0 to 6	3e	68	67	1	5	0.2	86	3	Sandy	Loam	B
		Tally	5	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Bowdle	4	0 to 6	3e	58		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Flaxton	4	0 to 6	3e	68		5	5	0.2	86	3	Sandy	Loam	B
		Lihen	4	0 to 6	4e	44		7	5	0.17	134	2	Sands	Sand	A

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Arnegard	3	0 to 6	2e	98		1	5	0.24	48	6	Loamy	Loam	B
62B	Velva fine sandy loam, 0 to 6 percent	Velva	79	0 to 6	3e	67	66	5	5	0.2	86	3	Sandy Terrace	Loam	B
		Lihen	5	0 to 6	4e	44		7	5	0.17	134	2	Sands	Sand	A
		Manning	5	0 to 6	3e	39		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Straw	5	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Korchea	4	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Belfield	1	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
67	Straw loam, channeled, 0 to 2 percen	Straw	35	0 to 2	2e	76	39	1	5	0.32	48	6	Loamy Overflow	Overflow	B
		Harriet	6	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Rhoades	5	0 to 2	6s	24		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Velva	5	0 to 2	6w	56		10	5	0.2	86	3	Loamy Overflow	Loam	B
		Lehr	4	0 to 2	3e	45		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Magnus	4	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
71B	Searing loam, 0 to 6 percent slopes	Searing	80	0 to 6	3e	64	64	6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Ringling	6	3 to 6	6s	33		10	2	0.17	56	5	Very Shallow	Not suited	A
		Daglum	4	0 to 6	4s	44		9C	2	0.32	48	6	Claypan	Claypan	D
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Williams	3	0 to 6	2e	87		3	5	0.28	48	6	Loamy	Loam	B
		Amor	2	0 to 6	2e	78		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Sen	2	0 to 6	2e	78		6D	3	0.32	48	6	Loamy	Droughty Loam	B
71C	Searing-Ringling loams, 6 to 9 percer	Searing	50	6 to 9	4e	50	44	6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Ringling	30	6 to 15	6s	23		10	2	0.17	56	5	Very Shallow	Not suited	A
		Amor	4	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Janesburg	4	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Sen	3	6 to 9	3e	61		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Shambo	3	6 to 9	3e	64		3	5	0.28	48	6	Loamy	Loam	B
		Williams	3	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
73	Belfield silt loam, 0 to 2 percent slope	Belfield	80	0 to 2	2s	75	75	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	6	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Daglum	5	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Savage	4	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	3	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Rhoades	2	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
74B	Regent-Dogtooth complex, 0 to 6 per	Regent	60	0 to 6	2e	82	68	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Dogtooth	20	0 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Daglum	6	0 to 6	4s	44		9C	2	0.37	38	7	Claypan	Claypan	D
		Savage	4	0 to 6	2e	88		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	3	0 to 6	2e	78		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Grail	3	0 to 2	2c	100		1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Belfield	2	0 to 6	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Cabba	2	3 to 6	6s	38		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
74C	Regent-Dogtooth complex, 6 to 9 per	Regent	55	6 to 9	3e	64	51	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Dogtooth	25	6 to 9	6s	19		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Daglum	5	6 to 9	6s	34		9C	2	0.37	38	7	Claypan	Claypan	D
		Cabba	4	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Amor	3	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Grail	3	2 to 6	2c	95		1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Savage	3	6 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Chama	2	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
75	Belfield-Daglum silt loams, 0 to 2 per	Belfield	50	0 to 2	2s	75	65	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	30	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Savage	6	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	4	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Rhoades	4	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Dogtooth	3	0 to 3	6s	25		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Farnuf	3	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
75B	Belfield-Daglum silt loams, 2 to 6 per	Belfield	50	2 to 6	2e	71	62	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	30	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Grail	5	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Moreau	4	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Rhoades	4	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Savage	4	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Janesburg	3	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
75C	Belfield-Daglum silt loams, 6 to 9 perc	Belfield	50	6 to 9	3e	57	50	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	30	6 to 9	6s	34		9C	2	0.32	48	6	Claypan	Claypan	D
		Regent	9	3 to 9	3e	64		4	3	0.37	48	6	Clayey	Clayey Subsoil	C
		Janesburg	3	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
		Rhoades	3	6 to 9	6s	22		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Savage	3	6 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	2	2 to 6	2c	95		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
76B	Sen-Dogtooth complex, 3 to 6 percen	Sen	57	3 to 6	2e	76	64	6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Dogtooth	23	3 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Amor	4	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Regent	4	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Savage	4	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	3	0 to 2	2c	100		1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Janesburg	3	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Chama	2	3 to 6	3e	67		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
76C	Sen-Dogtooth complex, 6 to 9 percen	Sen	50	6 to 9	3e	61	47	6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Dogtooth	30	6 to 9	6s	19		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Cabba	4	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Chama	4	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Janesburg	4	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
		Grail	3	2 to 6	2c	95		1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Regent	3	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Amor	2	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
77	Bowdle loam, 0 to 2 percent slopes	Bowdle	80	0 to 2	2s	60	62	6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Stady	5	0 to 2	2e	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Arnegard	4	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Straw	4	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Lehr	3	0 to 2	3e	45		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Manning	3	0 to 2	3e	40		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Wabek	1	2 to 9	6s	26		10	2	0.1	48	5	Very Shallow	Not suited	A
77B	Bowdle loam, 2 to 6 percent slopes	Bowdle	80	2 to 6	3e	57	56	6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Stady	6	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Arnegard	4	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Lehr	4	2 to 6	3e	43		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Manning	3	2 to 6	3e	38		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Wabek	3	2 to 9	6s	26		10	2	0.1	48	5	Very Shallow	Not suited	A
77C	Bowdle-Wabek complex, 6 to 9 perce	Bowdle	57	6 to 9	3e	46	40	6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Wabek	23	6 to 9	6s	19		10	2	0.15	86	3	Very Shallow	Not suited	A
		Stady	8	6 to 9	4e	46		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lehr	7	6 to 9	4e	34		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Cabba	1	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Manning	1	2 to 9	4e	34		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
78B	Noonan-Flaxton fine sandy loams, 0 t	Noonan	57	0 to 6	4s	39	50	9L	2	0.2	86	3	Claypan	Claypan	D
		Flaxton	23	0 to 6	3e	68		5	5	0.2	86	3	Sandy	Loam	B
		Williams	7	3 to 9	4e	69		3	5	0.2	86	3	Loamy	Loam	B
		Niobell	5	0 to 6	2e	73		4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Miranda	4	0 to 3	6s	30		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Livona	2	3 to 6	3e	67		5	5	0.24	86	3	Sandy	Loam	B
		Zahl	2	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
79B	Moreau silty clay, 3 to 6 percent slope	Moreau	80	3 to 6	3e	63	62	4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Lawther	6	2 to 6	2e	76		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Janesburg	5	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Regent	3	3 to 6	2e	80		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Wayden	3	3 to 6	6s	28		10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Grail	2	0 to 2	2c	100		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Dogtooth	1	3 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
79C	Moreau silty clay, 6 to 9 percent slope	Moreau	80	6 to 9	4e	50	48	4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Wayden	5	3 to 9	6s	25		10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Cabba	4	6 to 9	6e	30		10	2	0.37	86	4L	Shallow Loamy	Not suited	D
		Janesburg	4	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
		Lawther	3	6 to 9	3e	61		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Dogtooth	2	6 to 9	6s	19		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Grail	2	2 to 6	2c	95		1	5	0.37	48	6	Loamy Overflow	Overflow	C
79D	Wayden-Moreau silty clays, 9 to 15 p	Wayden	55	9 to 15	6s	17	27	10	2	0.28	86	4	Shallow Clayey	Not suited	D
		Moreau	25	9 to 15	6e	38		10	3	0.28	86	4L	Clayey	Clayey Subsoil	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Janesburg	5	6 to 15	6s	26		9C	2	0.28	48	6	Claypan	Claypan	D
		Cabba	4	9 to 15	6e	23		10	2	0.37	86	4L	Shallow Loamy	Not suited	D
		Grail	4	6 to 9	3e	76		3	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Regent	3	9 to 15	4e	48		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Dogtooth	2	6 to 15	6s	16		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Lawther	2	6 to 9	3e	61		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
81D	Cabba loam, 9 to 15 percent slopes	Cabba	75	9 to 15	6e	23	29	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Amor	9	9 to 15	4e	46		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Williams	7	9 to 15	4e	51		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Badland	2	9 to 150	8e	1		10	1	0.43	86	4	Not Assigned	Not suited	D
		Grail	2	6 to 9	3e	76		3	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Janesburg	2	6 to 9	6s	30		9C	2	0.28	48	6	Claypan	Claypan	D
81E	Cabba loam, 15 to 35 percent slopes	Cabba	69	9 to 35	7e	16	18	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Amor	10	15 to 25	6e	32		10	3	0.24	48	6	Loamy	Steep Loam	B
		Cherry	10	9 to 25	6e	30		10	5	0.32	86	4L	Thin Loamy	Limy Upland	B
		Badland	5	9 to 150	8e	1		10	1	0.43	86	4	Not Assigned	Not suited	D
		Arikara	3	9 to 70	7e	17		10	5	0.02	48	6	Not Assigned	Not suited	B
		Zahl	2	9 to 60	7e	17		10	5	0.28	86	4L	Thin Loamy	Not suited	B
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
82E	Cabba-Badland complex, 15 to 50 pe	Cabba	55	3 to 70	7e	11	14	10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Badland	25	9 to 150	8e	1		10	1	0.43	86	4	Not Assigned	Not suited	D
		Cherry	9	9 to 25	6e	30		10	5	0.32	86	4L	Thin Loamy	Limy Upland	B
		Lambert	4	9 to 15	6e	29		10	5	0.37	86	4L	Thin Loamy	Limy Upland	B
		Dogtooth	2	6 to 15	6s	16		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Grail	2	6 to 9	3e	76		3	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Straw	2	0 to 6	2e	92		1	5	0.32	48	6	Loamy Overflow	Overflow	B
		Arikara	1	9 to 70	7e	17		10	5	0.02	48	6	Not Assigned	Not suited	B
83C	Vebar-Cohagen fine sandy loams, 3 t	Vebar	60	6 to 9	4e	46	42	6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Cohagen	25	6 to 9	6e	22		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Parshall	6	2 to 6	3e	67		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Flasher	2	6 to 9	6e	19		10	2	0.17	134	2	Shallow Sandy	Not suited	D

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Tally	2	2 to 6	3e	63		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Janesburg	1	3 to 9	6e	26		9C	2	0.2	86	3	Claypan	Claypan	D
83E	Cohagen-Vebar fine sandy loams, 9 t	Cohagen	50	9 to 50	7e	12	21	10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Vebar	35	9 to 15	6e	35		6D	3	0.2	86	3	Sandy	Not suited	B
		Flasher	4	15 to 70	7e	7		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Parshall	2	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Williams	2	15 to 25	6e	36		10	5	0.28	48	6	Loamy	Steep Loam	B
		Zahl	2	9 to 35	7e	22		10	5	0.28	86	4L	Thin Loamy	Limy Upland	B
84E	Cohagen-Vebar-Rock outcrop comple	Cohagen	50	9 to 50	7e	12	18	10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Vebar	25	9 to 15	6e	35		6D	3	0.2	86	3	Sandy	Not suited	B
		Parshall	4	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Flasher	3	15 to 70	7e	7		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Arnegard	2	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Cabba	1	3 to 70	7e	11		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
85	Harriet variant silt loam, 0 to 2 percen	Harriet	85	0 to 1	6s	25	27	10	2	0.37	86	4L	Saline Lowland	Not suited	D
		Regan	4	0 to 1	6s	5		10	5	0.32	86	4L	Saline Lowland	Not suited	D
		Harriet	3	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Straw	3	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Vallers	2	0 to 1	4w	40		2K	5	0.28	86	4L	Wet Meadow	Wet	D
86E	Wabek soils, 2 to 25 percent slopes	Wabek	80	2 to 25	6s	13	17	10	2	0.15	86	3	Very Shallow	Not suited	A
		Lehr	5	6 to 15	6e	30		6G	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
		Manning	4	2 to 9	4e	34		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Bowdle	3	6 to 9	3e	46		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Cabba	3	9 to 35	7e	16		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Zahl	3	9 to 25	7e	28		10	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Parshall	2	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
87C	Rhoades-Daglum complex, 0 to 9 per	Rhoades	55	0 to 6	6s	29	35	10	2	0.32	48	6	Thin Claypan	Not suited	D
		Daglum	30	6 to 9	6s	34		9C	2	0.32	48	6	Claypan	Claypan	D
		Chama	3	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Regent	3	6 to 9	3e	64		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Savage	3	6 to 9	3e	68		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Belfield	2	0 to 6	2e	73		4	5	0.32	48	6	Clayey	Clayey Subsoil	C

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Harriet	2	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Moreau	2	6 to 9	4e	50		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
88	Harriet clay, 0 to 2 percent slopes	Harriet	85	0 to 1	6s	25	27	10	2	0.37	48	6	Saline Lowland	Not suited	D
		Harriet	5	0 to 1	6s	25		10	2	0.37	86	4L	Saline Lowland	Not suited	D
		Heil	3	0 to 1	6s	35		10	2	0.37	48	6	Closed Depression	Not suited	D
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Dimmick	2	0 to 1	5w	30		10	5	0.02	0	8	Wet Land	Not suited	D
		Straw	2	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
89E	Ustorthents, 0 to 25 percent slopes	Ustorthents	90	6 to 35	7e	11	12	10	1	0.24	56	5	Not Assigned	Not suited	B
		Cabba	4	3 to 70	7e	11		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Flasher	2	15 to 70	7e	7		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Lallie	2	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
		Williams	2	9 to 15	4e	51		3	5	0.28	48	6	Loamy	Loam	B
90C	Williams loam-Mine sink complex, 0 t	Williams	55	0 to 9	3e	79	52	3	5	0.28	48	6	Loamy	Loam	B
		Cabba	5	6 to 9	6e	30		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Ringling	4	6 to 15	6s	23		10	2	0.17	56	5	Very Shallow	Not suited	A
		Bowbells	3	0 to 6	2e	98		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Zahl	3	6 to 9	4e	46		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
91	Straw loam, 0 to 2 percent slopes	Straw	84	0 to 2	2e	95	91	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Korchea	5	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Velva	4	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Magnus	3	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Bowdle	2	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lallie	1	0 to 1	8w	10		10	5	0.37	0	8	Wet Land	Not suited	D
		Rhoades	1	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
91B	Straw loam, 2 to 6 percent slopes	Straw	85	2 to 6	2e	90	87	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Velva	5	0 to 6	3e	67		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Magnus	4	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Bowdle	3	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Korchea	2	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Banks	1	2 to 6	3e	53		7	5	0.28	48	6	Sandy Terrace	Sand	B
92B	Noonan-Williams loams, 0 to 6 percer	Noonan	55	0 to 6	4s	44	59	9L	2	0.37	48	6	Claypan	Claypan	D
		Williams	29	0 to 6	2e	87		3	5	0.28	48	6	Loamy	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Bowbells	4	0 to 6	2e	98		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Miranda	3	0 to 3	6s	30		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Niobell	3	0 to 6	2e	73		4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Zahl	3	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Daglum	2	0 to 6	4s	44		9C	2	0.32	48	6	Claypan	Claypan	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
93	Falkirk loam, 0 to 3 percent slopes	Falkirk	85	0 to 3	2c	90	89	3	5	0.32	48	6	Loamy	Loam	B
		Shambo	4	0 to 2	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Farnuf	3	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Max	3	0 to 3	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Williams	3	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Bowdle	1	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
94	Makoti silt loam, 0 to 2 percent slopes	Makoti	90	0 to 3	2c	100	98	1	5	0.28	48	6	Loamy	Loam	B
		Grassna	3	0 to 2	2c	100		1	5	0.28	48	6	Loamy	Loam	B
		Farnuf	2	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Tansem	2	0 to 3	2c	85		3	5	0.28	48	6	Loamy	Loam	B
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Sakakawea	1	3 to 6	3e	57		8	5	0.24	86	4L	Thin Loamy	Limy Upland	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
95	Flaxton-Williams loams, 0 to 3 percen	Flaxton	60	0 to 3	3e	75	80	1	5	0.24	56	5	Sandy	Loam	B
		Williams	25	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Bowbells	5	0 to 3	2c	100		1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Parshall	3	0 to 2	3e	70		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Arnegard	2	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Falkirk	2	0 to 3	2c	90		3	5	0.32	48	6	Loamy Overflow	Overflow	B
		Livona	2	0 to 3	3e	70		5	5	0.24	86	3	Sandy	Loam	B
		Zahl	1	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
96	Grassna silt loam, 0 to 2 percent slop	Grassna	85	0 to 2	2c	100	98	1	5	0.28	48	6	Loamy	Loam	B
		Falkirk	4	0 to 3	2c	90		3	5	0.32	48	6	Loamy	Loam	B
		Bryant	3	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Wilton	3	0 to 3	2c	95		1	5	0.28	48	6	Loamy	Loam	B
		Bowdle	2	0 to 2	2s	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Williams	2	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
96B	Grassna silt loam, 2 to 6 percent slop	Grassna	85	2 to 6	2e	95	92	1	5	0.28	48	6	Loamy	Loam	B
		Wilton	4	3 to 6	2e	90		1	5	0.28	48	6	Loamy	Loam	B
		Falkirk	3	3 to 6	2e	85		3	5	0.32	48	6	Loamy	Loam	B
		Tonka	3	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
		Bryant	2	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Williams	2	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Bowdle	1	2 to 6	3e	57		6G	4	0.28	56	5	Loamy	Droughty Loam	B
97B	Sen silt loam, 3 to 6 percent slopes	Sen	85	3 to 6	2e	76	76	6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Amor	3	3 to 6	2e	76		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Chama	3	3 to 6	3e	67		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Morton	3	3 to 6	2e	80		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Arnegard	2	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Werner	2	3 to 6	6s	43		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Williams	2	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
97C	Sen silt loam, 6 to 9 percent slopes	Sen	85	6 to 9	3e	61	61	6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Chama	3	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Werner	3	6 to 9	6e	34		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Amor	2	6 to 9	3e	61		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Morton	2	6 to 9	3e	64		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Williams	2	6 to 9	3e	68		3	5	0.28	48	6	Loamy	Loam	B
98E	Ringling-Cabba complex, 9 to 35 perc	Ringling	55	9 to 35	7s	15	21	10	2	0.24	48	5	Very Shallow	Not suited	A
		Cabba	25	9 to 35	7e	16		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Searing	6	6 to 15	6e	44		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Dogtooth	5	6 to 15	6s	16		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Chama	3	9 to 15	6e	41		10	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Amor	2	15 to 25	6e	32		10	3	0.24	48	6	Loamy	Steep Loam	B
		Arnegard	2	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Grail	2	6 to 9	3e	76		3	5	0.37	48	6	Clayey	Clayey Subsoil	C
100B	Amor loam, 3 to 6 percent slopes	Amor	85	3 to 6	2e	76	75	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Vebar	4	3 to 6	3e	57		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Shambo	3	2 to 6	2e	80		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	2	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Chama	2	3 to 6	3e	67		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Sen	2	3 to 6	2e	76		6D	3	0.32	48	6	Loamy	Droughty Loam	B
		Werner	2	3 to 6	6s	43		10	2	0.28	48	6	Shallow Loamy	Not suited	D
100C	Amor loam, 6 to 9 percent slopes	Amor	80	6 to 9	3e	61	59	6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Werner	8	6 to 9	6e	34		10	2	0.28	48	6	Shallow Loamy	Not suited	D
		Vebar	4	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
		Arnegard	3	6 to 9	3e	76		3	5	0.24	48	6	Loamy	Loam	B
		Chama	3	6 to 9	4e	54		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
		Shambo	2	6 to 9	3e	64		3	5	0.28	48	6	Loamy	Loam	B
101C	Parshall fine sandy loam, 6 to 9 perce	Parshall	85	6 to 9	4e	54	52	5	5	0.2	86	3	Sandy	Loam	B
		Lihen	5	6 to 15	6e	29		10	5	0.17	134	2	Sands	Sand	A
		Flaxton	3	6 to 9	4e	54		5	5	0.2	86	3	Sandy	Loam	B
		Tally	3	6 to 9	4e	50		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Manning	2	6 to 9	4e	30		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Vebar	2	6 to 9	4e	46		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
102	Bowbells loam, 0 to 3 percent slopes	Bowbells	85	0 to 3	2c	100	97	1	5	0.24	48	6	Loamy	Loam	B
		Williams	5	0 to 3	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Falkirk	4	0 to 3	2c	90		3	5	0.32	48	6	Loamy	Loam	B
		Niobell	4	0 to 3	2s	75		4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
		Tonka	1	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
104	Magnus silty clay loam, 0 to 2 percent	Magnus	85	0 to 2	2c	85	83	3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Rhoades	4	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Straw	4	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Velva	3	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B
		Korchea	2	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Lohler	2	0 to 2	2e	80		4C	5	0.32	86	4	Clayey	Overflow	D
108	Belfield-Straw silt loams, 0 to 2 percei	Belfield	60	0 to 2	2s	75	79	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Straw	25	0 to 2	2e	95		1	5	0.32	48	6	Loamy Overflow	Overflow	B
		Korchea	4	0 to 2	2e	90		1K	5	0.28	86	4L	Loamy Terrace	Loam	B
		Velva	4	0 to 2	3e	70		5	5	0.2	86	3	Sandy Terrace	Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Savage	2	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Banks	1	0 to 2	3e	55		7	5	0.28	48	6	Sandy Terrace	Sand	A
		Harriet	1	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
109B	Bowbells-Zahl loams, 3 to 6 percent s	Bowbells	55	3 to 6	2e	95	81	1	5	0.24	48	6	Loamy Overflow	Overflow	B
		Zahl	30	3 to 6	3e	57		8	5	0.28	86	4L	Thin Loamy	Limy Upland	B
		Williams	7	3 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	3	2 to 6	2e	95		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Niobell	2	3 to 6	2e	71		4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Tonka	2	0 to 1	4w	40		2	5	0.37	48	6	Wet Meadow	Wet	C/D
		Parnell	1	0 to 1	5w	20		10	5	0.28	48	6	Wet Land	Not suited	D
110B	Belfield silt loam, 2 to 6 percent slope	Belfield	85	2 to 6	2e	71	72	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Grail	4	2 to 6	2c	95		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Savage	4	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Farnuf	3	2 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Daglum	2	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Rhoades	2	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
111	Pits, gravel	Pits	80	0 to 60	8s	6	9	10	1	0.1	0	8	Not Assigned	Not suited	A
		Wabek	8	9 to 35	7s	10		10	2	0.1	48	5	Very Shallow	Not suited	A
		Ustorthents	6	15 to 35	7e	8		10	5	0.2	86	3	Not Assigned	Not suited	B
		Bowdle	3	0 to 6	3e	58		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lehr	3	0 to 25	7e	33		10	3	0.28	56	5	Shallow to Gravel	Very Droughty Loam	B
E0415A	Belfield-Daglum silt loams, 0 to 2 perc	Belfield	45	0 to 2	2s	75	63	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	32	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Daglum	8	0 to 2	4s	40		9C	2	0.28	86	4	Claypan	Claypan	D
		Grail	5	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C
		Savage	5	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Rhoades	3	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Regent	2	0 to 3	2s	85		4	3	0.32	48	6	Clayey	Clayey Subsoil	C
E0415B	Belfield-Daglum silt loams, 2 to 6 perc	Belfield	43	2 to 6	2e	71	61	4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	35	2 to 6	4s	43		9C	2	0.32	48	6	Claypan	Claypan	D
		Farland	7	0 to 6	2e	88		3	5	0.32	48	6	Loamy	Loam	B
		Grail	6	0 to 2	2c	100		1	5	0.28	48	6	Clayey	Clayey Subsoil	C

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
		Rhoades	5	0 to 6	6s	29		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Reeder	3	3 to 9	3e	72		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Slickspots	1	0 to 6	8s	14		10	1	0.32	86	4	Not Assigned	Not suited	D
E0605A	Belfield-Grail silty clay loams, 0 to 2 p	Belfield	49	0 to 2	2s	75	83	4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Grail	26	0 to 2	2c	100		1	5	0.37	48	6	Loamy Overflow	Overflow	C
		Savage	7	0 to 2	2c	90		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	6	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Farnuf	4	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Arnegard	2	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Lawther	2	0 to 2	2e	80		4C	5	0.28	86	4	Clayey	Clayey Subsoil	D
		Regent	2	0 to 3	2s	85		4	3	0.37	48	6	Clayey	Clayey Subsoil	C
		Straw	2	0 to 2	2e	95		1	5	0.32	48	6	Loamy Terrace	Loam	B
E0611B	Belfield-Savage silty clay loams, 2 to	Belfield	42	2 to 6	2e	71	77	4	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Savage	34	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Daglum	7	2 to 6	4s	43		9C	2	0.37	38	7	Claypan	Claypan	D
		Farnuf	7	2 to 6	2e	85		3	5	0.28	48	6	Loamy	Loam	B
		Grail	6	0 to 2	2c	100		1	5	0.37	48	6	Clayey	Clayey Subsoil	C
		Golva	4	2 to 6	2e	80		3	5	0.32	48	6	Loamy	Loam	B
E0651B	Regent-Janesburg complex, 3 to 6 pe	Regent	38	3 to 6	2e	80	63	4	3	0.32	48	6	Clayey	Clayey Subsoil	C
		Janesburg	28	3 to 6	4s	38		9C	2	0.28	48	6	Claypan	Claypan	D
		Belfield	9	2 to 6	2e	71		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Reeder	9	3 to 6	2e	80		6D	3	0.28	48	6	Loamy	Droughty Loam	B
		Dogtooth	7	3 to 6	6s	24		10	2	0.28	48	6	Thin Claypan	Not suited	D
		Moreau	4	3 to 6	3e	63		4C	3	0.28	86	4L	Clayey	Clayey Subsoil	D
		Savage	4	2 to 6	2e	85		4	5	0.32	48	6	Clayey	Clayey Subsoil	C
		Chama	1	3 to 6	3e	67		8	3	0.32	86	4L	Thin Loamy	Limy Upland	B
E1423F	Flasher-Vebar-Parshall complex, 9 to	Flasher	32	9 to 35	7e	11	20	10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Vebar	22	15 to 35	7e	20		10	3	0.2	86	3	Sandy	Not suited	B
		Parshall	15	9 to 15	6e	41		5	5	0.2	86	3	Sandy	Loam	B
		Beisigl	11	9 to 35	7e	15		10	3	0.17	134	2	Limy Sands	Not suited	A
		Telfer	10	9 to 25	7e	24		10	5	0.24	86	3	Sands	Not suited	A
		Cohagen	5	9 to 35	7e	12		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Amor	4	15 to 25	6e	32		10	3	0.24	48	6	Loamy	Steep Loam	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
E1661F	Vebar-Arikara-Flasher complex, 9 to 5	Arikara	25	15 to 50	7e	17	20	10	5	0.02	48	6	Not Assigned	Not suited	B
		Vebar	20	15 to 50	7e	20		10	3	0.2	86	3	Sandy	Not suited	B
		Flasher	16	15 to 50	7e	9		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Beisigl	13	9 to 35	7e	15		10	3	0.17	134	2	Limy Sands	Not suited	A
		Tally	11	6 to 15	6e	44		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Cohagen	5	25 to 50	7e	8		10	2	0.24	86	3	Shallow Sandy	Not suited	D
		Shambo	5	15 to 25	6e	34		10	5	0.28	48	6	Loamy	Steep Loam	B
		Daglum	4	2 to 15	6s	34		9C	2	0.32	48	6	Claypan	Claypan	D
		Rhoades	1	0 to 2	6s	30		10	2	0.37	38	7	Thin Claypan	Not suited	D
E1805B	Lihen-Parshall complex, 0 to 6 percer	Lihen	38	0 to 6	4e	44	50	7	5	0.17	134	2	Sands	Sand	A
		Parshall	15	0 to 6	3e	68		1	5	0.2	86	3	Sandy	Loam	B
		Telfer	15	0 to 6	4e	39		7	5	0.17	134	2	Sands	Sand	A
		Tally	9	0 to 6	3e	64		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Stady	7	0 to 6	3e	58		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Lihen	6	0 to 6	3e	54		5	5	0.24	86	3	Sands	Sand	A
		Seroco	3	3 to 9	6e	12		10	5	0.15	220	1	Thin Sands	Not suited	A
		Shambo	3	0 to 6	2e	82		3	5	0.28	48	6	Loamy	Loam	B
		Beisigl	2	0 to 6	4e	34		7	3	0.17	134	2	Limy Sands	Sand	A
		Manning	2	0 to 6	3e	39		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
E1823A	Parshall fine sandy loam, 0 to 2 perce	Parshall	68	0 to 2	3e	70	68	1	5	0.2	86	3	Sandy	Loam	B
		Tally	10	0 to 2	3e	65		5	5	0.2	86	3	Sandy	Droughty Loam	B
		Arnegard	6	0 to 2	2c	100		1	5	0.24	48	6	Loamy	Loam	B
		Lihen	6	0 to 6	3e	54		5	5	0.24	86	3	Sands	Sand	A
		Manning	3	0 to 2	3e	40		6G	4	0.2	86	3	Sandy	Very Droughty Loam	B
		Stady	3	0 to 2	2e	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Ekalaka	2	0 to 2	4s	40		9L	2	0.24	86	3	Sandy Claypan	Claypan	D
		Vebar	2	0 to 3	3e	60		6D	3	0.2	86	3	Sandy	Very Droughty Loam	B
E1851F	Seroco fine sand, 3 to 35 percent slop	Seroco	65	2 to 35	7e	9	14	10	5	0.15	220	1	Thin Sands	Not suited	A
		Lihen	10	3 to 15	6e	34		10	5	0.17	134	2	Sands	Sand	A
		Flasher	8	9 to 35	7e	11		10	2	0.17	134	2	Shallow Sandy	Not suited	D
		Beisigl	7	3 to 35	7e	21		10	3	0.17	134	2	Limy Sands	Not suited	A
		Blown-out land	5	0 to 6	6e	14		10	5	0.15	250	1	Not Assigned	Not suited	A
		Vebar	5	3 to 25	6e	40		10	3	0.2	86	3	Sandy	Not suited	B

Mercer County

MuSymbol	MuName	CompName	comp Pct	Slope	Class & Subclass	PI	Map Unit PI	WSG	T factor	Kw	WEI	WEG	ESD	FSG	Hydrologic group
E2145A	Shambo loam, 0 to 2 percent slopes	Shambo	48	0 to 2	2c	85	84	3	5	0.28	48	6	Loamy	Loam	B
		Shambo	20	0 to 2	2c	80		3	4	0.28	48	6	Loamy	Loam	B
		Arnegard	10	0 to 2	2c	100		1	5	0.24	48	6	Loamy Overflow	Loam	B
		Farnuf	8	0 to 2	2c	90		3	5	0.28	48	6	Loamy	Loam	B
		Stady	5	0 to 2	2e	60		6G	4	0.28	56	5	Loamy	Droughty Loam	B
		Amor	4	0 to 3	2s	80		6D	3	0.24	48	6	Loamy	Droughty Loam	B
		Parshall	3	0 to 2	3e	70		1	5	0.2	86	3	Loamy Overflow	Overflow	B
		Tally	2	0 to 2	2e	75		5	5	0.24	56	5	Sandy	Droughty Loam	B
E2725F	Arikara-Shambo-Cabba loams, 9 to 7	Arikara	33	15 to 70	7e	14	24	10	5	0.02	48	6	Not Assigned	Not suited	B
		Cabba	18	9 to 70	7e	17		10	2	0.32	86	4L	Shallow Loamy	Not suited	D
		Shambo	13	15 to 35	7e	29		10	5	0.28	48	6	Loamy	Steep Loam	B
		Lambert	12	9 to 15	6e	29		10	5	0.37	86	4L	Thin Loamy	Limy Upland	B
		Shambo	8	9 to 15	4e	48		3	5	0.28	48	6	Loamy	Loam	B
		Chama	6	9 to 25	7e	35		10	3	0.32	86	4L	Thin Loamy	Not suited	B
		Tally	5	9 to 15	4e	43		5	5	0.24	56	5	Sandy	Droughty Loam	B
		Badland	2	9 to 150	8e	1		10	1	0.43	86	4	Not Assigned	Not suited	D
		Regent	2	9 to 25	6e	41		10	3	0.37	48	6	Clayey	Clayey Subsoil	C
		Daglum	1	6 to 9	6s	34		9C	2	0.32	48	6	Claypan	Claypan	D
E4181A	Straw-Rhoades-Daglum silt loams, 0	Straw	28	0 to 2	2e	95	61	1	5	0.32	48	6	Loamy Terrace	Loam	B
		Rhoades	21	0 to 2	6s	30		10	2	0.32	48	6	Thin Claypan	Not suited	D
		Daglum	12	0 to 2	4s	45		9C	2	0.32	48	6	Claypan	Claypan	D
		Korell	12	0 to 2	2c	90		1	5	0.32	48	6	Loamy Terrace	Loam	B
		Harriet	7	0 to 1	6s	25		10	2	0.37	48	6	Saline Lowland	Not suited	D
		Magnus	7	0 to 2	2c	85		3	5	0.28	86	4L	Clayey	Clayey Subsoil	C
		Regan	4	0 to 2	4w	35		2K	5	0.32	86	4L	Wet Meadow	Wet	C/D
		Trembles	4	0 to 2	3e	75		5	5	0.37	86	4L	Sandy Terrace	Overflow	B