

Addison County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
AdA	Adams Loamy Fine Sand, 0 To 5 Percent Slopes	2	83
AdB	Adams Loamy Fine Sand, 5 To 12 Percent Slopes	2	83
AdD	Adams Loamy Fine Sand, 12 To 30 Percent Slopes	3	74
AdE	Adams Loamy Fine Sand, 30 To 50 Percent Slopes	3	74
AmB	Amenia Stony Loam, 0 To 8 Percent Slopes	1	100
AmC	Amenia Stony Loam, 8 To 15 Percent Slopes	1	100
AsC	Amenia Extremely Stony Loam, 0 To 15 Percent Slopes	3	74
AsD	Amenia Extremely Stony Loam, 15 To 25 Percent Slopes	4	63
BeA	Berkshire And Marlow Stony Loams, 0 To 3 Percent Slopes	2	83
BeB	Berkshire And Marlow Stony Loams, 3 To 12 Percent Slopes	2	83
BeC	Berkshire And Marlow Stony Loams, 12 To 25 Percent Slopes	3	74
BsC	Berkshire And Marlow Extremely Stony Loams, 3 To 20 Percent Slopes	4	63
BsE	Berkshire And Marlow Extremely Stony Loams, 20 To 50 Percent Slopes	5	51
BuC	Buckland Extremely Stony Loam, 3 To 15 Percent Slopes	4	63
BuD	Buckland Extremely Stony Loam, 15 To 25 Percent Slopes	5	51
CaB	Cabot Stony Loam, 0 To 8 Percent Slopes	5	51
CbC	Cabot Extremely Stony Loam, 0 To 15 Percent Slopes	6	31
CiC	Calais And Glover Soils, 5 To 20 Percent Slopes	4	63
CiE	Calais And Glover Soils, 20 To 50 Percent Slopes	6	31
Cn	Canandaigua Silt Loam	7	0
Co	Cobbly Alluvial Land	7	0
CtA	Colton Gravelly Sandy Loam, 0 To 5 Percent Slopes	2	83
CtB	Colton Gravelly Sandy Loam, 5 To 12 Percent Slopes	2	83
CtD	Colton Gravelly Sandy Loam, 12 To 30 Percent Slopes	3	74
CtE	Colton Gravelly Sandy Loam, 30 To 50 Percent Slopes	3	74
Cv	Covington Silty Clay, Flooded	6	31
Cw	Covington And Panton Silty Clays	6	31
DaA	Duane Fine Sandy Loam, 0 To 5 Percent Slopes	1	100
DaB	Duane Fine Sandy Loam, 5 To 12 Percent Slopes	1	100
DcB	Dutchess Stony Loam, 3 To 8 Percent Slopes	3	74
DcC	Dutchess Stony Loam, 8 To 15 Percent Slopes	3	74
DcD	Dutchess Stony Loam, 15 To 25 Percent Slopes	3	74
DsC	Dutchess Extremely Stony Loam, 3 To 15 Percent Slopes	4	63
DsE	Dutchess Extremely Stony Loam, 15 To 50 Percent Slopes	6	31
EiB	Elmwood Fine Sandy Loam, Coarse Variant, 0 To 8 Percent Slopes	2	83
EiC	Elmwood Fine Sandy Loam, Coarse Variant, 8 To 15 Percent Slopes	2	83
FaC	Farmington Extremely Rocky Silt Loam, 5 To 20 Percent Slopes	6	31
FaE	Farmington Extremely Rocky Silt Loam, 20 To 50 Percent Slopes	6	31
FdB	Farmington Stony Silt Loam, Moderately Deep Variant, 3 To 8 Percent Slopes	3	74
FdC	Farmington Stony Silt Loam, Moderately Deep Variant, 8 To 15 Percent Slopes	3	74
FdD	Farmington Stony Silt Loam, Moderately Deep Variant, 15 To 25 Percent Slopes	3	74
FdE	Farmington Stony Silt Loam, Moderately Deep Variant, 25 To 50 Percent Slopes	4	63
FnB	Farmington-Nellis Rocky Complex, 5 To 12 Percent Slopes	3	74
FnC	Farmington-Nellis Rocky Complex, 12 To 20 Percent Slopes	3	74
FnD	Farmington-Nellis Rocky Complex, 20 To 30 Percent Slopes	3	74
Fw	Fresh Water Marsh	7	0

Addison County Forest Value Groups

December 2003

GP	Gravel Pits	7	0
Hf	Hadley Very Fine Sandy Loam	1	100
Hh	Hadley Very Fine Sandy Loam, Frequently Flooded	1	100
Le	Limerick Silt Loam	6	31
Lf	Limerick Silt Loam, Very Wet	6	31
Lh	Livingston Clay	7	0
Lk	Livingston Clay, Flooded	7	0
LmB	Lyman-Berkshire Rocky Complex, 5 To 12 Percent Slopes	4	63
LmC	Lyman-Berkshire Rocky Complex, 12 To 20 Percent Slopes	4	63
LxC	Lyman-Berkshire Very Rocky Complex, 5 To 20 Percent Slopes	5	51
LxE	Lyman-Berkshire Very Rocky Complex, 20 To 50 Percent Slopes	6	31
MaA	Massena Stony Silt Loam, 0 To 3 Percent Slopes	4	63
MnB	Massena Extremely Stony Silt Loam, 0 To 8 Percent Slopes	5	51
MP	Mines and Pits	7	0
MrA	Melrose Fine Sandy Loam, 0 To 3 Percent Slopes	4	63
MrB	Melrose Fine Sandy Loam, 3 To 8 Percent Slopes	4	63
MrC	Melrose Fine Sandy Loam, 8 To 15 Percent Slopes	4	63
MrD	Melrose Fine Sandy Loam, 15 To 25 Percent Slopes	4	63
MrE	Melrose Fine Sandy Loam, 25 To 50 Percent Slopes	5	51
Mv	Muck And Peat	7	0
NaB	Nassau-Dutchess Rocky Complex, 3 To 8 Percent Slopes	4	63
NaC	Nassau-Dutchess Rocky Complex, 8 To 15 Percent Slopes	4	63
NaD	Nassau-Dutchess Rocky Complex, 15 To 25 Percent Slopes	4	63
NdC	Nassau Extremely Rocky Silt Loam, 3 To 25 Percent Slopes	6	31
NeB	Nellis Stony Loam, 3 To 8 Percent Slopes	1	100
NeC	Nellis Stony Loam, 8 To 15 Percent Slopes	1	100
NeD	Nellis Stony Loam, 15 To 25 Percent Slopes	2	83
NsC	Nellis Extremely Stony Loam, 3 To 15 Percent Slopes	3	74
NsD	Nellis Extremely Stony Loam, 15 To 50 Percent Slopes	4	63
PeA	Peru Stony Loam, 0 To 5 Percent Slopes	3	74
PeB	Peru Stony Loam, 5 To 12 Percent Slopes	3	74
PeC	Peru Stony Loam, 12 To 20 Percent Slopes	3	74
PsC	Peru Extremely Stony Loam, 0 To 20 Percent Slopes	4	63
PsD	Peru Extremely Stony Loam, 20 To 50 Percent Slopes	5	51
Qu	Quarry	7	0
RaB	Raynham Silt Loam, 0 To 6 Percent Slopes	6	31
RaC	Raynham Silt Loam, 6 To 12 Percent Slopes	6	31
RaD	Raynham Silt Loam, 12 To 25 Percent Slopes	6	31
Rk	Rock Land	7	0
RL	Rubble Land	7	0
SaB	Salmon Very Fine Sandy Loam, 2 To 6 Percent Slopes	1	100
SaC	Salmon Very Fine Sandy Loam, 6 To 12 Percent Slopes	1	100
SaE	Salmon Very Fine Sandy Loam, 12 To 50 Percent Slopes	3	74
StA	Stetson Gravelly Fine Sandy Loam, 0 To 5 Percent Slopes	1	100
StB	Stetson Gravelly Fine Sandy Loam, 5 To 12 Percent Slopes	1	100
StD	Stetson Gravelly Fine Sandy Loam, 12 To 30 Percent Slopes	1	100
StE	Stetson Gravelly Fine Sandy Loam, 30 To 50 Percent Slopes	3	74
Sw	Swanton Fine Sandy Loam	4	63

Addison County Forest Value Groups**December 2003**

VgB	Vergennes Clay, 2 To 6 Percent Slopes	3	74
VgC	Vergennes Clay, 6 To 12 Percent Slopes	3	74
VgD	Vergennes Clay, 12 To 25 Percent Slopes	4	63
VgE	Vergennes Clay, 25 To 50 Percent Slopes	4	63
VrB	Vergennes Rocky Clay, Moderately Shallow Variant, 2 To 6 Percent Slopes	4	63
VrC	Vergennes Rocky Clay, Moderately Shallow Variant, 6 To 12 Percent Slopes	4	63
VrD	Vergennes Rocky Clay, Moderately Shallow Variant, 12 To 25 Percent Slopes	5	51
W	Water, Less Than 40 Acres	7	0
Wa	Walpole Silt Loam	5	51
Wo	Winooski Very Fine Sandy Loam	1	100

