

Bennington County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
3A	Copake Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
3B	Copake Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
3C	Copake Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
3D	Copake Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	2	83
3E	Copake Gravelly Fine Sandy Loam, 25 To 60 Percent Slopes	3	74
9	Pits-Dumps Complex	7	0
10D	Glebe-Stratton-Londonderry Complex, 15 To 25 Percent Slopes, Very Rocky	7	0
10E	Glebe-Stratton-Londonderry Complex, 25 To 60 Percent Slopes, Very Rocky	7	0
11F	Taconic-Hubbardton-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	6	31
18B	Windsor Loamy Fine Sand, 0 To 8 Percent Slopes	2	83
18C	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
18E	Windsor Loamy Fine Sand, 15 To 60 Percent Slopes	3	74
21A	Limerick Silt Loam, 0 To 3 Percent Slopes	6	31
23A	Adrian And Saco Soils, 0 To 2 Percent Slopes	7	0
24A	Carlisle Mucky Peat, 0 To 2 Percent Slopes	7	0
25B	Belgrade Silt Loam, 0 To 8 Percent Slopes	3	74
26A	Raynham Silt Loam, 0 To 3 Percent Slopes	6	31
27B	Udipsammments And Udorthents, Gently Sloping	7	0
28A	Udifluvents, Loamy-Skeletal	7	0
29A	Occum Fine Sandy Loam, 0 To 3 Percent Slopes	2	83
34A	Pootatuck Fine Sandy Loam, 0 To 3 Percent Slopes	2	83
35B	Hartland Silt Loam, 0 To 5 Percent Slopes	1	100
40B	Galway-Nellis-Farmington Complex, 3 To 8 Percent Slopes, Rocky	3	74
40C	Galway-Nellis-Farmington Complex, 8 To 15 Percent Slopes, Rocky	3	74
40D	Galway-Nellis-Farmington Complex, 15 To 25 Percent Slopes, Rocky	3	74
41C	Galway-Farmington Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
41D	Galway-Farmington Complex, 15 To 25 Percent Slopes, Very Rocky	5	51
41E	Galway-Farmington Complex, 25 To 50 Percent Slopes, Very Rocky	5	51
42C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Rocky	4	63
42D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Rocky	6	31
42E	Macomber-Taconic Complex, 25 To 60 Percent Slopes, Rocky	6	31
43C	Taconic-Macomber Complex, 8 To 15 Percent Slopes, Very Rocky	5	51
43D	Taconic-Macomber Complex, 15 To 25 Percent Slopes, Very Rocky	6	31
43E	Taconic-Macomber Complex, 25 To 60 Percent Slopes, Very Rocky	6	31
44B	Dutchess Channery Loam, 3 To 8 Percent Slopes	3	74
44C	Dutchess Channery Loam, 8 To 15 Percent Slopes	3	74
44D	Dutchess Channery Loam, 15 To 25 Percent Slopes	3	74
47C	Dutchess Channery Loam, 8 To 15 Percent Slopes, Very Stony	3	74
47D	Dutchess Channery Loam, 15 To 25 Percent Slopes, Very Stony	4	63
47E	Dutchess Channery Loam, 25 To 60 Percent Slopes, Very Stony	5	51
48B	Pittstown Loam, 3 To 8 Percent Slopes	2	83
48C	Pittstown Loam, 8 To 15 Percent Slopes	2	83
48D	Pittstown Loam, 15 To 25 Percent Slopes	2	83
49C	Pittstown Loam, 8 To 15 Percent Slopes, Very Stony	2	83
49D	Pittstown Loam, 15 To 25 Percent Slopes, Very Stony	2	83
50B	Brayton Loam, 0 To 5 Percent Slopes	5	51

Bennington County Forest Value Groups**December 2003**

51B	Brayton Loam, 0 To 5 Percent Slopes, Very Stony	5	51
52A	Mansfield Mucky Silt Loam, 0 To 3 Percent Slopes, Very Stony	7	0
64B	Stockbridge Loam, 2 To 8 Percent Slopes	3	74
64C	Stockbridge Loam, 8 To 15 Percent Slopes	3	74
64D	Stockbridge Loam, 15 To 25 Percent Slopes	3	74
65C	Stockbridge Loam, 8 To 15 Percent Slopes, Very Stony	3	74
65D	Stockbridge Loam, 15 To 25 Percent Slopes, Very Stony	4	63
66A	Georgia Loam, 0 To 3 Percent Slopes	3	74
66B	Georgia Loam, 3 To 8 Percent Slopes	3	74
66C	Georgia Loam, 8 To 15 Percent Slopes	3	74
66D	Georgia Loam, 15 To 25 Percent Slopes	3	74
67B	Georgia Loam, 3 To 8 Percent Slopes, Very Stony	3	74
67C	Georgia Loam, 8 To 15 Percent Slopes, Very Stony	3	74
68A	Massena Silt Loam, 0 To 3 Percent Slopes	4	63
68B	Massena Silt Loam, 3 To 8 Percent Slopes	4	63
69A	Massena Silt Loam, 0 To 3 Percent Slopes, Very Stony	4	63
69B	Massena Silt Loam, 3 To 8 Percent Slopes, Very Stony	4	63
70A	Groton Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	2	83
70B	Groton Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
70C	Groton Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
70D	Groton Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
70E	Groton Gravelly Fine Sandy Loam, 25 To 60 Percent Slopes	3	74
71A	Hero Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
71B	Hero Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
72A	Fredon Fine Sandy Loam, 0 To 3 Percent Slopes	5	51
84B	Nellis Silt Loam, 3 To 8 Percent Slopes	1	100
84C	Nellis Silt Loam, 8 To 15 Percent Slopes	1	100
84D	Nellis Silt Loam, 15 To 25 Percent Slopes	2	83
85B	Nellis Silt Loam, 3 To 8 Percent Slopes, Very Stony	2	83
85C	Nellis Silt Loam, 8 To 15 Percent Slopes, Very Stony	2	83
85D	Nellis Silt Loam, 15 To 25 Percent Slopes, Very Stony	3	74
85E	Nellis Silt Loam, 25 To 50 Percent Slopes, Very Stony	3	74
86A	Amenia Silt Loam, 0 To 3 Percent Slopes	1	100
86B	Amenia Silt Loam, 3 To 8 Percent Slopes	1	100
86C	Amenia Silt Loam, 8 To 15 Percent Slopes	1	100
87B	Amenia Silt Loam, 3 To 8 Percent Slopes, Very Stony	2	83
87C	Amenia Silt Loam, 8 To 15 Percent Slopes, Very Stony	2	83
90C	Berkshire Fine Sandy Loam, 3 To 15 Percent Slopes, Extremely Stony	4	63
90E	Berkshire Fine Sandy Loam, 15 To 50 Percent Slopes, Extremely Stony	5	51
93B	Pittsfield Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
93C	Pittsfield Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
93D	Pittsfield Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
94B	Pittsfield Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
94C	Pittsfield Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
94D	Pittsfield Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
94E	Pittsfield Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	5	51
95C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
95D	Houghtonville Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
95E	Houghtonville Fine Sandy Loam, 25 To 60 Percent Slopes, Very Stony	5	51

Bennington County Forest Value Groups

December 2003

96D	Hogback-Rawsonville-Rock Outcrop Complex, 15 To 25 Percent Slopes, Very Stony	6	31
96F	Hogback-Rawsonville-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	6	31
100B	Wilmington Fine Sandy Loam, 0 To 8 Percent Slopes, Very Stony	6	31
102B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
102C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
104B	Colton Gravelly Loamy Sand, 3 To 8 Percent Slopes, Extremely Stony	4	63
104C	Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes, Extremely Stony	4	63
104E	Colton Gravelly Loamy Sand, 15 To 50 Percent Slopes, Extremely Stony	5	51
105B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
105C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
105D	Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
105E	Monadnock Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	5	51
106B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
106C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
106D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
106E	Berkshire Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	5	51
108B	Peru Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
108C	Peru Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
108D	Peru Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
109C	Tunbridge-Berkshire Complex, 8 To 15 Percent Slopes, Rocky	3	74
109D	Tunbridge-Berkshire Complex, 15 To 25 Percent Slopes, Rocky	4	63
109E	Tunbridge-Berkshire Complex, 25 To 50 Percent Slopes, Rocky	5	51
111C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	4	63
111D	Rawsonville-Houghtonville Complex, 15 To 25 Percent Slopes, Rocky	5	51
111E	Rawsonville-Houghtonville Complex, 25 To 60 Percent Slopes, Rocky	5	51
112C	Rawsonville-Hogback Complex, 8 To 15 Percent Slopes, Very Rocky	5	51
112D	Rawsonville-Hogback Complex, 15 To 25 Percent Slopes, Very Rocky	5	51
112E	Rawsonville-Hogback Complex, 25 To 60 Percent Slopes, Very Rocky	6	31
113B	Cabot Silt Loam, 3 To 8 Percent Slopes, Very Stony	5	51
114B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	2	83
114C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	2	83
114D	Mundal Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	3	74
115B	Peru Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
115C	Peru Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
115D	Peru Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
116D	Lyman-Tunbridge-Rock Outcrop Complex, 15 To 25 Percent Slopes, Very Stony	6	31
116F	Lyman-Tunbridge-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	6	31
117B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
117C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
117D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
118C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
118D	Tunbridge-Lyman Complex, 15 To 25 Percent Slopes, Very Rocky	5	51
118E	Tunbridge-Lyman Complex, 25 To 60 Percent Slopes, Very Rocky	5	51
221F	Tunbridge-Berkshire Association, Very Steep, Rocky	5	51
403B	Cabot-Carlisle Association, Undulating, Very Stony	6	31
405D	Berkshire-Tunbridge Association, Hilly, Very Stony	5	51
413D	Peru-Berkshire-Cabot Association, Hilly, Very Stony	5	51

Bennington County Forest Value Groups**December 2003**

702E	Rawsonville-Hogback Association, Very Hilly, Very Rocky	6	31
703C	Mundal-Houghtonville Association, Rolling, Very Stony	3	74
705D	Rawsonville-Houghtonville-Mundal Association, Hilly, Rocky	5	51
715D	Houghtonville-Rawsonville Association, Hilly, Rocky	4	63
902F	Hogback-Rawsonville-Rock Outcrop Association, Very Steep, Very Stony	6	31
903C	Mundal-Wilmington Association, Rolling, Very Stony	4	63
905D	Houghtonville-Monadnock Association, Hilly, Very Stony	4	63
913E	Glebe-Stratton Association, Very Hilly, Very Rocky	7	0
923B	Wilmington-Mundal Association, Undulating, Very Stony	5	51
W	Water	7	0