

## Franklin County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
AuA	Au Gres Loamy Fine Sand, 0 To 6 Percent Slopes	5	51
BeB	Belgrade Silt Loam, 2 To 8 Percent Slopes	3	74
BeC	Belgrade Silt Loam, 8 To 15 Percent Slopes	3	74
Bg	Binghamville Silt Loam	6	31
Br	Birdsall Silt Loam	7	0
BxC	Buxton Silt Loam, 8 To 15 Percent Slopes	4	63
BxD	Buxton Silt Loam, 15 To 25 Percent Slopes	5	51
BxE	Buxton Silt Loam, 25 To 45 Percent Slopes	5	51
CaA	Cabot Stony Fine Sandy Loam, 0 To 3 Percent Slopes	5	51
CaB	Cabot Stony Fine Sandy Loam, 3 To 8 Percent Slopes	5	51
CbA	Cabot Extremely Stony Fine Sandy Loam, 0 To 3 Percent Slopes	6	31
CbB	Cabot Extremely Stony Fine Sandy Loam, 3 To 15 Percent Slopes	6	31
Ce	Carlisle Muck	7	0
CoB	Colton Gravelly Loamy Sand, 2 To 8 Percent Slopes	2	83
CoC	Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes	2	83
CoD	Colton Gravelly Loamy Sand, 15 To 25 Percent Slopes	3	74
CoE	Colton Gravelly Loamy Sand, 25 To 60 Percent Slopes	3	74
CpB	Copake Fine Sandy Loam, 2 To 8 Percent Slopes	1	100
Cv	Covington Clay	6	31
DeB	Deerfield Loamy Fine Sand, 0 To 8 Percent Slopes	2	83
DeC	Deerfield Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
EdA	Eldridge Loamy Fine Sand, 0 To 3 Percent Slopes	1	100
EdB	Eldridge Loamy Fine Sand, 3 To 8 Percent Slopes	1	100
EdC	Eldridge Loamy Fine Sand, 8 To 15 Percent Slopes	1	100
EnA	Enosburg Loamy Fine Sand, 0 To 3 Percent Slopes	5	51
EnB	Enosburg Loamy Fine Sand, 3 To 8 Percent Slopes	5	51
FaB	Farmington Loam, Very Rocky, 3 To 8 Percent Slopes	6	31
FaC	Farmington Loam, Very Rocky, 8 To 15 Percent Slopes	6	31
FmC	Farmington-Rock Outcrop Complex, 6 To 15 Percent Slopes	6	31
FmD	Farmington-Rock Outcrop Complex, 15 To 60 Percent Slopes	6	31
GeA	Georgia Stony Loam, 0 To 3 Percent Slopes	3	74
GeB	Georgia Stony Loam, 3 To 8 Percent Slopes	3	74
GeC	Georgia Stony Loam, 8 To 15 Percent Slopes	3	74
GrB	Georgia Extremely Stony Loam, 0 To 8 Percent Slopes	4	63
GrC	Georgia Extremely Stony Loam, 8 To 15 Percent Slopes	4	63
Ha	Hadley Silt Loam	1	100
HbA	Hinesburg Loamy Fine Sand, 0 To 3 Percent Slopes	1	100
HbB	Hinesburg Loamy Fine Sand, 3 To 8 Percent Slopes	1	100
HbC	Hinesburg Loamy Fine Sand, 8 To 15 Percent Slopes	1	100
HbD	Hinesburg Loamy Fine Sand, 15 To 25 Percent Slopes	2	83
HbE	Hinesburg Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
KbA	Kingsbury Clay, 0 To 3 Percent Slopes	5	51
KbB	Kingsbury Clay, 3 To 8 Percent Slopes	5	51
Le	Limerick Silt Loam	6	31
LoB	Lordstown Loam, Rocky, 3 To 8 Percent Slopes	1	100
LoC	Lordstown Loam, Rocky, 8 To 15 Percent Slopes	1	100

## Franklin County Forest Value Groups

December 2003

LoD	Lordstown Loam, Rocky, 15 To 25 Percent Slopes	2	83
LrC	Lordstown-Rock Outcrop Complex, 5 To 15 Percent Slopes	6	31
LrD	Lordstown-Rock Outcrop Complex, 15 To 25 Percent Slopes	6	31
LrE	Lordstown-Rock Outcrop Complex, 25 To 60 Percent Slopes	6	31
Ly	Lyons Stony Loam	6	31
Ma	Marsh	7	0
MeA	Massena Stony Loam, 0 To 3 Percent Slopes	4	63
MeB	Massena Stony Loam, 3 To 8 Percent Slopes	4	63
MnA	Massena Extremely Stony Loam, 0 To 6 Percent Slopes	5	51
MsA	Missisquoi Loamy Sand, 0 To 3 Percent Slopes	2	83
MsB	Missisquoi Loamy Sand, 3 To 8 Percent Slopes	2	83
MsC	Missisquoi Loamy Sand, 8 To 15 Percent Slopes	2	83
MsD	Missisquoi Loamy Sand, 15 To 25 Percent Slopes	3	74
MsE	Missisquoi Loamy Sand, 25 To 60 Percent Slopes	3	74
MuB	Munson Silt Loam, 3 To 8 Percent Slopes	5	51
MuC	Munson Silt Loam, 8 To 15 Percent Slopes	5	51
Od	Ondawa Variant Silt Loam	4	63
Pa	Peacham Stony Soils	7	0
PeB	Peru Stony Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
PeC	Peru Stony Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
PeD	Peru Stony Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
PrC	Peru Extremely Stony Fine Sandy Loam, 3 To 15 Percent Slopes	4	63
PrD	Peru Extremely Stony Fine Sandy Loam, 15 To 25 Percent Slopes	5	51
Pu	Podunk Variant Silt Loam	2	83
RaB	Raynham Silt Loam, 3 To 8 Percent Slopes	6	31
RoE	Rock Outcrop-Woodstock Complex, 20 To 60 Percent Slopes	7	0
Ru	Rumney Variant Silt Loam	6	31
SaA	St. Albans Slaty Loam, 0 To 3 Percent Slopes	3	74
SaB	St. Albans Slaty Loam, 3 To 8 Percent Slopes	3	74
SaC	St. Albans Slaty Loam, 8 To 15 Percent Slopes	3	74
SbB	St. Albans Very Stony Loam, 2 To 8 Percent Slopes	3	74
SbC	St. Albans Very Stony Loam, 8 To 15 Percent Slopes	3	74
SbD	St. Albans Very Stony Loam, 15 To 25 Percent Slopes	4	63
SbE	St. Albans Very Stony Loam, 25 To 60 Percent Slopes	5	51
ScA	Scantic Silt Loam, 0 To 3 Percent Slopes	6	31
ScB	Scantic Silt Loam, 3 To 8 Percent Slopes	6	31
StB	Stowe Stony Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
StC	Stowe Stony Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
StD	Stowe Stony Fine Sandy Loam, 15 To 25 Percent Slopes	2	83
SwC	Stowe Extremely Stony Fine Sandy Loam, 5 To 15 Percent Slopes	2	83
SwD	Stowe Extremely Stony Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
SyE	Stowe Stony Soils, 25 To 60 Percent Slopes	3	74
Tm	Terric Medisaprists	7	0
TwB	Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 3 To 8 Percent Slopes	4	63
TwC	Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 8 To 15 Percent Slopes	4	63
TwD	Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 15 To 25 Slopes	5	51
W	Water, Less Than 40 Acres	7	0
Wa	Walkill Silt Loam	7	0
Wh	Wareham Loamy Fine Sand	5	51

**Franklin County Forest Value Groups****December 2003**

WrA	Westbury Stony Fine Sandy Loam, 0 To 3 Percent Slopes	4	63
WrB	Westbury Stony Fine Sandy Loam, 3 To 8 Percent Slopes	4	63
WrC	Westbury Stony Fine Sandy Loam, 8 To 15 Percent Slopes	4	63
WsA	Windsor Loamy Fine Sand, 0 To 3 Percent Slopes	2	83
WsB	Windsor Loamy Fine Sand, 3 To 8 Percent Slopes	2	83
WsC	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
WsD	Windsor Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
WsE	Windsor Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
Wt	Winooski Silt Loam	1	100
WxC	Woodstock-Rock Outcrop Complex, 8 To 15 Percent Slopes	6	31
WxD	Woodstock-Rock Outcrop Complex, 15 To 25 Percent Slopes	6	31
WxE	Woodstock-Rock Outcrop Complex, 25 To 60 Percent Slopes	6	31