

# Rutland County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
1B	Marlow Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
1C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
1D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
2C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
2D	Marlow Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
2E	Marlow Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
3B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
3C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
4B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
4C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
4D	Peru Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
6A	Cabot Gravelly Fine Sandy Loam, 0 To 8 Percent Slopes, Very Stony	5	51
7C	Brayton Loam, 8 To 15 Percent Slopes, Very Stony	5	51
9	Pits-Dumps Complex	7	0
11C	Taconic-Hubbardton Complex, 8 To 25 Percent Slopes, Very Rocky	6	31
12F	Taconic-Hubbardton-Macomber Complex, 25 To 80 Percent Slopes, Very Rocky	6	31
13B	Hinckley Gravelly Loamy Fine Sand, 0 To 8 Percent Slopes	2	83
13C	Hinckley Gravelly Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
13D	Hinckley Gravelly Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
13E	Hinckley Gravelly Loamy Fine Sand, 25 To 40 Percent Slopes	3	74
14A	Sudbury Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
14B	Sudbury Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
15A	Walpole Fine Sandy Loam, 0 To 5 Percent Slopes	5	51
18B	Windsor Loamy Sand, 3 To 8 Percent Slopes	2	83
18C	Windsor Loamy Sand, 8 To 15 Percent Slopes	2	83
18D	Windsor Loamy Sand, 15 To 25 Percent Slopes	3	74
18E	Windsor Loamy Sand, 25 To 60 Percent Slopes	3	74
21	Rippowam Fine Sandy Loam	5	51
22	Saco Mucky Silt Loam	7	0
23	Adrian Muck	7	0
24	Pinnebog Muck	7	0
25A	Belgrade Silt Loam, 0 To 3 Percent Slopes	3	74
25B	Belgrade Silt Loam, 3 To 8 Percent Slopes	3	74
25C	Belgrade Silt Loam, 8 To 15 Percent Slopes	3	74
26A	Raynham Silt Loam, 0 To 4 Percent Slopes	6	31
28	Udifluvents And Fluvaquents, Nearly Level	7	0
29	Histosols And Aquents, Ponged	7	0
30B	Paxton Fine Sandy Loam, 2 To 8 Percent Slopes	2	83
30C	Paxton Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
30D	Paxton Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
31B	Paxton Fine Sandy Loam, 2 To 8 Percent Slopes, Very Stony	3	74
31C	Paxton Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
31D	Paxton Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	4	63
31E	Paxton Fine Sandy Loam, 25 To 35 Percent Slopes, Very Stony	4	63
38A	Tisbury Silt Loam, 0 To 3 Percent Slopes	3	74
39B	Galway-Nellis-Farmington Complex, 3 To 8 Percent Slopes	3	74

## Rutland County Forest Value Groups

December 2003

40C	Galway-Nellis-Farmington Complex, 8 To 15 Percent Slopes, Rocky	3	74
40D	Galway-Nellis-Farmington Complex, 15 To 25 Percent Slopes, Rocky	4	63
41C	Farmington-Galway-Galoo Complex, 5 To 25 Percent Slopes, Very Rocky	6	31
41E	Farmington-Galway-Galoo Complex, 25 To 50 Percent Slopes, Very Rocky	6	31
42C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Rocky	5	51
42D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Rocky	6	31
42F	Macomber-Taconic Complex, 25 To 80 Percent Slopes, Rocky	6	31
43C	Taconic-Macomber Complex, 8 To 25 Percent Slopes, Very Rocky	6	31
44B	Dutchess Silt Loam, 3 To 8 Percent Slopes	3	74
44C	Dutchess Silt Loam, 8 To 15 Percent Slopes	3	74
44D	Dutchess Silt Loam, 15 To 25 Percent Slopes	3	74
47B	Dutchess Silt Loam, 3 To 8 Percent Slopes, Very Stony	3	74
47C	Dutchess Silt Loam, 8 To 15 Percent Slopes, Very Stony	3	74
47D	Dutchess Silt Loam, 15 To 25 Percent Slopes, Very Stony	4	63
47E	Dutchess Silt Loam, 25 To 60 Percent Slopes, Very Stony	5	51
50A	Massena Silt Loam, 0 To 8 Percent Slopes	4	63
52B	Macomber-Dutchess Complex, 3 To 8 Percent Slopes	3	74
53	Eivers Silt Loam	7	0
54A	Ninigret Fine Sandy Loam, 0 To 4 Percent Slopes	1	100
56B	Colton-Duxbury Complex, 2 To 8 Percent Slopes, Very Stony	3	74
56C	Colton-Duxbury Complex, 8 To 15 Percent Slopes, Very Stony	3	74
56D	Colton-Duxbury Complex, 15 To 25 Percent Slopes, Very Stony	4	63
56E	Colton-Duxbury Complex, 25 To 50 Percent Slopes, Very Stony	5	51
57B	Duxbury-Colton Complex, 2 To 8 Percent Slopes	1	100
58C	Colton-Duxbury Complex, 8 To 15 Percent Slopes	2	83
58D	Colton-Duxbury Complex, 15 To 25 Percent Slopes	3	74
59A	Deerfield Loamy Sand, 0 To 4 Percent Slopes	2	83
61A	Eldridge Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
61B	Eldridge Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
62	Enosburg Loamy Fine Sand	5	51
64B	Stockbridge Gravelly Silt Loam, 3 To 8 Percent Slopes	3	74
64C	Stockbridge Gravelly Silt Loam, 8 To 15 Percent Slopes	3	74
64D	Stockbridge Gravelly Silt Loam, 15 To 25 Percent Slopes	3	74
65B	Stockbridge Gravelly Silt Loam, 3 To 8 Percent Slopes, Very Stony	3	74
65C	Stockbridge Gravelly Silt Loam, 8 To 15 Percent Slopes, Very Stony	3	74
65D	Stockbridge Gravelly Silt Loam, 15 To 25 Percent Slopes, Very Stony	4	63
65E	Stockbridge Gravelly Silt Loam, 25 To 45 Percent Slopes, Very Stony	5	51
66B	Georgia And Amenia Soils, 3 To 8 Percent Slopes	3	74
66C	Georgia And Amenia Soils, 8 To 15 Percent Slopes	3	74
67B	Georgia And Amenia Soils, 3 To 8 Percent Slopes, Very Stony	3	74
67C	Georgia And Amenia Soils, 8 To 15 Percent Slopes, Very Stony	3	74
67D	Georgia And Amenia Soils, 15 To 25 Percent Slopes, Very Stony	4	63
68A	Massena Silt Loam, 0 To 8 Percent Slopes, Very Stony	4	63
71A	Castile Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	2	83
72A	Fredon Gravelly Loam, 0 To 3 Percent Slopes	5	51
73	Scarboro Muck	7	0
80A	Kingsbury Silty Clay Loam, 0 To 3 Percent Slopes	5	51
80B	Kingsbury Silty Clay Loam, 3 To 8 Percent Slopes	5	51
81	Livingston Silty Clay Loam	7	0

## Rutland County Forest Value Groups

December 2003

82B	Vergennes Clay, 3 To 8 Percent Slopes	3	74
82C	Vergennes Clay, 8 To 15 Percent Slopes	3	74
82D	Vergennes Clay, 15 To 25 Percent Slopes	4	63
82E	Vergennes Clay, 25 To 50 Percent Slopes	4	63
86	Linwood Muck	7	0
88	Birdsall Muck	7	0
90B	Hartland Silt Loam, 3 To 8 Percent Slopes	1	100
90C	Hartland Silt Loam, 8 To 15 Percent Slopes	1	100
90D	Hartland Silt Loam, 15 To 25 Percent Slopes	2	83
95	Udorthents Loamy	7	0
96	Udipsamments, Nearly Level	7	0
97A	Warwick-Quonset Complex, 0 To 3 Percent Slopes	1	100
97B	Warwick-Quonset Complex, 3 To 8 Percent Slopes	1	100
97C	Warwick-Quonset Complex, 8 To 15 Percent Slopes	1	100
97D	Warwick-Quonset Complex, 15 To 25 Percent Slopes	2	83
98E	Quonset-Warwick Complex, 25 To 45 Percent Slopes	3	74
99B	Copake Gravelly Fine Sandy Loam, 2 To 8 Percent Slopes	1	100
104B	Groton Gravelly Loam, 2 To 8 Percent Slopes	2	83
105	Tioga Fine Sandy Loam	1	100
106	Middlebury Loam	1	100
108	Hamlin Silt Loam	1	100
109	Teel Silt Loam, Sandy Substratum	3	74
110	Limerick Silt Loam	6	31
111	Livingston Silty Clay Loam, Frequently Flooded	7	0
118C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
122B	Lyme Fine Sandy Loam, 2 To 8 Percent Slopes, Very Stony	5	51
122C	Lyme Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	5	51
123B	Sheepscot Fine Sandy Loam, 2 To 8 Percent Slopes	1	100
123C	Sheepscot Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
124B	Sunapee Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	2	83
124C	Sunapee Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	2	83
124D	Sunapee Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	3	74
124E	Sunapee Fine Sandy Loam, 35 To 50 Percent Slopes, Very Stony	3	74
125B	Berkshire Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
125C	Berkshire Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
125D	Berkshire Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
125E	Berkshire Gravelly Fine Sandy Loam, 35 To 50 Percent Slopes, Very Stony	5	51
127C	Houghtonville Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
127D	Houghtonville Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
127E	Houghtonville Gravelly Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
128C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	4	63
128D	Rawsonville-Houghtonville Complex, 15 To 35 Percent Slopes, Rocky	5	51
128E	Rawsonville-Houghtonville Complex, 35 To 60 Percent Slopes, Rocky	5	51
129D	Killington-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	6	31
129F	Killington-Rawsonville Complex, 35 To 70 Percent Slopes, Very Rocky	6	31
130B	Tunbridge-Berkshire Complex, 3 To 8 Percent Slopes, Rocky	3	74
130C	Tunbridge-Berkshire Complex, 8 To 15 Percent Slopes, Rocky	3	74
130D	Tunbridge-Berkshire Complex, 15 To 35 Percent Slopes, Rocky	4	63
130E	Tunbridge-Berkshire Complex, 35 To 60 Percent Slopes, Rocky	5	51

**Rutland County Forest Value Groups****December 2003**

131D	Lyman-Tunbridge-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	6	31
131E	Lyman-Tunbridge-Rock Outcrop Complex, 35 To 60 Percent Slopes, Very Stony	6	31
132C	Glebe-Stratton Complex, 8 To 25 Percent Slopes, Very Stony	7	0
132E	Glebe-Stratton Complex, 25 To 60 Percent Slopes, Very Stony	7	0
134F	Stratton-Londonderry-Ricker Complex, 15 To 80 Percent Slopes, Very Rocky	7	0
135D	Mundal Loam, 15 To 35 Percent Slopes, Very Stony	3	74
135E	Mundal Loam, 35 To 60 Percent Slopes, Very Stony	3	74
138C	Berkshire Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
139B	Sunapee Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
139C	Sunapee Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
140C	Benson Very Channery Loam, 3 To 15 Percent Slopes	5	51
140D	Benson Very Channery Loam, 15 To 25 Percent Slopes	6	31
140E	Benson Very Channery Loam, 25 To 50 Percent Slopes	6	31
148B	Bomoseen And Pittstown Soils, 2 To 8 Percent Slopes	3	74
148C	Bomoseen And Pittstown Soils, 8 To 15 Percent Slopes	3	74
148D	Bomoseen And Pittstown Soils, 15 To 25 Percent Slopes	3	74
149B	Bomoseen And Pittstown Soils, 3 To 8 Percent Slopes, Very Stony	3	74
149C	Bomoseen And Pittstown Soils, 8 To 15 Percent Slopes, Very Stony	3	74
149D	Bomoseen And Pittstown Soils, 15 To 25 Percent Slopes, Very Stony	4	63
149E	Bomoseen And Pittstown Soils, 25 To 40 Percent Slopes, Very Stony	4	63
150A	Peacham Muck, 0 To 8 Percent Slopes	7	0
152	Lyons Silt Loam	6	31
161A	Elmridge Sandy Loam, 0 To 3 Percent Slopes	2	83
161B	Elmridge Sandy Loam, 3 To 8 Percent Slopes	2	83
163	Canandaigua Silt Loam	7	0
175	Wappinger Silt Loam	1	100
177	Pawling Silt Loam	1	100
202E	Rawsonville-Killington Association, Very Hilly, Very Rocky	6	31
203D	Peru-Marlow Association, Hilly, Very Stony	4	63
205D	Tunbridge-Berkshire-Marlow Association, Hilly, Rocky	4	63
213E	Glebe-Stratton Association, Very Hilly, Very Rocky	7	0
221F	Tunbridge-Berkshire Association, Very Steep, Very Stony	5	51
402D	Tunbridge-Lyman Association, Hilly, Rocky	5	51
403C	Brayton-Cabot-Pinnebog Association, Rolling, Very Stony	5	51
405D	Tunbridge-Berkshire Association, Hilly, Very Rocky	4	63
505D	Berkshire-Colton Association, Hilly, Stony	4	63
702F	Killington-Ricker-Rock Outcrop Association, Very Steep, Very Stony	6	31
703D	Mundal-Cabot Association, Hilly, Very Stony	5	51
705D	Rawsonville-Houghtonville Association, Hilly, Rocky	5	51
W	Water, Less Than 40 Acres	7	0