

# Washington County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
2A	Ondawa Fine Sandy Loam, 0 To 3 Percent Slopes	4	63
3A	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes	5	51
4A	Sunny Silt Loam, 0 To 2 Percent Slopes	6	31
9A	Rifle Muck, 0 To 2 Percent Slopes	7	0
14B	Colonel Fine Sandy Loam, 3 To 8 Percent Slopes	5	51
14C	Colonel Fine Sandy Loam, 8 To 15 Percent Slopes	5	51
14D	Colonel Fine Sandy Loam, 15 To 25 Percent Slopes	5	51
17A	Cabot Silt Loam, 0 To 3 Percent Slopes	5	51
17B	Cabot Silt Loam, 3 To 8 Percent Slopes	5	51
17C	Cabot Silt Loam, 8 To 15 Percent Slopes	5	51
18B	Cabot Silt Loam, 0 To 8 Percent Slopes, Very Stony	5	51
18C	Cabot Silt Loam, 8 To 15 Percent Slopes, Very Stony	5	51
19B	Colonel Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	5	51
19C	Colonel Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	5	51
19D	Colonel Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	6	31
20A	Peacham Muck, 0 To 5 Percent Slopes	7	0
21A	Sunday Fine Sand, 0 To 3 Percent Slopes	5	51
26A	Adams Loamy Fine Sand, 0 To 3 Percent Slopes	2	83
26B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	2	83
26C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
26D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
26E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
33A	Machias Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
33B	Machias Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
33C	Machias Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
37B	Stetson Loam, 3 To 8 Percent Slopes	1	100
37C	Stetson Loam, 8 To 15 Percent Slopes	1	100
37D	Stetson Loam, 15 To 25 Percent Slopes	1	100
37E	Stetson Loam, 25 To 60 Percent Slopes	3	74
39A	Colton Gravelly Loamy Sand, 0 To 3 Percent Slopes	2	83
39B	Colton Gravelly Loamy Sand, 3 To 8 Percent Slopes	2	83
39C	Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes	2	83
39D	Colton Gravelly Loamy Sand, 15 To 25 Percent Slopes	3	74
39E	Colton Gravelly Loamy Sand, 25 To 60 Percent Slopes	3	74
41D	Buxton Silt Loam, 15 To 25 Percent Slopes	5	51
41E	Buxton Silt Loam, 25 To 45 Percent Slopes	5	51
43B	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
43C	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
43D	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes	1	100
43E	Salmon Very Fine Sandy Loam, 25 To 50 Percent Slopes	3	74
44B	Lamoine Silt Loam, 3 To 8 Percent Slopes	5	51
44C	Lamoine Silt Loam, 8 To 15 Percent Slopes	5	51
45A	Scantic Silt Loam, 0 To 3 Percent Slopes	6	31
55B	Nicholville Silt Loam, 3 To 8 Percent Slopes	1	100
58A	Grange Silt Loam, 0 To 3 Percent Slopes	6	31
59A	Waitsfield Silt Loam, 0 To 3 Percent Slopes	3	74

**Washington County Forest Value Groups****December 2003**

60A	Weider Very Fine Sandy Loam, 0 To 3 Percent Slopes	3	74
62B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
62C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
62D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
63B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
63C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
63D	Berkshire Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
63E	Berkshire Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
64C	Salmon-Adamant Complex, 8 To 15 Percent Slopes, Very Rocky	2	83
64D	Salmon-Adamant Complex, 15 To 25 Percent Slopes, Very Rocky	2	83
64E	Salmon-Adamant Complex, 25 To 50 Percent Slopes, Very Rocky	2	83
66B	Vershire-Dummerston Complex, 3 To 8 Percent Slopes, Rocky	2	83
66C	Vershire-Dummerston Complex, 8 To 15 Percent Slopes, Rocky	2	83
66D	Vershire-Dummerston Complex, 15 To 25 Percent Slopes, Rocky	3	74
66E	Vershire-Dummerston Complex, 25 To 60 Percent Slopes, Rocky	4	63
67C	Glover-Vershire Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
67D	Glover-Vershire Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
67E	Glover-Vershire Complex, 35 To 60 Percent Slopes, Very Rocky	5	51
68D	Stratton-Glebe Complex, 15 To 35 Percent Slopes, Very Rocky	7	0
68E	Stratton-Glebe Complex, 35 To 60 Percent Slopes, Very Rocky	7	0
69D	Sisk-Glebe Complex, 15 To 35 Percent Slopes, Very Bouldery	7	0
69E	Sisk-Glebe Complex, 35 To 60 Percent Slopes, Very Bouldery	7	0
71C	Tunbridge-Lyman Complex, 3 To 15 Percent Slopes, Rocky	4	63
72B	Tunbridge-Lyman Complex, 3 To 8 Percent Slopes, Very Rocky	4	63
72C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
72D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
72E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	5	51
76C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Bouldery	3	74
76D	Berkshire Fine Sandy Loam, 15 To 35 Percent Slopes, Very Bouldery	4	63
76E	Berkshire Fine Sandy Loam, 35 To 60 Percent Slopes, Very Bouldery	5	51
77B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
77C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
77D	Peru Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
78C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
78D	Peru Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
78E	Peru Gravelly Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
79A	Markey And Wonsqueak Mucks, 0 To 2 Percent Slopes	7	0
82A	Peacham Muck, 0 To 5 Percent Slopes, Extremely Bouldery	7	0
85E	Ricker-Londonderry-Stratton Complex, 35 To 70 Percent Slopes, Very Rocky	7	0
86F	Ricker-Londonderry-Rock Outcrop Complex, 35 To 70 Percent Slopes	7	0
88D	Houghtonville Fine Sandy Loam, 15 To 35 Percent Slopes, Very Bouldery	4	63
89E	Houghtonville Fine Sandy Loam, 15 To 60 Percent Slopes, Rubbly	5	51
90B	Dummerston Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
90C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
90D	Dummerston Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
91C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
91D	Dummerston Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
92B	Buckland Silt Loam, 3 To 8 Percent Slopes	3	74
92C	Buckland Silt Loam, 8 To 15 Percent Slopes	3	74

**Washington County Forest Value Groups****December 2003**

92D	Buckland Silt Loam, 15 To 25 Percent Slopes	3	74
93B	Buckland Silt Loam, 3 To 8 Percent Slopes, Very Stony	3	74
93C	Buckland Silt Loam, 8 To 15 Percent Slopes, Very Stony	3	74
93D	Buckland Silt Loam, 15 To 35 Percent Slopes, Very Stony	4	63
96D	Peru Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Extremely Bouldery	5	51
98B	Cabot Silt Loam, 3 To 8 Percent Slopes, Extremely Bouldery	6	31
98C	Cabot Silt Loam, 8 To 15 Percent Slopes, Extremely Bouldery	6	31
99C	Colonel Fine Sandy Loam, 3 To 15 Percent Slopes, Extremely Bouldery	5	51
99D	Colonel Fine Sandy Loam, 15 To 35 Percent Slopes, Extremely Bouldery	6	31
100	Pits, Sand And Pits, Gravel	7	0
102	Pits, Quarry-Dumps, Mine Complex	7	0
103	Udorthents, Loamy	7	0
104	Urban Land-Udipsamments Complex, Occasionally Flooded	7	0
116B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	2	83
116C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	2	83
116D	Mundal Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	3	74
151F	Hogback-Rock Outcrop-Rawsonville Complex, 35 To 70 Percent Slopes, Very Stony	6	31
162D	Houghtonville-Rawsonville Complex, 15 To 35 Percent Slopes, Very Bouldery	4	63
162E	Houghtonville-Rawsonville Complex, 35 To 60 Percent Slopes, Very Bouldery	5	51
163C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
163D	Houghtonville Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
163E	Houghtonville Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
168C	Hogback-Rawsonville Complex, 8 To 15 Percent Slopes, Very Rocky	5	51
168D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
168E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	6	31
172F	Taconic-Hubbardton-Rock Outcrop Complex, 60 To 80 Percent Slope S	6	31
W	Water, Less Than 40 Acres	7	0