

# Windsor County Forest Value Groups

December 2003

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
1B	Hitchcock Silt Loam, 3 To 8 Percent Slopes	1	100
1C	Hitchcock Silt Loam, 8 To 15 Percent Slopes	1	100
1D	Hitchcock Silt Loam, 15 To 25 Percent Slopes	1	100
1E	Hitchcock Silt Loam, 25 To 50 Percent Slopes, Eroded	3	74
2A	Belgrade Silt Loam, 0 To 3 Percent Slopes	3	74
2B	Belgrade Silt Loam, 3 To 8 Percent Slopes	3	74
3	Pits, Quarry-Dumps, Mine Complex	7	0
4A	Raynham Silt Loam, 0 To 3 Percent Slopes	6	31
5B	Windsor Loamy Fine Sand, 0 To 8 Percent Slopes	2	83
5C	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
5D	Windsor Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
5E	Windsor Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
8A	Agawam Fine Sandy Loam, 0 To 3 Percent Slopes	2	83
8B	Agawam Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
9B	Ninigret Fine Sandy Loam, 0 To 8 Percent Slopes	1	100
10C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
10D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
11C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
11D	Marlow Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
11E	Marlow Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
12C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
12D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
12E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	5	51
14B	Hinckley Sandy Loam, 0 To 8 Percent Slopes	2	83
14C	Hinckley Sandy Loam, 8 To 15 Percent Slopes	2	83
14D	Hinckley Sandy Loam, 15 To 25 Percent Slopes	3	74
14E	Hinckley Sandy Loam, 25 To 50 Percent Slopes	3	74
15B	Dummerston Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
15C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
15D	Dummerston Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
16C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
16D	Dummerston Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
16E	Dummerston Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
17B	Peru, Skerry, and Colonel Soils, 3 To 8 Percent Slopes	3	74
17C	Peru, Skerry, and Colonel Soils, 8 To 15 Percent Slopes	3	74
17D	Peru, Skerry, and Colonel Soils, 15 To 25 Percent Slopes	4	63
18B	Peru, Skerry, and Colonel Soils, 3 To 8 Percent Slopes, Very Stony	3	74
18C	Peru, Skerry, and Colonel Soils, 8 To 15 Percent Slopes, Very Stony	3	74
18D	Peru, Skerry, and Colonel Soils, 15 To 35 Percent Slopes, Very Stony	4	63
19B	Vershire-Dummerston Complex, 3 To 8 Percent Slopes, Rocky	2	83
19C	Vershire-Dummerston Complex, 8 To 15 Percent Slopes, Rocky	2	83
19D	Vershire-Dummerston Complex, 15 To 25 Percent Slopes, Rocky	3	74
19E	Vershire-Dummerston Complex, 25 To 60 Percent Slopes, Rocky	5	51
20C	Glover-Vershire Complex, 3 To 15 Percent Slopes, Very Rocky	4	63
20D	Glover-Vershire Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
20E	Glover-Vershire Complex, 35 To 60 Percent Slopes, Very Rocky	5	51

## Windsor County Forest Value Groups

December 2003

21B	Shelburne Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
21C	Shelburne Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
21D	Shelburne Fine Sandy Loam, 15 To 25 Percent Slopes	1	100
22B	Shelburne Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	1	100
22C	Shelburne Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	1	100
22D	Shelburne Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	2	83
23	Ondawa Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	4	63
24	Podunk Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	2	83
25B	Buckland Loam, 3 To 8 Percent Slopes	2	83
25C	Buckland Loam, 8 To 15 Percent Slopes	2	83
25D	Buckland Loam, 15 To 25 Percent Slopes	3	74
26B	Buckland Loam, 3 To 8 Percent Slopes, Very Stony	3	74
26C	Buckland Loam, 8 To 15 Percent Slopes, Very Stony	3	74
26D	Buckland Loam, 15 To 35 Percent Slopes, Very Stony	4	63
26E	Buckland Loam, 35 To 60 Percent Slopes, Very Stony	5	51
28	Udorthents And Udipsamments	7	0
29A	Grange Very Fine Sandy Loam, 0 To 3 Percent Slopes	6	31
30B	Cabot Loam, 0 To 8 Percent Slopes	5	51
30C	Cabot Loam, 8 To 15 Percent Slopes	5	51
31B	Cabot Loam, 0 To 8 Percent Slopes, Very Stony	5	51
31C	Cabot Loam, 8 To 15 Percent Slopes, Very Stony	5	51
32B	Urban Land-Windsor-Agawam Complex, 0 To 8 Percent Slopes	7	0
33	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes, Frequently Flooded	5	51
36C	Teago-Pomfret Complex, 8 To 15 Percent Slopes, Rocky	4	63
36D	Teago-Pomfret Complex, 15 To 25 Percent Slopes, Rocky	4	63
36E	Teago-Pomfret Complex, 25 To 50 Percent Slopes, Rocky	5	51
38	Hadley Very Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	1	100
39	Winooski Silt Loam, 0 To 3 Percent Slopes, Occasionally Flooded	1	100
40	Limerick Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	6	31
41	Saco Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	7	0
42D	Lyman-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	6	31
42F	Lyman-Rock Outcrop Complex, 35 To 70 Percent Slopes, Very Stony	6	31
43D	Hogback-Rock Outcrop-Rawsonville Complex, 15 To 35 Percent Slopes, Very Bouldery	6	31
43F	Hogback-Rock Outcrop-Rawsonville Complex, 35 To 70 Percent Slopes, Very Bouldery	6	31
45B	Eldridge Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
45C	Eldridge Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
45D	Eldridge Fine Sandy Loam, 15 To 25 Percent Slopes	2	83
45E	Eldridge Fine Sandy Loam, 25 To 50 Percent Slopes	3	74
47	Pondicherry And Wonsqueak Mucks, 0 To 2 Percent Slopes, Poned	7	0
48	Pits, Sand And Pits, Gravel	7	0
49B	Vershire-Buckland Complex, 3 To 8 Percent Slopes	2	83
49C	Vershire-Buckland Complex, 8 To 15 Percent Slopes	2	83
49D	Vershire-Buckland Complex, 15 To 25 Percent Slopes	3	74
54B	Tunbridge-Lyman Complex, 3 To 8 Percent Slopes, Rocky	4	63
54C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Rocky	4	63
54D	Tunbridge-Lyman Complex, 15 To 25 Percent Slopes, Rocky	4	63
56	Bucksport Muck, Poned	7	0

## Windsor County Forest Value Groups

December 2003

58C	Berkshire-Tunbridge Complex, 8 To 15 Percent Slopes, Very Stony	4	63
58D	Berkshire-Tunbridge Complex, 15 To 35 Percent Slopes, Very Stony	5	51
58E	Berkshire-Tunbridge Complex, 35 To 50 Percent Slopes, Very Stony	6	31
59C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	4	63
59D	Rawsonville-Houghtonville Complex, 15 To 35 Percent Slopes, Rocky	5	51
59E	Rawsonville-Houghtonville Complex, 35 To 60 Percent Slopes, Rocky	5	51
60D	Glebe-Stratton Complex, 15 To 35 Percent Slopes, Very Stony	7	0
60F	Glebe-Stratton Complex, 35 To 70 Percent Slopes, Very Stony	7	0
61D	Ricker-Londonderry-Stratton Complex, 15 To 35 Percent Slopes, Very Rocky	7	0
61F	Ricker-Londonderry-Stratton Complex, 35 To 70 Percent Slopes, Very Rocky	7	0
62C	Hogback-Rawsonville Complex, 8 To 15 Percent Slopes, Very Rocky	5	51
62D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
62E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	6	31
63C	Berkshire And Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
63D	Berkshire And Monadnock Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
63E	Berkshire And Monadnock Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
64B	Colton Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
64C	Colton Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
64D	Colton Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
64E	Colton Fine Sandy Loam, 25 To 60 Percent Slopes	3	74
68B	Berkshire And Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
68C	Berkshire And Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
68D	Berkshire And Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
70B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	2	83
70C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
70D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
70E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
71B	Croghan And Sheepscot Fine Sandy Loam, 0 To 8 Percent Slopes	1	100
71C	Croghan And Sheepscot Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
74C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	2	83
74D	Mundal Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	3	74
75B	Urban Land-Colton-Croghan Complex, 0 To 8 Percent Slopes	7	0
79D	Dummerston-Macomber Complex, 15 To 25 Percent Slopes, Very Stony	4	63
80C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Very Rocky	5	51
80D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Very Rocky	6	31
80F	Macomber-Taconic Complex, 25 To 70 Percent Slopes, Very Rocky	6	31
81D	Taconic-Hubbardton-Rock Outcrop Complex, 8 To 25 Percent Slopes	6	31
81F	Taconic-Hubbardton-Rock Outcrop Complex, 25 To 70 Percent Slopes	6	31
82	Udfluvents, Cobbly, Frequently Flooded	7	0
85B	Fullam Silt Loam, 3 To 8 Percent Slopes	3	74
85C	Fullam Silt Loam, 8 To 15 Percent Slopes	3	74
85D	Fullam Silt Loam, 15 To 25 Percent Slopes	3	74
86C	Fullam Silt Loam, 8 To 15 Percent Slopes, Very Stony	3	74
86D	Fullam Silt Loam, 15 To 25 Percent Slopes, Very Stony	4	63
89C	Dummerston-Macomber Complex, 8 To 15 Percent Slopes, Rocky	3	74
95B	Nicholville-Adams Complex, 3 To 8 Percent Slopes	1	100
95D	Nicholville-Adams Complex, 15 To 25 Percent Slopes	2	83

**Windsor County Forest Value Groups****December 2003**

95E	Nicholville-Adams Complex, 25 To 60 Percent Slopes	3	74
202E	Rawsonville-Hogback-Houghtonville Complex, 8 To 60 Percent Slopes, Very Rocky	6	31
203D	Peru-Colonel-Marlow Association, 3 To 35 Percent Slopes, Very Stony	4	63
213F	Stratton-Ricker-Glebe Complex, 15 To 70 Percent Slopes, Very Rocky	7	0
403B	Cabot-Pondicherry-Wonsqueak Association, 0 To 8 Percent Slopes, Very Stony	5	51
415D	Tunbridge-Berkshire-Lyman Complex, 8 To 50 Percent Slopes, Rocky	4	63
425D	Peru-Tunbridge-Berkshire Complex, 8 To 35 Percent Slopes, Rocky	4	63
505D	Peru-Berkshire-Colton Association, 3 To 35 Percent Slopes, Very Stony	4	63
702F	Hogback-Ricker-Rock Outcrop Complex, 15 To 70 Percent Slopes, Very Stony	6	31
705D	Rawsonville-Houghtonville-Mundal Complex, 8 To 50 Percent Slopes, Rocky	5	51
W	Water, Less Than 40 Acres	7	0