

HYDRIC SOILS LIST
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AbfA: Adeland silt loam, 0 to 2 percent slopes	Adeland	No	structural bench	---	---	---	---	
	Mahalasville	Yes	flat, depression, outwash plain, glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
AbhAI: Adrian muck, 0 to 1 percent slopes, frequently flooded, long duration	Adrian	Yes	backswamp, flood plain	4,3,2B3,1	YES	YES	YES	Wooded under natural conditions
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Beaucoup	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
AjaAI: Allison silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Allison	No	flood plain	---	---	---	---	
	Beaucoup	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
ApkA: Angatoka silt loam, outwash substratum, 0 to 2 percent slopes	Angatoka	No	stream terrace	---	---	---	---	
AplA: Angatoka silt loam, 0 to 2 percent slopes	Angatoka	No	till plain	---	---	---	---	
AplB2: Angatoka silt loam, 2 to 6 percent slopes, eroded	Angatoka	No	till plain	---	---	---	---	
	Yeddo	No	till plain	---	---	---	---	
AplC2: Angatoka silt loam, 6 to 12 percent slopes, eroded	Angatoka	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AzqA: Ayrshire loam, 0 to 2 percent slopes	Miami	No	till plain	---	---	---	---	
	Ayrshire	No	stream terrace, dune	---	---	---	---	
	Ragsdale	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
BcgAI: Battleground silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Battleground	No	flood plain	---	---	---	---	
	Pinevillage	No	alluvial fan, flood plain, structural bench	---	---	---	---	
	Stonelick	No	natural levee, flood plain	---	---	---	---	
BhyA: Birkbeck silt loam, 0 to 2 percent slopes	Birkbeck	No	till plain	---	---	---	---	
	Ragsdale	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
	Yeddo	No	till plain	---	---	---	---	
BhyB2: Birkbeck silt loam, 2 to 6 percent slopes, eroded	Birkbeck	No	till plain	---	---	---	---	
	Ragsdale	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
	Yeddo	No	till plain	---	---	---	---	
BvLAK: Brouillett silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Brouillett	No	flood plain	---	---	---	---	
	Lash	No	flood plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
CbaA: Camden silt loam, 0 to 2 percent slopes	Camden	No	outwash plain, till plain	---	---	---	---	
	Oxyaquic Hapludalfs	No	outwash plain, till plain	---	---	---	---	
	Starks	No	outwash plain, till plain	---	---	---	---	
CbaB2: Camden silt loam, 2 to 6 percent slopes, eroded	Camden	No	outwash plain, till plain	---	---	---	---	
	Rockfield	No	outwash plain, till plain	---	---	---	---	
	Starks	No	till plain	---	---	---	---	
CfrG: Cates channery silt loam, 25 to 75 percent slopes	Cates	No	scarp, structural bench	---	---	---	---	
	Berks	No	scarp, structural bench	---	---	---	---	
	Eel	No	flood plain	---	---	---	---	
ChqA: Chalmers silty clay loam, 0 to 1 percent slopes	Chalmers	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
	Pella	Yes	depression, outwash plain, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
CnaB: Coloma loamy sand, 2 to 6 percent slopes	Coloma	No	stream terrace	---	---	---	---	
CnaC: Coloma loamy sand, 6 to 15 percent slopes	Coloma	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
CsuA: Crane silt loam, 0 to 2 percent slopes	Crane	No	stream terrace, outwash plain	---	---	---	---	
	Westland	Yes	depression, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
	Wea	No	stream terrace	---	---	---	---	
CudA: Crosby silt loam, 0 to 2 percent slopes	Crosby	No	till plain	---	---	---	---	
	Williamstown	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
DpbA: Drummer silty clay loam, 0 to 1 percent slopes	Drummer	Yes	flat, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Pella	Yes	depression, outwash plain, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
EcoA: Edwardsville silt loam, 0 to 2 percent slopes	Edwardsville	No	till plain	---	---	---	---	
	Ragsdale	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
EgeAK: Eel and Beckville soils, 0 to 2 percent slopes, occasionally flooded, brief duration	Eel	No	flood plain	---	---	---	---	
	Beckville	No	flood plain	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
EmdA: Elston sandy loam, 0 to 2 percent slopes	Elston	No	stream terrace	---	---	---	---	
EmdB: Elston sandy loam, 2 to 6 percent slopes	Elston	No	stream terrace	---	---	---	---	
FamB: Fairpoint gravelly clay loam, 0 to 6 percent slopes	Fairpoint	No	---	---	---	---	---	
FdbA: Fincastle silt loam, 0 to 2 percent slopes	Fincastle	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Williamstown	No	till plain	---	---	---	---	
FdbB: Fincastle silt loam, 2 to 4 percent slopes	Fincastle	No	till plain	---	---	---	---	
	Treaty	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Williamstown	No	till plain	---	---	---	---	
FdnA: Fincastle-Starks complex, 0 to 2 percent slopes	Fincastle	No	till plain	---	---	---	---	
	Starks	No	till plain	---	---	---	---	
	Treaty	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Mahalasville	Yes	flat, depression, outwash plain, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions
GcaAK: Genesee soils, 0 to 2 percent slopes, occasionally flooded, brief duration	Genesee	No	natural levee, flood plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
JcfG: Judyville fine sandy loam, 25 to 70 percent slopes	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Beckville	No	flood plain	---	---	---	---	
	Eel	No	flood plain	---	---	---	---	
	Judyville	No	scarp, structural bench	---	---	---	---	
	Shallow to bedrock soils	No	scarp, structural bench	---	---	---	---	
KnqD2: Kendallville silt loam, 12 to 18 percent slopes, eroded	Eel	No	flood plain	---	---	---	---	
	Kendallville	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
	Martinsville	No	---	---	---	---	---	
	Ockley	No	---	---	---	---	---	
LbrA: Lafayette silt loam, 0 to 2 percent slopes	Silverwood	No	---	---	---	---	---	
	Lafayette	No	outwash plain	---	---	---	---	
	Waupecan	No	outwash plain	---	---	---	---	
LgxAK: Landes fine sandy loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Mahalaland	Yes	flat, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Landes	No	natural levee, flood plain	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
LfuAI: Lash fine sandy loam, 0 to 2 percent slopes, frequently flooded, long duration	Shoals	No	flood plain	---	---	---	---	Wooded under natural conditions
	Lash	No	flood plain	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	
LfzB2: Lauramie silt loam, 2 to 6 percent slopes, eroded	Lauramie	No	till plain	---	---	---	---	
	Wea	No	stream terrace	---	---	---	---	
LugA: Loudonville silt loam, 0 to 2 percent slopes	Severely eroded soils	No	till plain	---	---	---	---	
	Loudonville	No	structural bench	---	---	---	---	
	Bedrock less than 20 inches	No	structural bench	---	---	---	---	
	Bedrock 60 to 80 inches	No	structural bench	---	---	---	---	
LugB2: Loudonville silt loam, 2 to 6 percent slopes, eroded	Loudonville	No	structural bench	---	---	---	---	
	Bedrock less than 20 inches	No	structural bench	---	---	---	---	
	Severely eroded soils	No	structural bench	---	---	---	---	
	Bedrock 60 to 80 inches	No	structural bench	---	---	---	---	
LugC2: Loudonville silt loam, 6 to 12 percent slopes, eroded	Loudonville	No	structural bench	---	---	---	---	
	Bedrock 60 to 80 inches	No	structural bench	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
LuhC: Loudonville silt loam, 4 to 12 percent slopes, stony MamA: Mahalasville silty clay loam, 0 to 1 percent slopes	Severely eroded soils	No	structural bench	---	---	---	---	
	Bedrock less than 20 inches	No	structural bench	---	---	---	---	
	Loudonville	No	structural bench	---	---	---	---	
	Mitiwanga	No	structural bench, strath terrace	---	---	---	---	
	Mahalasville	Yes	flat, depression, structural bench, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
	Severely eroded soils	No	structural bench	---	---	---	---	
	Mahalasville	Yes	flat, depression, swale, outwash plain, glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
	Pella	Yes	depression, outwash plain	3,2B3	YES	NO	YES	Wooded under natural conditions
Treaty	Yes	flat, swale, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions	
Starks	No	outwash plain	---	---	---	---		
Mahalaland	Yes	flat, swale, depression, outwash plain, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MaoA: Mahalaland silty clay loam, 0 to 1 percent slopes	Mahalaland	Yes	flat, swale, depression, outwash plain, glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
	Waupecan	No	outwash plain	---	---	---	---	
MapA: Mahalasilty clay loam, bedrock substratum, 0 to 1 percent slopes	Mahalasilty	Yes	flat, depression, structural bench, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
MecB2: Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville	No	outwash plain, till plain	---	---	---	---	
	Whitaker	No	outwash plain	---	---	---	---	
	Severely eroded soils	No	outwash plain, till plain	---	---	---	---	
	Rensselaer	Yes	flat, drainageway, outwash plain, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions
MjuA: Mellott silt loam, 0 to 2 percent slopes	Mellott	No	till plain	---	---	---	---	
	Toronto	No	till plain	---	---	---	---	
MqlG: Minnehaha silt loam, 35 to 75 percent slopes	Minnehaha	No	---	---	---	---	---	
MrcA: Mitiwanga silt loam, 0 to 2 percent slopes	Mitiwanga	No	structural bench, strath terrace	---	---	---	---	
	Loudonville	No	structural bench	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ObmB2: Octagon silt loam, 2 to 6 percent slopes, eroded	Ockley	No	outwash terrace	---	---	---	---	
	Mahalasville	Yes	flat, depression, structural bench, stream terrace	3,2B3	YES	NO	YES	Wooded under natural conditions
	Octagon	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
ObmC2: Octagon silt loam, 6 to 12 percent slopes, eroded	Chalmers	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
	Octagon	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
ObxA: Ockley silt loam, 0 to 2 percent slopes	Chalmers	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Ockley	No	stream terrace, outwash plain	---	---	---	---	
	Fox	No	outwash terrace	---	---	---	---	
	Wawaka	No	outwash plain, till plain	---	---	---	---	
	Digby	No	outwash plain, glacial drainage channel	---	---	---	---	
	Haney	No	outwash plain, glacial drainage channel	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ObxB2: Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley	No	terrace	---	---	---	---	Wooded under natural conditions
	Ockley	No	terrace	---	---	---	---	
	Ockley	No	terrace	---	---	---	---	
	Westland	Yes	swale, depression, stream terrace	2B3,3	YES	NO	YES	
	Sleeth	No	terrace	---	---	---	---	
ObxC2: Ockley silt loam, 6 to 12 percent slopes, eroded	Ockley	No	outwash terrace, stream terrace	---	---	---	---	Wooded under natural conditions
	Severely eroded soils	No	stream terrace	---	---	---	---	
	Soils underlain with dense till	No	stream terrace	---	---	---	---	
	Soils underlain with bedrock	No	stream terrace	---	---	---	---	
	Westland	Yes	depression, stream terrace	3,2B3	YES	NO	YES	
ObxD2: Ockley silt loam, 12 to 18 percent slopes, eroded	Ockley	No	outwash terrace, stream terrace	---	---	---	---	Wooded under natural conditions
	Severely eroded soils	No	stream terrace	---	---	---	---	
	Westland	Yes	depression, stream terrace	3,2B3	YES	NO	YES	
	Soils underlain with dense till	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
PgaA: Pella silty clay loam, 0 to 1 percent slopes	Pella	Yes	depression, outwash plain, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
PnwBQ: Pinevillage gravelly sandy loam, 2 to 8 percent slopes, rarely flooded	Pinevillage	No	alluvial fan, flood plain, structural bench	---	---	---	---	
Pg: Pits, gravel	Pits, gravel	No	---	---	---	---	---	
PvsA: Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	No	dune	---	---	---	---	
	Ayrshire	No	stream terrace, dune	---	---	---	---	
PvsB2: Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	No	dune	---	---	---	---	
	Severely eroded soils	No	dune	---	---	---	---	
PvsC2: Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	No	dune	---	---	---	---	
	Severely eroded soils	No	dune	---	---	---	---	
RbfA: Ragsdale silty clay loam, 0 to 1 percent slopes	Ragsdale	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RbuB2: Rainsville silt loam, 2 to 6 percent slopes, eroded	Rainsville	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
	Ockley	No	outwash terrace, stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
RbuC2: Rainsville silt loam, 6 to 12 percent slopes, eroded	Rainsville	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
RdvA: Raub silt loam, 0 to 2 percent slopes	Raub	No	till plain	---	---	---	---	
	Chalmers	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RetA: Rensselaer silty clay loam, 0 to 1 percent slopes	Rensselaer	Yes	flat, drainageway, outwash plain, glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
	Pella	Yes	depression, outwash plain, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RosAK: Rockmill silt loam, 0 to 1 percent slopes, occasionally flooded, brief duration	Rockmill	Yes	meander scar, flood plain, depression	2B3,3	YES	NO	YES	Wooded under natural conditions
RqaE: Rodman sandy loam, 18 to 25 percent slopes	Rodman	No	stream terrace	---	---	---	---	
	Eel	No	flood plain	---	---	---	---	
	Beckville	No	flood plain	---	---	---	---	
RqaG: Rodman sandy loam, 25 to 50 percent slopes	Rodman	No	stream terrace	---	---	---	---	
	Eel	No	flood plain	---	---	---	---	
	Beckville	No	flood plain	---	---	---	---	
RtxAK: Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Rossburg	No	flood plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
RuxA: Raub-Brenton complex, 0 to 2 percent slopes	Raub	No	till plain	---	---	---	---	
	Brenton	No	till plain	---	---	---	---	
	Chalmers	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
	Drummer	Yes	flat, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RyfA: Rush silt loam, 0 to 2 percent slopes	Rush	No	outwash plain	---	---	---	---	
	Mahalaland	Yes	flat, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Martinsville	No	till plain	---	---	---	---	
RyfB2: Rush silt loam, 2 to 6 percent slopes, eroded	Rush	No	outwash plain	---	---	---	---	
	Mahalaland	Yes	flat, depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RywB2: Russell silt loam, 2 to 6 percent slopes, eroded	Russell	No	till plain	---	---	---	---	
	Williamstown	No	till plain	---	---	---	---	
	Fincastle	No	till plain	---	---	---	---	Wooded under natural conditions
	Russell, severely eroded	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	swale, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
RywC2: Russell silt loam, 6 to 12 percent slopes, eroded	Russell	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
RywD2: Russell silt loam, 12 to 18 percent slopes, eroded	Russell	No	till plain	---	---	---	---	
	Strawn	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
RzcE: Russell-Strawn complex, 18 to 25 percent slopes	Russell	No	till plain	---	---	---	---	
	Strawn	No	till plain	---	---	---	---	
	Rainsville	No	till plain	---	---	---	---	
SldAK: Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Shoals	No	flood plain	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
SlyA: Silverwood silt loam, 0 to 2 percent slopes	Silverwood	No	stream terrace	---	---	---	---	
	Sleeth	No	stream terrace	---	---	---	---	
SlyB2: Silverwood silt loam, 2 to 6 percent slopes, eroded	Silverwood	No	stream terrace	---	---	---	---	
	Severely eroded soils	No	stream terrace	---	---	---	---	
SlzA: Silverwood loam, 0 to 2 percent slopes	Silverwood	No	stream terrace	---	---	---	---	
	Sleeth	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
SlzB2: Silverwood loam, 2 to 6 percent slopes, eroded	Silverwood	No	stream terrace	---	---	---	---	
	Severely eroded soils	No	stream terrace	---	---	---	---	
SlzC2: Silverwood loam, 6 to 12 percent slopes, eroded	Silverwood	No	stream terrace	---	---	---	---	
	Severely eroded soils	No	stream terrace	---	---	---	---	
SlzD2: Silverwood loam, 12 to 18 percent slopes, eroded	Silverwood	No	stream terrace	---	---	---	---	
	Severely eroded soils	No	stream terrace	---	---	---	---	
SngA: Sleeth silt loam, 0 to 2 percent slopes	Sleeth	No	stream terrace	---	---	---	---	
	Sleeth	No	stream terrace	---	---	---	---	
	Westland	Yes	depression, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
SobAI: Sloan and Beaucoup soils, 0 to 1 percent slopes, frequently flooded, long duration	Sloan	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Beaucoup	Yes	backswamp, meander scar, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
SnlAP: Southwest silt loam, 0 to 1 percent slopes, ponded, brief duration	Southwest	Yes	depression, till plain	2B3	YES	NO	NO	Wooded under natural conditions
	Treaty	Yes	depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
SseB2: St. Charles silt loam, 2 to 6 percent slopes, eroded	St. Charles	No	outwash plain, till plain	---	---	---	---	
	Rush	No	outwash plain	---	---	---	---	
	Martinsville	No	till plain	---	---	---	---	
SteA: Starks silt loam, 0 to 2 percent slopes	Starks	No	till plain	---	---	---	---	
	Mahalasville	Yes	flat, depression, outwash plain, glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
SvqE: Strawn loam, 18 to 25 percent slopes	Strawn	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
	Shoals	No	flood plain	---	---	---	---	
SvqG: Strawn loam, 25 to 70 percent slopes	Strawn	No	till plain	---	---	---	---	
	Rodman	No	till plain	---	---	---	---	
	Shoals	No	flood plain	---	---	---	---	
SwdE: Strawn-Rodman complex, 18 to 25 percent slopes	Strawn	No	till plain, stream terrace	---	---	---	---	
	Rodman	No	till plain, stream terrace	---	---	---	---	
SwdG: Strawn-Rodman complex, 25 to 50 percent slopes	Strawn	No	till plain, stream terrace	---	---	---	---	
	Rodman	No	till plain, outwash plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
TfdA: Throckmorton silt loam, 0 to 2 percent slopes	Throckmorton	No	till plain	---	---	---	---	
	Chalmers	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Drummer	Yes	flat, depression, outwash plain	3,2B3	YES	NO	YES	Wooded under natural conditions
TfdB: Throckmorton silt loam, 2 to 4 percent slopes	Throckmorton	No	till plain	---	---	---	---	
	Drummer	Yes	flat, depression, outwash plain	3,2B3	YES	NO	YES	Wooded under natural conditions
TlxA: Toronto silt loam, 0 to 2 percent slopes	Toronto	No	till plain	---	---	---	---	
	Treaty	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
TmcA: Totanang silt loam, 0 to 2 percent slopes	Totanang	No	outwash plain	---	---	---	---	
	Soils underlain with dense till	No	outwash plain	---	---	---	---	
	Mahalaland	Yes	flat, depression, outwash plain	3,2B3	YES	NO	YES	Wooded under natural conditions
ThrA: Treaty silty clay loam, 0 to 1 percent slopes	Treaty	Yes	flat, swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Mahalaland	Yes	flat, swale, depression, till plain, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Mahalasville	Yes	flat, swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions
	Fincastle	No	till plain	---	---	---	---	
UbyE: Udorthents, loamy, 3 to 30 percent slopes	Udorthents, loamy	Unranked	---	---	---	---	---	
Uea: Urban land	Urban land	Unranked	---	---	---	---	---	
W: Water	Water	Unranked	---	---	---	---	---	
WkmA: Waupecan silt loam, 0 to 2 percent slopes	Waupecan	No	outwash plain	---	---	---	---	
	Octagon	No	till plain	---	---	---	---	
	Mahalaland	Yes	flat, depression, outwash plain	3,2B3	YES	NO	YES	Wooded under natural conditions
WkmB2: Waupecan silt loam, 2 to 6 percent slopes, eroded	Waupecan	No	outwash plain	---	---	---	---	
	Lafayette	No	outwash plain	---	---	---	---	
	Severely eroded soils	No	outwash plain	---	---	---	---	
WmnA: Waynetown silt loam, 0 to 2 percent slopes	Waynetown	No	outwash plain	---	---	---	---	
	Fincastle	No	outwash plain	---	---	---	---	
	Mahalaland	Yes	flat, depression, outwash plain, terrace, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
WmpA: Wea loam, 0 to 2 percent slopes	Wea	No	stream terrace	---	---	---	---	
WmpB2: Wea loam, 2 to 6 percent slopes, eroded	Wea	No	stream terrace	---	---	---	---	
	Severely eroded soils	No	stream terrace	---	---	---	---	
WqvA: Westland silty clay loam, 0 to 1 percent slopes	Westland	Yes	depression, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
	Bedrock substratum	Yes	depression, stream terrace	---	---	---	---	
WsuA: Whitaker loam, 0 to 2 percent slopes	Whitaker	No	stream terrace, stream terrace, channel	---	---	---	---	
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions
	Rensselaer	Yes	stream terrace, depression, swale, interdune, depression, swale	2B3,3	YES	NO	YES	Wooded under natural conditions
WtaA: Whitaker silt loam, 0 to 2 percent slopes	Whitaker	No	outwash plain	---	---	---	---	
	Crosby	No	till plain	---	---	---	---	
	Rensselaer	Yes	flat, drainageway, outwash plain, glacial drainage channel	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
WufB2: Williamstown silt loam, 2 to 6 percent slopes, eroded	Williamstown	No	till plain	---	---	---	---	
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions
	Typic Argiaquolls	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
WvaA: Wingate silt loam, 0 to 2 percent slopes	Wingate	No	till plain	---	---	---	---	
	Treaty	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
WvaB2: Wingate silt loam, 2 to 6 percent slopes, eroded	Wingate	No	till plain	---	---	---	---	
	Severely eroded soils	No	till plain	---	---	---	---	
XabA: Xenia silt loam, 0 to 2 percent slopes	Xenia	No	till plain	---	---	---	---	
	Treaty	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
XabB2: Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia	No	till plain	---	---	---	---	
	Xenia, severely eroded	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	flat, depression, till plain	3,2B3	YES	NO	YES	Wooded under natural conditions
XfuB2: Miami-Rainsville complex, 2 to 6 percent slopes, eroded	Miami	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Fountain County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information	
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil	
XfuC2: Miami-Rainsville complex, 6 to 12 percent slopes, eroded	Rainsville	No	till plain	---	---	---	---		
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions	
	Fincastle	No	till plain	---	---	---	---	Wooded under natural conditions	
	Miami	No	till plain	---	---	---	---		
	Typic Argiaquolls	Yes	swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions	
	Miami	No	till plain	---	---	---	---		
	Rainsville	No	till plain	---	---	---	---		
	Miami	No	till plain	---	---	---	---		
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions	
	Fincastle	No	till plain	---	---	---	---		
	Rainsville	No	till plain	---	---	---	---		
	Typic Argiaquolls	Yes	swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions	
	YedA: Yeddo silt loam, 0 to 2 percent slopes	Yeddo	No	till plain	---	---	---	---	
		Birkbeck	No	till plain	---	---	---	---	
Ragsdale		Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions	