

HYDRIC SOILS LIST
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AfB: Alford silt loam, 2 to 6 percent slopes	Alford	No	loess hill	---	---	---	---	
AfC2: Alford silt loam, 6 to 12 percent slopes, eroded	Alford	No	loess hill	---	---	---	---	
AfF2: Alford silt loam, 18 to 35 percent slopes, eroded	Alford	No	loess hill	---	---	---	---	
Ba: Bartle silt loam	Bartle	No	stream terrace	---	---	---	---	
	Peoga	Yes	---	3,2B3	YES	NO	YES	
BbC2: Baxter silt loam, karst, 6 to 12 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BbD2: Baxter silt loam, karst, 12 to 18 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BcB2: Baxter silt loam, 2 to 6 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BcC2: Baxter silt loam, 6 to 12 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BcD2: Baxter silt loam, 12 to 18 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BeC2: Baxter gravelly silt loam, 6 to 12 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BeD2: Baxter gravelly silt loam, 12 to 18 percent slopes, eroded	Baxter	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
BeE2: Baxter gravelly silt loam, 18 to 25 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BeF2: Baxter gravelly silt loam, 25 to 35 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BfC2: Baxter gravelly silt loam, karst, 6 to 12 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BfD2: Baxter gravelly silt loam, karst, 12 to 18 percent slopes, eroded	Baxter	No	hill	---	---	---	---	
BkC3: Baxter silty clay loam, karst, 6 to 12 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BlB3: Baxter silty clay loam, 2 to 6 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BlC3: Baxter silty clay loam, 6 to 12 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BmC3: Baxter gravelly silty clay loam, 6 to 12 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BmD3: Baxter gravelly silty clay loam, 12 to 18 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BmE3: Baxter gravelly silty clay loam, 18 to 25 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
BnA: Bedford silt loam, 0 to 2 percent slopes	Bedford	No	hill	---	---	---	---	
BnB2: Bedford silt loam, 2 to 6 percent slopes, eroded	Bedford	No	hill	---	---	---	---	
BnB3: Bedford silt loam, 2 to 6 percent slopes, severely eroded	Bedford	No	hill	---	---	---	---	
BpC3: Baxter gravelly silty clay loam, karst, 6 to 12 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BpD3: Baxter gravelly silty clay loam, karst, 12 to 18 percent slopes, severely eroded	Baxter	No	hill	---	---	---	---	
BtD5: Baxter silty clay loam, 6 to 25 percent slopes, gullied	Baxter	No	hill	---	---	---	---	
CoF: Corydon-Rock outcrop complex, 20 to 60 percent slopes	Corydon	No	hill	---	---	---	---	
	Rock outcrop	Unranked	escarpment	---	---	---	---	
CrB2: Crider silt loam, 2 to 6 percent slopes, eroded	Crider	No	hill	---	---	---	---	
CrC2: Crider silt loam, 6 to 12 percent slopes, eroded	Crider	No	hill	---	---	---	---	
CsB3: Crider silt loam, 2 to 6 percent slopes, severely eroded	Crider	No	hill	---	---	---	---	
CsC3: Crider silt loam, 6 to 12 percent slopes, severely eroded	Crider	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
CtC2: Crider silt loam, karst, 6 to 12 percent slopes, eroded	Crider	No	hill	---	---	---	---	
CtC3: Crider silt loam, karst, 6 to 12 percent slopes, severely eroded	Crider	No	hill	---	---	---	---	
E1A: Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	No	stream terrace	---	---	---	---	
E1B2: Elkinsville silt loam, 2 to 6 percent slopes, eroded	Elkinsville	No	stream terrace	---	---	---	---	
E1C2: Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	No	stream terrace	---	---	---	---	
E1C3: Elkinsville silt loam, 6 to 12 percent slopes, severely eroded	Elkinsville	No	stream terrace	---	---	---	---	
G1D2: Gilpin silt loam, 12 to 18 percent slopes, eroded	Gilpin	No	hill, structural bench	---	---	---	---	
G1D3: Gilpin silt loam, 12 to 20 percent slopes, severely eroded	Gilpin	No	hill, structural bench	---	---	---	---	
G1E2: Gilpin silt loam, 18 to 25 percent slopes, eroded	Gilpin	No	hill, structural bench	---	---	---	---	
GpF: Gilpin-Berks complex, 18 to 30 percent slopes	Gilpin	No	hill, structural bench	---	---	---	---	
	Berks	No	hill	---	---	---	---	
GuD5: Gilpin silt loam, 6 to 25 percent slopes, gullied	Gilpin	No	hill, structural bench	---	---	---	---	

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
HaC2: Hagerstown silt loam, karst, 6 to 12 percent slopes, eroded	Hagerstown	No	hill	---	---	---	---	
HaD2: Hagerstown silt loam, karst, 12 to 18 percent slopes, eroded	Hagerstown	No	hill	---	---	---	---	
HaE2: Hagerstown silt loam, 18 to 25 percent slopes, eroded	Hagerstown	No	hill	---	---	---	---	
HgC3: Hagerstown silty clay loam, karst, 6 to 12 percent slopes, severely eroded	Hagerstown	No	sinkhole, hill	---	---	---	---	
HgD3: Hagerstown silty clay loam, karst, 12 to 18 percent slopes, severely eroded	Hagerstown	No	sinkhole, hill	---	---	---	---	
HgE3: Hagerstown silty clay loam, 18 to 25 percent slopes, severely eroded	Hagerstown	No	hill	---	---	---	---	
Hm: Haymond silt loam, frequently flooded	Haymond	No	flood plain, natural levee	---	---	---	---	
Ho: Haymond silt loam, sinkhole	Haymond	No	flood plain, natural levee	---	---	---	---	
Hu: Huntington silt loam, frequently flooded	Huntington	No	flood plain, natural levee	---	---	---	---	
Jo: Johnsburg silt loam	Johnsburg	No	hill	---	---	---	---	
	poorly drained aqualfs	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MaB2: Markland silt loam, 2 to 6 percent slopes, eroded	Markland	No	lake plain	---	---	---	---	
MaD2: Markland silt loam, 8 to 18 percent slopes, eroded	Markland	No	lake plain	---	---	---	---	
MaF: Markland silt loam, 25 to 70 percent slopes	Markland	No	lake plain	---	---	---	---	
McD3: Markland silty clay loam, 8 to 18 percent slopes, severely eroded	Markland	No	lake plain	---	---	---	---	
Mg: McGary silt loam	McGary	No	lake plain	---	---	---	---	
	poorly drained aquepts	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
Mo: Montgomery silty clay loam	Montgomery	Yes	lake plain, flat, depression	2B3	YES	NO	NO	Wooded under natural conditions
Ne: Newark silt loam, frequently flooded	Newark	No	flood plain	---	---	---	---	
	Birds	Yes	---	2B3,3	YES	NO	YES	
No: Newark silt loam, sinkhole	Newark	No	flood plain	---	---	---	---	
	Birds	Yes	depression	4	NO	YES	NO	Wooded under natural conditions
PeA: Pekin silt loam, 0 to 2 percent slopes	Pekin	No	stream terrace	---	---	---	---	
PeB2: Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Pn: Pits, sand and gravel	Pits, sand and gravel	Unranked	---	---	---	---	---	
PrC2: Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	No	dune	---	---	---	---	
PrD2: Princeton fine sandy loam, 12 to 18 percent slopes, eroded	Princeton	No	dune	---	---	---	---	
Qu: Pits, quarries	Pits, quarries	Unranked	---	---	---	---	---	
ScA: Sciotoville silt loam, 0 to 2 percent slopes	Sciotoville	No	stream terrace	---	---	---	---	
ScB2: Sciotoville silt loam, 2 to 6 percent slopes, eroded	Sciotoville	No	stream terrace	---	---	---	---	
TlB2: Tilsit silt loam, 2 to 6 percent slopes, eroded	Tilsit	No	hill	---	---	---	---	
Ud: Udorthents, cut and filled	Udorthents, cut and filled	Unranked	---	---	---	---	---	
W: Water	Water	Unranked	---	---	---	---	---	
WbF: Weikert-Berks channery silt loams, 35 to 60 percent slopes	Weikert	No	hill, knob	---	---	---	---	
	Berks	No	hill, knob	---	---	---	---	
Wc: Weinbach silt loam	Weinbach	No	stream terrace	---	---	---	---	
	poorly drained aqualfs	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Harrison County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
WeC2: Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston	No	hill	---	---	---	---	
WeC3: Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston	No	hill	---	---	---	---	
WeD2: Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
WeD3: Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston	No	hill, structural bench	---	---	---	---	
WgA: Wheeling silt loam, 0 to 2 percent slopes	Wheeling	No	stream terrace	---	---	---	---	
WgB2: Wheeling silt loam, 2 to 6 percent slopes, eroded	Wheeling	No	stream terrace	---	---	---	---	
WhC2: Wheeling loam, 6 to 12 percent slopes, eroded	Wheeling	No	stream terrace	---	---	---	---	
WhC3: Wheeling loam, 6 to 12 percent slopes, severely eroded	Wheeling	No	stream terrace	---	---	---	---	
WhE2: Wheeling loam, 12 to 25 percent slopes, eroded	Wheeling	No	stream terrace	---	---	---	---	
ZaC2: Zanesville silt loam, 6 to 12 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	
ZaC3: Zanesville silt loam, 6 to 12 percent slopes, severely eroded	Zanesville	No	hill	---	---	---	---	
ZaD2: Zanesville silt loam, 12 to 18 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	