

HYDRIC SOILS LIST  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AddA: Avonburg silt loam, 0 to 2 percent slopes	Avonburg	No	till plain	---	---	---	---	
	Cobbsfork	Yes	till plain, depression	2B3	YES	NO	NO	Wooded under natural conditions
	Nabb	No	till plain	---	---	---	---	
AddB2: Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	No	till plain	---	---	---	---	
	Cobbsfork	Yes	till plain, depression	2B3	YES	NO	NO	Wooded under natural conditions
	Nabb	No	till plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
Ar: Armiesburg silty clay loam, sandy substratum, frequently flooded	Armiesburg	No	flood plain	---	---	---	---	
	Armiesburg	Yes	flood plain	4	NO	YES	NO	Wooded under natural conditions
Ay: Ayrshire fine sandy loam, sandy substratum	Ayrshire	No	interdune, terrace	---	---	---	---	Wooded under natural conditions
	Lyles	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
BbHA: Bartle silt loam, 0 to 2 percent slopes	Bartle	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
BcrAW: Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
	Pekin	No	stream terrace	---	---	---	---	
	Bartle	No	flood-plain step	---	---	---	---	
	Beanblossom	No	flood plain, alluvial fan	---	---	---	---	
	Wilbur	No	flood plain, flood-plain step	---	---	---	---	
	Beanblossom	No	flood plain	---	---	---	---	
	A deep, loamy soil	No	flood plain	---	---	---	---	
BdB: Bedford silt loam, 2 to 6 percent slopes	Bedford	No	hill	---	---	---	---	
BdhAH: Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bellcreek	Yes	backswamp, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Sloan	Yes	flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Milford	Yes	glacial drainage channel	2B3,3	YES	NO	YES	Wooded under natural conditions
	Shoals	No	flood plain	---	---	---	---	
BeG: Berks channery silt loam, 25 to 75 percent slopes	Berks	No	hill, knob	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Bf: Birds silt loam, frequently flooded	Birds	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
BlF: Bloomfield fine sand, 15 to 45 percent slopes	Bloomfield	No	dune	---	---	---	---	
BmB: Bloomfield-Alvin complex, 1 to 6 percent slopes	Bloomfield	No	dune	---	---	---	---	
	Alvin	No	dune	---	---	---	---	
BmC2: Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded	Bloomfield	No	dune	---	---	---	---	
	Alvin	No	dune	---	---	---	---	
Bn: Bobtown loamy fine sand, 0 to 3 percent slopes	Bobtown	No	dune	---	---	---	---	
BoD2: Bonnell silt loam, 10 to 18 percent slopes, eroded	Bonnell	No	till plain	---	---	---	---	
BodAV: Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	Bonnie	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Bonnie	Yes	backswamp	2B3,3	YES	NO	YES	Wooded under natural conditions
	Belknap	No	flood-plain step	---	---	---	---	
	Stendal	No	flood-plain step	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
BpD3: Bonnell silty clay loam, 10 to 18 percent slopes, severely eroded	Bonnell	No	till plain	---	---	---	---	
CcB2: Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
	Nabb	No	till plain	---	---	---	---	
	Blocher	No	till plain	---	---	---	---	
CcC2: Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
CcC3: Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati	No	till plain	---	---	---	---	
ClfA: Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	Yes	till plain, flat	2B3	YES	NO	NO	Wooded under natural conditions
	Cobbsfork	Yes	till plain, depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	Avonburg	No	till plain	---	---	---	---	
CoD: Coolville silt loam, 12 to 20 percent slopes	Coolville	No	hill	---	---	---	---	
Df: Driftwood clay loam, frequently flooded	Driftwood	Yes	flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
DuA: Dubois silt loam, 0 to 2 percent slopes	Dubois	No	lake plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
DuB2: Dubois silt loam, 2 to 6 percent slopes, eroded	Peoga	Yes	lake plain, stream terrace	2B3	YES	NO	NO	Wooded under natural conditions
	Haubstadt	No	lake plain	---	---	---	---	
	Dubois	No	lake plain	---	---	---	---	
	Haubstadt	No	lake plain	---	---	---	---	
	Wakeland	No	flood plain	---	---	---	---	
FoA: Fox-Ockley sandy loams, sandy substratums, 0 to 2 percent slopes	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
	Fox	No	stream terrace	---	---	---	---	
FrD2: Frederick-Crider-Gilpin silt loams, 6 to 18 percent slopes, eroded	Ockley	No	stream terrace	---	---	---	---	
	Frederick	No	hill	---	---	---	---	
	Crider	No	hill	---	---	---	---	
Ge: Genesee silt loam, frequently flooded	Gilpin	No	hill, knob	---	---	---	---	
	Genesee	No	flood plain, natural levee	---	---	---	---	
GnD3: Gilpin silt loam, 12 to 18 percent slopes, severely eroded	Genesee	Yes	flood plain	4	NO	YES	NO	Wooded under natural conditions
	Gilpin	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
GnF: Gilpin silt loam, 25 to 55 percent slopes	Gilpin	No	hill	---	---	---	---	
GpD: Gilpin-Wellston silt loams, 10 to 25 percent slopes	Gilpin	No	hill, knob	---	---	---	---	
	Wellston	No	hill, knob	---	---	---	---	
HdA: Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	No	lake plain	---	---	---	---	
	Dubois	No	lake plain	---	---	---	---	
HdB2: Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt	No	lake plain	---	---	---	---	
	Dubois	No	lake plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
	Haubstadt	No	lake plain	---	---	---	---	
Hm: Haymond silt loam, frequently flooded	Haymond	No	flood plain, natural levee	---	---	---	---	
	Haymond	Yes	flood plain	4	NO	YES	NO	Wooded under natural conditions
HrE: Hickory loam, 15 to 45 percent slopes	Hickory	No	till plain	---	---	---	---	
KtF: Kurtz silt loam, 20 to 55 percent slopes	Kurtz	No	hill	---	---	---	---	
Ly: Lyles fine sandy loam	Lyles	Yes	depression, interdune, stream terrace	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MfxA: Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes	Martinsville	No	stream terrace	---	---	---	---	
	Very deep, moderately well drained, loamy soil	No	stream terrace	---	---	---	---	
MkB2: Markland silt loam, 1 to 5 percent slopes, eroded	Markland	No	lake plain	---	---	---	---	
MmC3: Markland silty clay loam, 4 to 12 percent slopes, severely eroded	Markland	No	lake plain	---	---	---	---	
MrA: McGary silty clay loam, 0 to 2 percent slopes	McGary	No	lake plain	---	---	---	---	
	Shircliff	No	lake plain	---	---	---	---	
	Zipp	Yes	lake plain, flat, depression	2B3	YES	NO	NO	Wooded under natural conditions
MtB2: Medora silt loam, 2 to 6 percent slopes, eroded	Medora	No	esker	---	---	---	---	
	Parke	No	esker	---	---	---	---	
	Medora	No	esker	---	---	---	---	
MtC2: Medora silt loam, 6 to 12 percent slopes, eroded	Medora	No	esker	---	---	---	---	
	Medora	No	esker	---	---	---	---	
	Parke	No	esker	---	---	---	---	
	Medora	No	esker	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
NaaA: Nabb silt loam, 0 to 2 percent slopes	Nabb	No	till plain	---	---	---	---	
	Avonburg	No	till plain	---	---	---	---	
NaaB2: Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb	No	till plain	---	---	---	---	
	Cincinnati	No	till plain	---	---	---	---	
	Avonburg	No	till plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
NeD2: Negley silt loam, 12 to 18 percent slopes, eroded	Negley	No	esker	---	---	---	---	
NgE: Negley loam, 18 to 35 percent slopes	Negley	No	esker	---	---	---	---	
NnA: Nineveh variant sandy loam, occasionally flooded, 0 to 2 percent slopes	Nineveh variant	No	stream terrace	---	---	---	---	
Omz: Orthents, earthen dam	Orthents	Unranked	---	---	---	---	---	
OtC2: Otwell silt loam, 6 to 12 percent slopes, eroded	Otwell	No	lake plain	---	---	---	---	
OtC3: Otwell silt loam, 6 to 12 percent slopes, severely eroded	Otwell	No	lake plain	---	---	---	---	
PaB2: Parke silt loam, 2 to 6 percent slopes, eroded	Parke	No	outwash plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
PaC2: Parke silt loam, 6 to 12 percent slopes, eroded	Parke	No	outwash plain	---	---	---	---	
PeB2: Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	No	stream terrace	---	---	---	---	
	Bartle	No	stream terrace	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
PhaA: Peoga silt loam, 0 to 1 percent slopes	Peoga	Yes	flat, lake plain, stream terrace	2B3	YES	NO	NO	Wooded under natural conditions
	Peoga	Yes	lake plain, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
	Dubois	No	lake plain	---	---	---	---	
	Bartle	No	stream terrace	---	---	---	---	
Pp: Piopolis silty clay loam, frequently flooded	Piopolis	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Piopolis	Yes	flood plain	2B3,3,4	YES	YES	YES	Wooded under natural conditions
RaC3: Rarden silt loam, 6 to 12 percent slopes, severely eroded	Rarden	No	hill	---	---	---	---	
RdD3: Rarden silty clay loam, 12 to 20 percent slopes, severely eroded	Rarden	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ROA: Roby variant sandy loam, rarely flooded, 0 to 2 percent slopes	Roby variant	No	stream terrace	---	---	---	---	
RtxAH: Rossburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Rossburg	No	flood plain	---	---	---	---	
	Medway	No	flood plain, flood plain, channel	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
Ru: Ruark variant sandy loam, occasionally flooded	Ruark Variant	Yes	depression, stream terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
Sf: Steff silt loam, frequently flooded	Steff	No	flood plain	---	---	---	---	
Sg: Steff silt loam, rarely flooded	Steff	No	flood plain	---	---	---	---	
SldAH: Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	No	flood plain, flood plain, channel	---	---	---	---	
	Sloan	Yes	backswamp, meander scar, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
Sn: Stendal silt loam, frequently flooded	Stendal	No	flood plain	---	---	---	---	
	Piopolis	Yes	depression	2B3,3,4	YES	YES	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Stendal	Yes	depression	4	NO	YES	NO	Wooded under natural conditions
SsC2: Stonehead silt loam, 4 to 12 percent slopes, eroded	Stonehead	No	hill	---	---	---	---	
St: Stonelick fine sandy loam, frequently flooded	Stonelick	No	flood plain	---	---	---	---	
StdAQ: Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	No	flood-plain step	---	---	---	---	
	Bonnie	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Steff	No	flood-plain step	---	---	---	---	
	Stendal	No	flood plain, flood-plain step	---	---	---	---	
SyA: Stoy silt loam, 0 to 2 percent slopes	Stoy	No	loess hill	---	---	---	---	
	Nabb	No	till plain	---	---	---	---	
	Cobbsfork	Yes	till plain	2B3	YES	NO	NO	Wooded under natural conditions
TlB2: Tilsit silt loam, 2 to 6 percent slopes, eroded	Tilsit	No	hill	---	---	---	---	
TlC2: Tilsit silt loam, 6 to 12 percent slopes, eroded	Tilsit	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Ud: Udorthents-Aquents complex	Udorthents	No	dune	---	---	---	---	
	Aquents	No	interdune, terrace	---	---	---	---	Wooded under natural conditions
	Udorthents	Unranked	---	---	---	---	---	
	Urban land	Unranked	---	---	---	---	---	
	Aquents	Yes	flood plain	2B1,3	YES	NO	YES	Wooded under natural conditions
W: Water	Water	Unranked	---	---	---	---	---	
Wa: Wakeland silt loam, frequently flooded	Wakeland	No	flood plain	---	---	---	---	
	Birds	Yes	flood plain	2B3,3,4	YES	YES	YES	Wooded under natural conditions
	Wakeland	Yes	flood plain	4	NO	YES	NO	Wooded under natural conditions
WeD2: Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	No	hill	---	---	---	---	
Wk: Whitaker sandy loam, frequently flooded	Whitaker	No	stream terrace	---	---	---	---	
	Driftwood	Yes	flood plain	3,2B3	YES	NO	YES	Wooded under natural conditions
Wo: Whitaker variant loam, frequently flooded	Whitaker variant	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Jackson County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Wr: Wilbur silt loam, frequently flooded	Wilbur	No	flood plain	---	---	---	---	
WsyAQ: Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded	Whitaker	No	stream terrace	---	---	---	---	
	Roby Variant	No	---	---	---	---	---	
	Ruark Variant	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Wt: Wilhite silty clay, frequently flooded	Wilhite	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
Zp: Zipp silty clay, frequently flooded	Zipp	Yes	lake plain, flat, depression	2B3	YES	NO	NO	Wooded under natural conditions