

HYDRIC SOILS LIST
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AddA: Avonburg silt loam, 0 to 2 percent slopes	Avonburg	No	till plain	---	---	---	---	
	Cobbsfork	Yes	till plain, depression	2B3	YES	NO	NO	Wooded under natural conditions
	Nabb	No	till plain	---	---	---	---	
AddB2: Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	No	till plain	---	---	---	---	
	Cobbsfork	Yes	till plain, depression	2B3	YES	NO	NO	Wooded under natural conditions
	Nabb	No	till plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
BbhA: Bartle silt loam, 0 to 2 percent slopes	Bartle	No	stream terrace	---	---	---	---	
	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
	Pekin	No	stream terrace	---	---	---	---	
	Bartle	No	flood-plain step	---	---	---	---	
BodAH: Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
	Bonnie	Yes	backswamp	2B3,3	YES	NO	YES	Wooded under natural conditions
	Stendal	No	flood-plain step	---	---	---	---	
CkkB2: Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Nabb	No	till plain	---	---	---	---	
	Blocher	No	till plain	---	---	---	---	
CkkC2: Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
CkkC3: Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati	No	till plain	---	---	---	---	
CkkD2: Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
CkkD3: Cincinnati silt loam, 12 to 18 percent slopes, severely eroded	Cincinnati	No	till plain	---	---	---	---	
Ck1C2: Cincinnati-Nabb silt loams, 2 to 12 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
	Nabb	No	till plain	---	---	---	---	
ClfA: Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	Yes	till plain, flat	2B3	YES	NO	NO	Wooded under natural conditions
	Cobbsfork	Yes	till plain, depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	Avonburg	No	till plain	---	---	---	---	
CrbF: Corydon-Rock outcrop complex, 25 to 60 percent slopes	Corydon	No	hill	---	---	---	---	
	Rock outcrop	Unranked	escarpment	---	---	---	---	
CxdA: Cyclone silty clay loam, 0 to 1 percent slopes	Cyclone	Yes	ground moraine, swale, depression	3,2B3	YES	NO	YES	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions
	Fincastle	No	till plain	---	---	---	---	Wooded under natural conditions
EdcAH: Eel silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Eel	No	flood plain, flood-plain step	---	---	---	---	
EepA: Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	No	stream terrace	---	---	---	---	
EepB2: Elkinsville silt loam, 2 to 6 percent slopes, eroded	Elkinsville	No	stream terrace	---	---	---	---	
EepC2: Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	No	stream terrace	---	---	---	---	
FdbA: Fincastle silt loam, 0 to 2 percent slopes	Fincastle	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	swale, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
	Williamstown	No	till plain	---	---	---	---	
FdmB2: Fincastle-Russell silt loams, 2 to 6 percent slopes, eroded	Fincastle	No	till plain	---	---	---	---	
	Russell	No	till plain	---	---	---	---	
	Cyclone	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
GccAH: Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	No	flood plain, flood-plain step	---	---	---	---	

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
GmcC2: Grayford silt loam, 6 to 12 percent slopes, eroded	Grayford	No	till plain	---	---	---	---	
GmcC3: Grayford silt loam, 6 to 12 percent slopes, severely eroded	Grayford	No	till plain	---	---	---	---	
GmcD2: Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	No	till plain	---	---	---	---	
GmcD3: Grayford silt loam, 12 to 18 percent slopes, severely eroded	Grayford	No	till plain	---	---	---	---	
GufE2: Grayford-Corydon silt loams, 18 to 25 percent slopes, eroded	Grayford	No	till plain	---	---	---	---	
	Corydon	No	hill	---	---	---	---	
Gxb: Udorthents soils, 12 to 25 percent slopes, gullied	Udorthents, loamy	No	till plain	---	---	---	---	
	Udorthents, clayey	No	hill, strath terrace	---	---	---	---	
	Bonnell	No	till plain	---	---	---	---	
	Deputy	No	hill, strath terrace	---	---	---	---	
HcgAH: Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	No	flood plain, natural levee	---	---	---	---	
	Wirt	No	flood plain	---	---	---	---	
	Wilbur	No	flood plain	---	---	---	---	
HeeE2: Hickory loam, 18 to 25 percent slopes, eroded	Hickory	No	till plain	---	---	---	---	
HeeG: Hickory loam, 25 to 50 percent slopes	Hickory	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
JaeB2: Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	No	till plain	---	---	---	---	
	Deputy	No	strath terrace, hill	---	---	---	---	
	Cincinnati	No	till plain	---	---	---	---	
	Very deep, silty soil	No	till plain	---	---	---	---	
JaeC2: Jennings silt loam, 6 to 12 percent slopes, eroded	Jennings	No	till plain	---	---	---	---	
JaeC3: Jennings silt loam, 6 to 12 percent slopes, severely eroded	Jennings	No	till plain	---	---	---	---	
JaeD2: Jennings silt loam, 12 to 18 percent slopes, eroded	Jennings	No	till plain	---	---	---	---	
JaeD3: Jennings silt loam, 12 to 18 percent slopes, severely eroded	Jennings	No	till plain	---	---	---	---	
MmoC3: Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami	No	till plain	---	---	---	---	
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions
MnpC2: Miami silt loam, 6 to 12 percent slopes, eroded	Miami	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	ground moraine, swale, depression	3,2B3	YES	NO	YES	Wooded under natural conditions
	Crosby	No	till plain	---	---	---	---	Wooded under natural conditions

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MnpD2: Miami silt loam, 12 to 18 percent slopes, eroded	Miami	No	till plain	---	---	---	---	Wooded under natural conditions
	Crosby	No	till plain	---	---	---	---	
NaaA: Nabb silt loam, 0 to 2 percent slopes	Nabb	No	till plain	---	---	---	---	
	Avonburg	No	till plain	---	---	---	---	
NaaB2: Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb	No	till plain	---	---	---	---	
	Cincinnati	No	till plain	---	---	---	---	
	Avonburg	No	till plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
NaaB3: Nabb silt loam, 2 to 6 percent slopes, severely eroded	Nabb	No	till plain	---	---	---	---	
	Cincinnati	No	---	---	---	---	---	
	Avonburg	No	---	---	---	---	---	
	Wakeland	No	---	---	---	---	---	
PbbB2: Parke silt loam, 2 to 6 percent slopes, eroded	Parke	No	outwash terrace, till plain	---	---	---	---	
PbbC2: Parke silt loam, 6 to 12 percent slopes, eroded	Parke	No	outwash terrace, till plain	---	---	---	---	
PbbC3: Parke silt loam, 6 to 12 percent slopes, severely eroded	Parke	No	outwash terrace, till plain	---	---	---	---	
PcrA: Pekin silt loam, 0 to 2 percent slopes	Pekin	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
PcrB2: Pekin silt loam, 2 to 6 percent slopes, eroded	Bartle	No	stream terrace	---	---	---	---	
	Pekin	No	stream terrace	---	---	---	---	
	Bartle	No	stream terrace	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
PcrC2: Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	No	stream terrace	---	---	---	---	
	Pekin	No	stream terrace	---	---	---	---	
	Pekin	No	stream terrace	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
PhaA: Peoga silt loam, 0 to 1 percent slopes	Peoga	Yes	flat, lake plain, stream terrace	2B3	YES	NO	NO	Wooded under natural conditions
	Peoga	Yes	lake plain, stream terrace	3,2B3	YES	NO	YES	Wooded under natural conditions
	Dubois	No	lake plain	---	---	---	---	
	Bartle	No	stream terrace	---	---	---	---	
Pml: Pits, quarry	Pits, quarry	Unranked	---	---	---	---		
RpuE2: Rohan channery silt loam, 18 to 40 percent slopes, eroded	Rohan	No	hill	---	---	---	---	
	Trappist	No	---	---	---	---	---	
	Corydon	No	---	---	---	---	---	
	Haymond	No	---	---	---	---	---	
	Rock outcrop	No	---	---	---	---		

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
RtcB2: Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	No	till plain	---	---	---	---	
	Cincinnati	No	till plain	---	---	---	---	
	Ryker	No	till plain	---	---	---	---	
StaAH: Steff silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Steff	No	flood plain	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
	Cuba	No	natural levee	---	---	---	---	
StdAH: Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	No	flood plain	---	---	---	---	
	Bonnie	Yes	backswamp	2B3	YES	NO	NO	Wooded under natural conditions
	Steff	No	flood-plain step	---	---	---	---	
	Piopolis	Yes	backswamp	2B3	YES	NO	NO	Wooded under natural conditions
ThaC2: Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	No	hill, strath terrace	---	---	---	---	
	Trappist	No	hill, strath terrace	---	---	---	---	
	Deputy	No	hill, strath terrace	---	---	---	---	
	Scottsburg	No	strath terrace	---	---	---	---	
	Rohan	No	hill, strath terrace	---	---	---	---	
	Trappist	No	hill, strath terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Jennings County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ThaD2: Trappist silt loam, 12 to 18 percent slopes, eroded	Trappist	No	hill, strath terrace	---	---	---	---	
ThbC3: Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist	No	hill, strath terrace	---	---	---	---	
	Trappist	No	hill, strath terrace	---	---	---	---	
	Deputy	No	hill, strath terrace	---	---	---	---	
	Rohan	No	hill, strath terrace	---	---	---	---	
	Scottsburg	No	strath terrace	---	---	---	---	
	Trappist	No	hill, strath terrace	---	---	---	---	
ThbD3: Trappist silty clay loam, 12 to 18 percent slopes, severely eroded	Trappist	No	hill, strath terrace	---	---	---	---	
W: Water	Water	Unranked	---	---	---	---	---	
WaaAH: Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	No	flood plain	---	---	---	---	
	Birds	Yes	backswamp	2B3	YES	NO	NO	Wooded under natural conditions
	Wilbur	No	flood plain	---	---	---	---	
WokAH: Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	No	flood plain	---	---	---	---	
	Wakeland	No	flood plain	---	---	---	---	
	Haymond	No	flood plain, natural levee	---	---	---	---	