

HYDRIC SOILS LIST  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AcjE: Adyeville-Ebal silt loams, 18 to 30 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Ebal	No	hill, structural bench	---	---	---	---	
AclF: Adyeville-Tipsaw-Wellston complex, 18 to 50 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Tipsaw	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill	---	---	---	---	
AcmF: Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill	---	---	---	---	
AgrB: Apalona silt loam, 2 to 6 percent slopes	Apalona	No	hill	---	---	---	---	
AmeE: Alvin sandy loam, 12 to 22 percent slopes	Alvin	No	dune	---	---	---	---	
	Bloomfield	No	---	---	---	---	---	
AmoC2: Alvin-Bloomfield loamy fine sands, 4 to 10 percent slopes, eroded	Alvin	No	dune	---	---	---	---	
	Bloomfield	No	dune	---	---	---	---	
AmoE: Alvin-Bloomfield loamy fine sands, 15 to 35 percent slopes	Alvin	No	dune	---	---	---	---	
	Bloomfield	No	dune	---	---	---	---	
BbhAQ: Bartle silt loam, 0 to 2 percent slopes, rarely flooded	Bartle	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Petrolia	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
BcrAW: Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	No	flood plain, alluvial fan	---	---	---	---	
	Wilbur	No	flood plain, flood-plain step	---	---	---	---	
	Beanblossom	No	flood plain	---	---	---	---	
	A deep, loamy soil	No	flood plain	---	---	---	---	
BdoB: Bedford silt loam, 2 to 6 percent slopes	Bedford	No	hill	---	---	---	---	
	Crider	No	hill	---	---	---	---	
BdyB: Bedford-Stoy silt loams, 1 to 4 percent slopes	Bedford	No	hill	---	---	---	---	
	Stoy	No	loess hill	---	---	---	---	
	Bedford	No	hill	---	---	---	---	
BkeB: Bloomfield-Alvin complex, 1 to 6 percent slopes	Bloomfield	No	dune	---	---	---	---	
	Alvin	No	dune	---	---	---	---	
BlrC: Bloomfield loamy sand, 3 to 10 percent slopes	Bloomfield	No	dune	---	---	---	---	
BodAH: Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
BuoA: Bromer silt loam, 0 to 2 percent slopes	Bromer	No	hill	---	---	---	---	
	Bedford	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Crider	No	hill	---	---	---	---	
	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
BvmG: Brownstown channery silt loam, 25 to 75 percent slopes	Brownstown	No	hill, knob	---	---	---	---	
BvoG: Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	No	hill, knob	---	---	---	---	
	Gilwood	No	hill, knob	---	---	---	---	
	Gilwood	No	hill, knob	---	---	---	---	
	Wrays	No	hill, knob	---	---	---	---	
	Beanblossom	No	flood plain, alluvial fan	---	---	---	---	
	Shallow, loamy soil	No	hill, knob	---	---	---	---	
	Rock outcrop	Unranked	free face	---	---	---	---	
CbpC2: Caneyville silt loam, 6 to 12 percent slopes, eroded	Caneyville	No	sinkhole	---	---	---	---	
CbpD2: Caneyville silt loam, 12 to 20 percent slopes, eroded	Caneyville	No	sinkhole	---	---	---	---	
CbxG: Caneyville-Adyeville-Rock outcrop complex, 25 to 75 percent slopes	Caneyville	No	hill	---	---	---	---	
	Adyeville	No	hill, structural bench	---	---	---	---	
	Rock outcrop	Unranked	free face	---	---	---	---	
CspB: Crider silt loam, 2 to 6 percent slopes	Crider	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Hoosierville	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
CspC2: Crider silt loam, 6 to 12 percent slopes, eroded	Crider	No	hill	---	---	---	---	
CspD2: Crider silt loam, 12 to 18 percent slopes, eroded	Crider	No	hill	---	---	---	---	
CtxD2: Crider-Frederick silt loams, karst, 6 to 20 percent slopes, eroded	Crider	No	hill	---	---	---	---	
	Frederick	No	hill	---	---	---	---	
CtzD2: Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	Crider	No	hill	---	---	---	---	
	Caneyville	No	sinkhole	---	---	---	---	
EaaC2: Ebal silt loam, 6 to 12 percent slopes, eroded	Ebal	No	hill, structural bench	---	---	---	---	
EbdD2: Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded	Ebal	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill, structural bench	---	---	---	---	
EbeE: Ebal-Wellston silt loams, 12 to 24 percent slopes	Ebal	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill, structural bench	---	---	---	---	
EhrB2: Elkinsville Variant loam, 2 to 6 percent slopes, eroded	Elkinsville variant	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
FkhC2: Frederick silt loam, 6 to 12 percent slopes, eroded	Frederick	No	sinkhole	---	---	---	---	
FkhD2: Frederick silt loam, 12 to 18 percent slopes, eroded	Frederick	No	hill	---	---	---	---	
Fk1D5: Frederick silty clay loam, 10 to 18 percent slopes, gullied	Frederick	No	hill	---	---	---	---	
FknC2: Frederick-Crider silt loams, karst, 2 to 12 percent slopes, eroded	Frederick	No	sinkhole	---	---	---	---	
	Crider	No	sinkhole, hill	---	---	---	---	
FkoD2: Frederick-Crider-Gilwood silt loams, 6 to 18 percent slopes, eroded	Frederick	No	hill	---	---	---	---	
	Crider	No	hill	---	---	---	---	
	Gilwood	No	hill, knob	---	---	---	---	
GacAW: Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	No	alluvial fan, flood plain	---	---	---	---	
GgeD: Gilwood-Crider silt loams, 6 to 20 percent slopes	Gilwood	No	hill, knob	---	---	---	---	
	Crider	No	hill	---	---	---	---	
GghD: Gilwood-Wrays silt loams, 10 to 25 percent slopes	Gilwood	No	hill, knob	---	---	---	---	
	Wrays	No	hill, knob	---	---	---	---	
HarD: Haggatt silt loam, 12 to 18 percent slopes	Haggatt	No	hill	---	---	---	---	
	Caneyville	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Crider	No	hill	---	---	---	---	
HcgAH: Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	No	flood plain	---	---	---	---	
HfiaQ: Henshaw silt loam, 1 to 3 percent slopes, rarely flooded	Henshaw	No	lake terrace	---	---	---	---	
HnoA: Hoosierville silt loam, 0 to 1 percent slopes	Hoosierville	Yes	till plain	2B3	YES	NO	NO	Wooded under natural conditions
HsaB2: Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer	No	loess hill	---	---	---	---	
MikAH: McGary silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	McGary	No	lake plain	---	---	---	---	
	Bonnie	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MvnaH: Moundhaven loamy sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	No	flood plain	---	---	---	---	
MwhA: Muren silt loam, 1 to 3 percent slopes	Muren	No	loess hill	---	---	---	---	
	Hoosierville	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
NaaB2: Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb	No	till plain	---	---	---	---	
	Cincinnati	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
NbhAH: Newark silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Avonburg	No	till plain	---	---	---	---	
	Wakeland	No	flood plain, flood-plain step	---	---	---	---	
	Newark	No	flood plain	---	---	---	---	
	Petrolia	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
NprAH: Nolin silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Nolin	No	flood plain	---	---	---	---	
	Petrolia	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
Omz: Orthents, earthen dam	Orthents	Unranked	---	---	---	---	---	
PcrB: Pekin silt loam, 2 to 6 percent slopes	Pekin	No	stream terrace	---	---	---	---	
PcrC2: Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	No	stream terrace	---	---	---	---	
PhfA: Peoga silt loam, clayey substratum, 0 to 1 percent slopes	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
	Aquolls	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
	Bromer	No	hill	---	---	---	---	
	Haymond	No	---	---	---	---	---	
	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Stendal	No	---	---	---	---	---	
PkaAH: Petrolia silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Petrolia	Yes	backswamp, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
PwdB: Princeton-Alvin complex, 2 to 6 percent slopes	Princeton	No	dune	---	---	---	---	
	Alvin	No	dune	---	---	---	---	
SfvB2: Shircliff silty clay loam, 2 to 6 percent slopes, eroded	Shircliff	No	lake plain	---	---	---	---	
SoaB: Spickert silt loam, 2 to 6 percent slopes	Spickert	No	hill	---	---	---	---	
	Wrays	No	hill	---	---	---	---	
	Very deep, somewhat poorly drained, silty soil	No	hill	---	---	---	---	
StwAH: Stendal silt loam, clayey substratum, 0 to 2 percent slopes, frequently flooded, brief duration	Stendal	No	flood plain	---	---	---	---	
	Bonnie	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
SvgA: Stoy silt loam, 0 to 2 percent slopes	Stoy	No	loess hill	---	---	---	---	
	Bedford	No	hill	---	---	---	---	
	Hoosierville	Yes	divide	2B3	YES	NO	NO	Wooded under natural conditions
Uas: Udorthents-Pits, quarries complex	Udorthents	No	---	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Pits, quarry	No	---	---	---	---	---	
	Water	No	---	---	---	---	---	
UcuA: Udorthents, loamy	Udorthents	Unranked	---	---	---	---	---	
	Pits	Unranked	---	---	---	---	---	
W: Water	Water	Unranked	---	---	---	---	---	
WhfC2: Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston	No	hill	---	---	---	---	
WhfC3: Wellston silt loam, 6 to 12 percent slopes, severely eroded	Wellston	No	hill	---	---	---	---	
WhfD2: Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
WhfD3: Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston	No	hill, structural bench	---	---	---	---	
WokAH: Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	No	flood plain	---	---	---	---	
	Bonnie	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
WozD5: Wellston silt loam, 10 to 18 percent slopes, gullied	Wellston	No	hill, structural bench	---	---	---	---	
WpFG: Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	Wellston	No	hill	---	---	---	---	
	Tipsaw	No	hill	---	---	---	---	
	Adyeville	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
WpoD2: Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
	Adyeville	No	hill, structural bench	---	---	---	---	
WppD2: Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
	Adyeville	No	hill, structural bench	---	---	---	---	
	Ebal	No	hill, structural bench	---	---	---	---	
WprAH: Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	No	flood plain	---	---	---	---	
WymC2: Wrays silt loam, 6 to 12 percent slopes, eroded	Wrays	No	hill, knob	---	---	---	---	
WymD: Wrays silt loam, 12 to 18 percent slopes	Wrays	No	hill, knob	---	---	---	---	
WymD5: Wrays silt loam, 10 to 18 percent slopes, gullied	Wrays	No	hill, knob	---	---	---	---	
WygD: Wrays-Gilwood silt loams, 6 to 20 percent slopes	Wrays	No	hill, knob	---	---	---	---	
	Gilwood	No	hill, knob	---	---	---	---	
ZamB2: Zanesville silt loam, soft bedrock substratum, 2 to 6 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Lawrence County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ZamC2: Zanesville silt loam, soft bedrock substratum, 6 to 12 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	