

HYDRIC SOILS LIST
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AbqD2: Adyeville silt loam, 12 to 18 percent slopes, eroded	Adyeville	No	hill, structural bench	---	---	---	---	
AbqD3: Adyeville silt loam, 12 to 18 percent slopes, severely eroded	Adyeville	No	hill, structural bench	---	---	---	---	
AbqE: Adyeville silt loam, 18 to 25 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
AbqE3: Adyeville silt loam, 18 to 25 percent slopes, severely eroded	Adyeville	No	hill, structural bench	---	---	---	---	
AciG: Adyeville-Tipsaw complex, 20 to 60 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Tipsaw	No	hill	---	---	---	---	
AclF: Adyeville-Tipsaw-Wellston complex, 18 to 50 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Tipsaw	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill	---	---	---	---	
AcmE: Adyeville-Wellston silt loams, 18 to 25 percent slopes	Adyeville	No	hill	---	---	---	---	
	Wellston	No	hill	---	---	---	---	
AcmF: Adyeville-Wellston silt loams, 18 to 50 percent slopes	Adyeville	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill	---	---	---	---	
AgrA: Apalona silt loam, 0 to 2 percent slopes	Apalona	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AgrB: Apalona silt loam, 2 to 6 percent slopes	Apalona	No	hill	---	---	---	---	
AgrC2: Apalona silt loam, 6 to 12 percent slopes, eroded	Apalona	No	hill	---	---	---	---	
AgrC3: Apalona silt loam, 6 to 12 percent slopes, severely eroded	Apalona	No	hill	---	---	---	---	
AgyB: Apalona-Udorthents complex, 2 to 6 percent slopes	Apalona	No	hill	---	---	---	---	
	Udorthents	No	---	---	---	---	---	
AgyC: Apalona-Udorthents complex, 6 to 12 percent slopes	Apalona	No	---	---	---	---	---	
	Udorthents	No	hill	---	---	---	---	
AmoC2: Alvin-Bloomfield loamy fine sands, 4 to 10 percent slopes, eroded	Alvin	No	dune	---	---	---	---	
	Bloomfield	No	dune	---	---	---	---	
AmoE: Alvin-Bloomfield loamy fine sands, 15 to 35 percent slopes	Alvin	No	dune	---	---	---	---	
	Bloomfield	No	dune	---	---	---	---	
BbhA: Bartle silt loam, 0 to 2 percent slopes	Bartle	No	stream terrace	---	---	---	---	
	Peoga	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
	Pekin	No	stream terrace	---	---	---	---	
	Bartle	No	flood-plain step	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
BgeAH: Birds silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Birds	Yes	backswamp, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
BodAH: Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bonnie	Yes	backswamp, flood plain	2B3	YES	NO	NO	Wooded under natural conditions
CbaB: Camden silt loam, 1 to 5 percent slopes	Camden	No	stream terrace	---	---	---	---	
ClmC: Cincinnati silt loam, 3 to 10 percent slopes	Cincinnati	No	till plain	---	---	---	---	
CtnC: Crider silt loam, 3 to 10 percent slopes	Crider	No	hill	---	---	---	---	
CtwD2: Crider-Caneyville silt loams, 12 to 18 percent slopes, eroded	Crider	No	hill	---	---	---	---	
	Caneyville	No	sinkhole	---	---	---	---	
CwaAH: Cuba silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Cuba	No	flood-plain step	---	---	---	---	
EaaC2: Ebal silt loam, 6 to 12 percent slopes, eroded	Ebal	No	hill, structural bench	---	---	---	---	
EbdD2: Ebal-Wellston silt loams, 10 to 18 percent slopes, eroded	Ebal	No	hill, structural bench	---	---	---	---	
	Wellston	No	hill, structural bench	---	---	---	---	
FamF: Fairpoint parachannery silt loam, 12 to 45 percent slopes	Fairpoint	No	---	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
FanC: Fairpoint parachannery silty clay loam, 4 to 16 percent slopes	Fairpoint	No	---	---	---	---	---	
GacAW: Gatchel loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Gatchel	No	alluvial fan, flood plain	---	---	---	---	
HarD: Haggatt silt loam, 12 to 18 percent slopes	Haggatt	No	hill	---	---	---	---	
	Caneyville	No	hill	---	---	---	---	
	Crider	No	hill	---	---	---	---	
HcgAH: Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	No	flood plain	---	---	---	---	
HsaB2: Hosmer silt loam, 2 to 6 percent slopes, eroded	Hosmer	No	loess hill	---	---	---	---	
JoaA: Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	No	hill	---	---	---	---	
	poorly drained aquults	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
McpC3: Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland	No	lake plain	---	---	---	---	
MecA: Martinsville loam, 0 to 2 percent slopes	Martinsville	No	stream terrace	---	---	---	---	
	Very deep, moderately well drained, loamy soil	No	stream terrace	---	---	---	---	
	Whitaker	No	depression	---	---	---	---	
	Martinsville	No	stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MhhAH: McAdoo silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	McAdoo	No	flood plain	---	---	---	---	
	Newark	No	drainageway	---	---	---	---	
MikAQ: McGary silty clay loam, 0 to 2 percent slopes, rarely flooded	McGary	No	lake plain	---	---	---	---	
	Zipp	Yes	lake plain, depression	2B3	YES	NO	NO	Wooded under natural conditions
MvnAH: Moundhaven loamy sand, 0 to 2 percent slopes, frequently flooded, brief duration	Moundhaven	No	flood plain	---	---	---	---	
NamF: Negley silt loam, 18 to 35 percent slopes	Negley	No	outwash terrace	---	---	---	---	
NbhAH: Newark silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Newark	No	flood plain	---	---	---	---	
	Birds	Yes	backswamp, flood plain	2B3,3	YES	NO	YES	Wooded under natural conditions
OmrE: Orthents, 6 to 25 percent slopes	Orthents	No	---	---	---	---	---	
Omz: Orthents, earthen dam	Orthents	Unranked	---	---	---	---	---	
PbbC2: Parke silt loam, 6 to 12 percent slopes, eroded	Parke	No	outwash plain	---	---	---	---	
PbbD2: Parke silt loam, 12 to 18 percent slopes, eroded	Parke	No	outwash plain	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
PcrB: Pekin silt loam, 2 to 6 percent slopes	Pekin	No	stream terrace	---	---	---	---	
PcrC2: Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	No	stream terrace	---	---	---	---	
	Pekin	No	stream terrace	---	---	---	---	
	Pekin	No	stream terrace	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
PlcAV: Piankeshaw silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Piankeshaw	No	flood plain	---	---	---	---	
	Piankeshaw	No	flood plain	---	---	---	---	
	Wirt	No	flood plain, alluvial fan	---	---	---	---	
	Oldenburg	No	drainageway	---	---	---	---	
PlfB: Pike silt loam, 2 to 6 percent slopes	Pike	No	outwash plain	---	---	---	---	
SfyB2: Shircliff silt loam, 2 to 6 percent slopes, eroded	Shircliff	No	lake plain	---	---	---	---	
StaAH: Steff silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Steff	No	flood plain	---	---	---	---	
	Stendal	No	flood plain	---	---	---	---	
	Cuba	No	natural levee	---	---	---	---	
UcuA: Udorthents, loamy	Udorthents	Unranked	---	---	---	---	---	
	Pits	Unranked	---	---	---	---	---	
Usl: Udorthents, rubbish	Udorthents, rubbish	Unranked	---	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
W: Water	Water	Unranked	---	---	---	---	---	
WaaAH: Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wakeland	No	flood plain	---	---	---	---	
	Birds	Yes	backswamp, flood plain	3,2B3	YES	NO	YES	Wooded under natural conditions
WhfB: Wellston silt loam, 2 to 6 percent slopes	Wellston	No	hill, structural bench	---	---	---	---	
WhfC2: Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston	No	hill	---	---	---	---	
WhfD2: Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
WhfD3: Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston	No	hill, structural bench	---	---	---	---	
WokAH: Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wilbur	No	flood plain	---	---	---	---	
	Wakeland	No	flood plain	---	---	---	---	
	Haymond	No	flood plain	---	---	---	---	
WozD5: Wellston silt loam, 10 to 18 percent slopes, gullied	Wellston	No	hill, structural bench	---	---	---	---	
WpFG: Wellston-Tipsaw-Adyeville complex, 18 to 70 percent slopes	Wellston	No	hill	---	---	---	---	
	Tipsaw	No	hill	---	---	---	---	
	Adyeville	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
WpnE: Wellston-Adyeville complex, 12 to 30 percent slopes	Wellston	No	hill	---	---	---	---	
	Adyeville	No	hill	---	---	---	---	
WpoD2: Wellston-Adyeville silt loams, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
	Adyeville	No	hill, structural bench	---	---	---	---	
WppD2: Wellston-Adyeville-Ebal silt loams, 12 to 18 percent slopes, eroded	Wellston	No	hill, structural bench	---	---	---	---	
	Adyeville	No	hill, structural bench	---	---	---	---	
	Ebal	No	hill, structural bench	---	---	---	---	
WprAH: Wirt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Wirt	No	flood plain	---	---	---	---	
WpvD: Wellston-Udorthents complex, 12 to 18 percent slopes	Wellston	No	hill, structural bench	---	---	---	---	
	Udorthents	No	---	---	---	---	---	
ZamB2: Zanesville silt loam, soft bedrock substratum, 2 to 6 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	
ZamC2: Zanesville silt loam, soft bedrock substratum, 6 to 12 percent slopes, eroded	Zanesville	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued
 Martin County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
ZcaAQ: Zipp silty clay, 0 to 1 percent slopes, rarely flooded	Zipp	Yes	lake plain, depression	2B3	YES	NO	NO	Wooded under natural conditions