

HYDRIC SOILS LIST  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
AfA: Alford silt loam, 0 to 2 percent slopes	Alford	No	loess hill	---	---	---	---	
AfB: Alford silt loam, 2 to 6 percent slopes	Alford	No	loess hill	---	---	---	---	
AfC2: Alford silt loam, 6 to 12 percent slopes, eroded	Alford	No	loess hill	---	---	---	---	
Ar: Armiesburg silty clay loam	Armiesburg	No	flood plain	---	---	---	---	
AvB: Ava silt loam, 2 to 6 percent slopes	Ava	No	till plain	---	---	---	---	
Ba: Banlic silt loam	Banlic	No	stream terrace	---	---	---	---	
	Bonnie	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Bd: Bartle silt loam	Bartle	No	stream terrace	---	---	---	---	
	poorly drained aqualfs	Yes	flat	2B3,3	YES	NO	YES	Wooded under natural conditions
BeB: Bedford silt loam, 2 to 6 percent slopes	Bedford	No	hill	---	---	---	---	
BeC2: Bedford silt loam, 6 to 12 percent slopes, eroded	Bedford	No	hill	---	---	---	---	
BfG: Berks channery silt loam, 35 to 80 percent slopes	Berks	No	hill	---	---	---	---	
BmC: Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	No	dune	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Bo: Bonnie silt loam	Bonnie	Yes	flood plain	2B3	YES	NO	NO	Wooded under natural conditions
Br: Brookston clay loam	Brookston	Yes	depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
ChF: Chetwynd loam, 18 to 80 percent slopes	Chetwynd	No	outwash plain	---	---	---	---	
CnC2: Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
CnC3: Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	Cincinnati	No	till plain	---	---	---	---	
CnD2: Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	No	till plain	---	---	---	---	
CnD3: Cincinnati silt loam, 12 to 18 percent slopes, severely eroded	Cincinnati	No	till plain	---	---	---	---	
CrA: Crosby silt loam, 0 to 2 percent slopes	Crosby	No	till plain	---	---	---	---	
	Brookston	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3	YES	NO	NO	
CsB2: Crosby-Miami silt loams, 2 to 4 percent slopes, eroded	Crosby	No	till plain	---	---	---	---	
	Miami	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Brookston	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
EsC2: Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	No	till plain	---	---	---	---	
Ev: Evansville silty clay loam	Evansville	Yes	flat, lake terrace	2B3,3	YES	NO	YES	Wooded under natural conditions
FcA: Fincastle silt loam, 0 to 3 percent slopes	Fincastle	No	till plain	---	---	---	---	
	Brookston	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3	YES	NO	NO	
FoA: Fox loam, 0 to 2 percent slopes	Fox	No	outwash plain, stream terrace	---	---	---	---	
FoB2: Fox loam, 2 to 6 percent slopes, eroded	Fox	No	outwash plain, stream terrace	---	---	---	---	
FxC2: Fox complex, 6 to 15 percent slopes, eroded	Fox	No	outwash plain, stream terrace	---	---	---	---	
Ge: Genesee silt loam	Genesee	No	flood plain	---	---	---	---	
GpC: Gilpin silt loam, 6 to 12 percent slopes	Gilpin	No	hill	---	---	---	---	
GpD: Gilpin silt loam, 12 to 18 percent slopes	Gilpin	No	hill	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
GpE: Gilpin silt loam, 18 to 25 percent slopes	Gilpin	No	hill	---	---	---	---	
GrC: Grayford silt loam, 6 to 12 percent slopes	Grayford	No	till plain	---	---	---	---	
GrD2: Grayford silt loam, 12 to 18 percent slopes, eroded	Grayford	No	till plain	---	---	---	---	
Ha: Haymond silt loam	Haymond	No	flood plain	---	---	---	---	
HkF: Hickory loam, 18 to 50 percent slopes	Hickory	No	till plain	---	---	---	---	
IvA: Iva silt loam, 0 to 3 percent slopes	Iva	No	loess hill	---	---	---	---	
	Ragsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
MbD2: Markland silt loam, 12 to 18 percent slopes, eroded	Markland	No	lake plain	---	---	---	---	
MbE: Markland silt loam, 18 to 25 percent slopes	Markland	No	lake plain	---	---	---	---	
MeA: Martinsville loam, 0 to 2 percent slopes	Martinsville	No	outwash plain, stream terrace	---	---	---	---	
MeB: Martinsville loam, 2 to 6 percent slopes	Martinsville	No	outwash plain, stream terrace	---	---	---	---	
MnB2: Miami silt loam, 2 to 6 percent slopes, eroded	Miami	No	till plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Brookston	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MnC2: Miami silt loam, 6 to 12 percent slopes, eroded	Miami	No	till plain	---	---	---	---	
	Brookston	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
MnD2: Miami silt loam, 12 to 18 percent slopes, eroded	Miami	No	till plain	---	---	---	---	
MnE: Miami silt loam, 18 to 25 percent slopes	Miami	No	till plain	---	---	---	---	
MnF: Miami loam, 25 to 50 percent slopes	Miami	No	till plain	---	---	---	---	
MoC3: Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami	No	till plain	---	---	---	---	
MoD3: Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami	No	till plain	---	---	---	---	
Mp: Milford silty clay loam	Milford	Yes	depression, lake plain	2B3,3	YES	NO	YES	Wooded under natural conditions
Mu: Montgomery silty clay loam	Montgomery	Yes	depression, lake plain	2B3,3	YES	NO	YES	Wooded under natural conditions
OcA: Ockley loam, 0 to 2 percent slopes	Ockley	No	outwash plain, stream terrace	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
OcB2: Ockley loam, 2 to 6 percent slopes, eroded	Ockley	No	outwash plain, stream terrace	---	---	---	---	
Omz: Orthents, earthen dam	Orthents	Unranked	---	---	---	---	---	
PkC2: Parke silt loam, 6 to 12 percent slopes, eroded	Parke	No	outwash plain	---	---	---	---	
PkD: Parke silt loam, 12 to 18 percent slopes	Parke	No	outwash plain	---	---	---	---	
Pm: Patton silty clay loam	Patton	Yes	depression, lake plain	3,2B3	YES	NO	YES	Wooded under natural conditions
PnB: Pekin silt loam, 2 to 6 percent slopes	Pekin	No	stream terrace	---	---	---	---	
PpA: Pike silt loam, 0 to 2 percent slopes	Pike	No	outwash plain	---	---	---	---	
PpB2: Pike silt loam, 2 to 6 percent slopes, eroded	Pike	No	outwash plain	---	---	---	---	
PrA: Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	No	dune	---	---	---	---	
PrB: Princeton fine sandy loam, 2 to 6 percent slopes	Princeton	No	dune	---	---	---	---	
PrC: Princeton fine sandy loam, 6 to 12 percent slopes	Princeton	No	dune	---	---	---	---	
PrD: Princeton fine sandy loam, 12 to 18 percent slopes	Princeton	No	dune	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
PrE: Princeton fine sandy loam, 18 to 25 percent slopes	Princeton	No	dune	---	---	---	---	
Ps: Pits	Pits	No	---	---	---	---	---	
	Water	Unranked	---	---	---	---	---	
Rd: Reesville silt loam	Reesville	No	till plain	---	---	---	---	
	Patton	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	Rensselaer	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions
Re: Rensselaer clay loam	Rensselaer	Yes	depression, outwash plain	2B3,3	YES	NO	YES	Wooded under natural conditions
Ro: Ross loam	Ross	No	flood plain, stream terrace	---	---	---	---	
RuB: Russell silt loam, 2 to 6 percent slopes	Russell	No	till plain	---	---	---	---	
	Brookston	Yes	depression	3,2B3	YES	NO	YES	Wooded under natural conditions
Sh: Shoals silt loam	Shoals	No	flood plain	---	---	---	---	
	Sloan	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aquent	Yes	depression	2B3	YES	NO	NO	Wooded under natural conditions

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Sn: Sloan silty clay loam	Sloan	Yes	flood plain	2B3	YES	NO	NO	Wooded under natural conditions
St: Stonelick sandy loam	Stonelick	No	flood plain	---	---	---	---	
Ta: Taggart silt loam	Taggart	No	outwash plain	---	---	---	---	
	Rensselaer	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3	YES	NO	NO	
VoA: Vigo silt loam, 0 to 2 percent slopes	Vigo	No	till plain	---	---	---	---	
	poorly drained aqualfs	Yes	divide	2B3	YES	NO	NO	Wooded under natural conditions
W: Water	Water	Unranked	---	---	---	---	---	
Wa: Wakeland silt loam	Wakeland	No	flood plain	---	---	---	---	
	poorly drained aquent	Yes	drainageway	2B3	YES	NO	NO	Wooded under natural conditions
WcG: Weikert channery silt loam, 40 to 80 percent slopes	Weikert	No	hill	---	---	---	---	
WfC: Wellston silt loam, 6 to 12 percent slopes	Wellston	No	hill	---	---	---	---	
Wr: Whitaker loam	Whitaker	No	lake plain, outwash plain	---	---	---	---	

HYDRIC SOILS LIST--Continued  
Morgan County, Indiana

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Rensselaer	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
	poorly drained aqualf	Yes	depression	2B3,3	YES	NO	YES	
Wu: Wilbur silt loam	Wilbur	No	flood plain	---	---	---	---	
XeB2: Xenia silt loam, 2 to 7 percent slopes, eroded	Xenia	No	till plain	---	---	---	---	
ZaB: Zanesville silt loam, 2 to 6 percent slopes	Zanesville	No	hill	---	---	---	---	
ZaC: Zanesville silt loam, 6 to 12 percent slopes	Zanesville	No	hill	---	---	---	---	
Zp: Zipp silty clay loam	Zipp	Yes	flat, lake plain	2B3,3	YES	NO	YES	Wooded under natural conditions