

## Field Office Technical Guide Soils Information (FL)

FL091: Okaloosa County, Florida

| Map symbol<br>and soil name                           | Pct. of<br>unit | Hyd<br>group | Kf  | T<br>factor | WEG | Slope<br>Percent | Hydric<br>? | Farm Class:        | FL<br>PHE:                               | FL<br>HE: | Ecological<br>Group | Forage Suitability<br>Group ID: | LCU | FL<br>Triumph: | FL<br>Temik | FL Pot.<br>Leach | FL Pot.<br>Runoff |
|-------------------------------------------------------|-----------------|--------------|-----|-------------|-----|------------------|-------------|--------------------|------------------------------------------|-----------|---------------------|---------------------------------|-----|----------------|-------------|------------------|-------------------|
| 2: Arents, 2 to 8 percent slopes                      |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |     |                |             |                  |                   |
| Arents                                                | 100             | A            | .10 | 5           | 1   | 2 to 8           | No          | Not prime farmland | No                                       | No        | no                  | G152AT900FL                     | 7s1 | No             | No          | High             | High              |
| 3: Beaches                                            |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |     |                |             |                  |                   |
| Beaches                                               | 100             | D            | --- | ---         | --- | 1 to 3           | Inranker    | Not prime farmland | No                                       | Yes       | n                   | G152AT900FL                     | 8w1 | No             | No          | High             | Low               |
| 4: Chipley and Hurricane soils, 0 to 5 percent slopes |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Chipley                                               | 45              | C            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland | No                                       | No        | 5                   | G133AP077FL                     | 3s5 | No             | No          | High             | Medium            |
| Hurricane                                             | 40              | C            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland | No                                       | No        | 4                   | G133AP080FL                     | 3w7 | No             | Yes         | High             | Medium            |
| 6: Dorovan muck, frequently flooded                   |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Dorovan                                               | 92              | D            | --- | 3           | 2   | 0 to 1           | Yes         | Not prime farmland | No                                       | No        | 21                  | G133AP850FL                     | 7w2 | Yes            | Yes         | Low              | High              |
| 7: Duckston sand, frequently flooded                  |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |     |                |             |                  |                   |
| Duckston                                              | 85              | D            | .10 | 5           | 1   | 0 to 1           | Yes         | Not prime farmland | No                                       | No        | 1                   | G152AT003FL                     | 7w5 | No             | No          | Low              | High              |
| 8: Foxworth sand, 0 to 5 percent slopes               |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Foxworth                                              | 95              | A            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland | No                                       | No        | 4                   | G133AP142FL                     | 3s7 | No             | No          | High             | Low               |
| 10: Kureb sand, 0 to 8 percent slopes                 |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |     |                |             |                  |                   |
| Kureb                                                 | 94              | A            | .10 | 5           | 1   | 0 to 8           | No          | Not prime farmland | Yes                                      | No        | 3                   | G152AT192FL                     | 7s1 | No             | No          | High             | Low               |
| 12: Lakeland sand, 0 to 5 percent slopes              |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Lakeland                                              | 95              | A            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland | No                                       | No        | 4                   | G133AP192FL                     | 4s7 | No             | No          | High             | Low               |
| 13: Lakeland sand, 5 to 12 percent slopes             |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Lakeland                                              | 93              | A            | .10 | 5           | 1   | 5 to 12          | No          | Not prime farmland | Yes                                      | No        | 4                   | G133AP195FL                     | 6s2 | No             | No          | High             | Low               |
| 14: Lakeland sand, 12 to 30 percent slopes            |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Lakeland                                              | 94              | A            | .10 | 5           | 1   | 12 to 30         | No          | Not prime farmland | No                                       | Yes       | 4                   | G133AP195FL                     | 7s6 | No             | No          | High             | Medium            |
| 15: Leon sand                                         |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |     |                |             |                  |                   |
| Leon                                                  | 92              | B/D          | .10 | 5           | 1   | 0 to 2           | No          | Not prime farmland | No                                       | No        | 7                   | G152AT013FL                     | 4w5 | Yes            | Yes         | Medium           | High              |
| 16: Lucy loamy sand, 0 to 5 percent slopes            |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |     |                |             |                  |                   |
| Lucy                                                  | 92              | A            | .10 | 5           | 2   | 0 to 5           | No          | Not prime farmland | No                                       | No        | 5                   | G133AP140FL                     | 2s1 | Yes            | Yes         | Medium           | Low               |

## Field Office Technical Guide Soils Information (FL)

FL091: Okaloosa County, Florida

| Map symbol<br>and soil name                  | Pct. of<br>unit | Hyd<br>group | Kf  | T<br>factor | WEG | Slope<br>Percent | Hydric<br>? | Farm Class:                  | FL<br>PHE:                               | FL<br>HE: | Ecological<br>Group | Forage Suitability<br>Group ID: | LCU  | FL<br>Triumph: | FL<br>Temik | FL Pot.<br>Leach | FL Pot.<br>Runoff |
|----------------------------------------------|-----------------|--------------|-----|-------------|-----|------------------|-------------|------------------------------|------------------------------------------|-----------|---------------------|---------------------------------|------|----------------|-------------|------------------|-------------------|
| 17: Mandarin sand, 0 to 3 percent slopes     |                 |              |     |             |     |                  |             |                              | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Mandarin                                     | 94              | C            | .10 | 5           | 1   | 0 to 2           | ---         | Not prime farmland           | No                                       | No        | 4                   | G152AT077FL                     | 6s7  | Yes            | Yes         | High             | Low               |
| 18: Newhan-Corolla complex, rolling          |                 |              |     |             |     |                  |             |                              | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Newhan                                       | 60              | A            | .10 | 5           | 1   | 2 to 30          | ---         | Not prime farmland           | No                                       | Yes       | 1                   | G152AT198FL                     | 7s1  | No             | No          | High             | Low               |
| Corolla                                      | 30              | C            | .10 | 5           | 1   | 0 to 6           | No          | Not prime farmland           | Yes                                      | No        | 1                   | G152AT180FL                     | 7s20 | No             | No          | High             | Low               |
| 20: Udorthents, nearly level                 |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Udorthents                                   | 100             | C            | .20 | 4           | 3   | 0 to 2           | No          | Not prime farmland           | No                                       | Yes       | n                   | G133AP900FL                     | 8s1  | No             | No          | Medium           | High              |
| 21: Resota sand, 0 to 5 percent slopes       |                 |              |     |             |     |                  |             |                              | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Resota                                       | 95              | A            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland           | No                                       | No        | 3                   | G152AT142FL                     | 6s4  | No             | No          | High             | Low               |
| 22: Rutlege fine sand, depressional          |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Rutlege, depressional                        | 93              | B/D          | .10 | 5           | 1   | 0 to 1           | Yes         | Not prime farmland           | No                                       | No        | 22                  | G133AP002FL                     | 6w3  | Yes            | Yes         | High             | High              |
| 23: Troup sand, 0 to 5 percent slopes        |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Troup                                        | 96              | A            | .10 | 5           | 1   | 0 to 5           | ---         | Not prime farmland           | Yes                                      | No        | 4                   | G133AP141FL                     | 3s20 | Yes            | Yes         | Medium           | Low               |
| 24: Troup sand, 5 to 8 percent slopes        |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Troup                                        | 92              | A            | .10 | 5           | 1   | 5 to 8           | No          | Not prime farmland           | No                                       | Yes       | 4                   | G133AP141FL                     | 4s20 | Yes            | Yes         | Medium           | Low               |
| 25: Troup sand, 8 to 12 percent slopes       |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Troup                                        | 90              | A            | .10 | 5           | 1   | 8 to 12          | No          | Not prime farmland           | No                                       | Yes       | 4                   | G133AP144FL                     | 6s21 | Yes            | Yes         | Medium           | Low               |
| 26: Troup sand, 12 to 25 percent slopes      |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Troup                                        | 87              | A            | .10 | 5           | 1   | 12 to 25         | No          | Not prime farmland           | No                                       | Yes       | 4                   | G133AP147FL                     | 7s9  | Yes            | Yes         | Medium           | Medium            |
| 27: Urban land                               |                 |              |     |             |     |                  |             |                              | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Urban land                                   | 75              | ---          | --- | ---         | --- | 0 to 5           | Inranked    | Not prime farmland           | ---                                      | ---       | ---                 | G152AT900FL                     | ---  | ---            | ---         | ---              | ---               |
| 34: Albany loamy sand, 0 to 5 percent slopes |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Albany                                       | 88              | C            | .10 | 5           | 2   | 0 to 5           | No          | Not prime farmland           | No                                       | No        | 5                   | G133AP068FL                     | 3e5  | Yes            | Yes         | Low              | Medium            |
| 35: Angie sandy loam, 2 to 5 percent slopes  |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Angie                                        | 95              | C            | .32 | 5           | 3   | 2 to 5           | No          | All areas are prime farmland | Yes                                      | No        | 5                   | G133AP140FL                     | 3e3  | Yes            | Yes         | Low              | Medium            |

## Field Office Technical Guide Soils Information (FL)

FL091: Okaloosa County, Florida

| Map symbol<br>and soil name                               | Pct. of<br>unit | Hyd<br>group | Kf  | T<br>factor | WEG | Slope<br>Percent | Hydric<br>? | Farm Class:                  | FL<br>PHE:                         | FL<br>HE: | Ecological<br>Group | Forage Suitability<br>Group ID: | LCU  | FL<br>Triumph: | FL<br>Temik | FL Pot.<br>Leach | FL Pot.<br>Runoff |
|-----------------------------------------------------------|-----------------|--------------|-----|-------------|-----|------------------|-------------|------------------------------|------------------------------------|-----------|---------------------|---------------------------------|------|----------------|-------------|------------------|-------------------|
| 36: Bonifay sand, 0 to 5 percent slopes                   |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Bonifay                                                   | 88              | A            | .10 | 5           | 1   | 0 to 5           | No          | Not prime farmland           | No                                 | No        | 4                   | G133AP141FL                     | 3s21 | Yes            | Yes         | Medium           | Low               |
| 37: Bonifay sand, 5 to 8 percent slopes                   |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Bonifay                                                   | 85              | A            | .10 | 5           | 1   | 5 to 8           | No          | Not prime farmland           | Yes                                | No        | 4                   | G133AP141FL                     | 4s21 | Yes            | Yes         | Medium           | Low               |
| 38: Dothan loamy sand, 0 to 2 percent slopes              |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Dothan                                                    | 90              | B            | .15 | 5           | 2   | 0 to 2           | No          | All areas are prime farmland | No                                 | No        | 5                   | G133AP137FL                     | 12   | Yes            | Yes         | Low              | Medium            |
| 39: Dothan loamy sand, 2 to 5 percent slopes              |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Dothan                                                    | 89              | B            | .15 | 5           | 2   | 2 to 5           | No          | All areas are prime farmland | Yes                                | No        | 5                   | G133AP140FL                     | 2e2  | Yes            | Yes         | Low              | Medium            |
| 40: Dothan loamy sand, 5 to 8 percent slopes              |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Dothan                                                    | 90              | B            | .15 | 5           | 2   | 5 to 8           | No          | All areas are prime farmland | No                                 | Yes       | 5                   | G133AP140FL                     | 3e2  | Yes            | Yes         | Low              | Medium            |
| 41: Fuquay loamy fine sand, 0 to 5 percent slopes         |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Fuquay                                                    | 88              | B            | .15 | 5           | 2   | 0 to 5           | No          | Not prime farmland           | Yes                                | No        | 5                   | G133AP140FL                     | 2s2  | Yes            | Yes         | Low              | Low               |
| 42: Fuquay loamy fine sand, 5 to 8 percent slopes         |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Fuquay                                                    | 90              | B            | .15 | 5           | 2   | 5 to 8           | No          | Not prime farmland           | No                                 | Yes       | 5                   | G133AP140FL                     | 3s2  | Yes            | Yes         | Low              | Low               |
| 43: Kinston, Johnston, and Bibb soils, frequently flooded |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Bibb                                                      | 30              | D            | .28 | 5           | 5   | 0 to 2           | Yes         | Not prime farmland           | No                                 | No        | 20                  | G133AP015FL                     | 5w6  | Yes            | Yes         | Low              | High              |
| Johnston                                                  | 30              | D            | .20 | 5           | 3   | 0 to 2           | Yes         | Not prime farmland           | No                                 | No        | 20                  | G133AP201FL                     | 7w5  | Yes            | Yes         | Medium           | High              |
| Kinston                                                   | 30              | D            | .37 | 5           | 5   | 0 to 2           | Yes         | Not prime farmland           | No                                 | No        | 20                  | G133AP201FL                     | 6w4  | Yes            | Yes         | Low              | High              |
| 44: Leefield-Stilson complex, 0 to 5 percent slopes       |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Leefield                                                  | 70              | C            | .10 | 5           | 2   | 0 to 5           | No          | Not prime farmland           | No                                 | No        | 5                   | G133AP078FL                     | 2w4  | Yes            | Yes         | Low              | Medium            |
| Stilson                                                   | 20              | B            | .10 | 5           | 2   | 0 to 5           | No          | Not prime farmland           | No                                 | No        | 5                   | G133AP078FL                     | 2s3  | Yes            | Yes         | Low              | Medium            |
| 45: Orangeburg sandy loam, 0 to 2 percent slopes          |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain |           |                     |                                 |      |                |             |                  |                   |
| Orangeburg                                                | 89              | B            | .20 | 5           | 3   | 0 to 2           | No          | All areas are prime farmland | No                                 | No        | 5                   | G133AP140FL                     | 11   | Yes            | Yes         | Medium           | Medium            |

## Field Office Technical Guide Soils Information (FL)

FL091: Okaloosa County, Florida

| Map symbol<br>and soil name                                  | Pct. of<br>unit | Hyd<br>group | Kf  | T<br>factor | WEG | Slope<br>Percent | Hydric<br>? | Farm Class:                  | FL<br>PHE:                               | FL<br>HE: | Ecological<br>Group | Forage Suitability<br>Group ID: | LCU  | FL<br>Triumph: | FL<br>Temik | FL Pot.<br>Leach | FL Pot.<br>Runoff |
|--------------------------------------------------------------|-----------------|--------------|-----|-------------|-----|------------------|-------------|------------------------------|------------------------------------------|-----------|---------------------|---------------------------------|------|----------------|-------------|------------------|-------------------|
| 46: Orangeburg sandy loam, 2 to 5 percent slopes             |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Orangeburg                                                   | 83              | B            | .20 | 5           | 3   | 2 to 5           | No          | All areas are prime farmland | Yes                                      | No        | 5                   | G133AP140FL                     | 2e1  | Yes            | Yes         | Medium           | Medium            |
| 47: Orangeburg sandy loam, 5 to 8 percent slopes             |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Orangeburg                                                   | 92              | B            | .20 | 5           | 3   | 5 to 8           | No          | All areas are prime farmland | No                                       | Yes       | 5                   | G133AP140FL                     | 3e1  | Yes            | Yes         | Medium           | Medium            |
| 48: Pickney loamy sand, depressional                         |                 |              |     |             |     |                  |             |                              | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Pickney                                                      | 86              | A/D          | .10 | 5           | 2   | 0 to 2           | Yes         | Not prime farmland           | No                                       | No        | 22                  | G152AT800FL                     | 6w3  | Yes            | Yes         | High             | High              |
| 49: Bonifay-Dothan-Angie complex, 5 to 12 percent slopes     |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Bonifay                                                      | 35              | A            | .10 | 5           | 1   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 5                   | G133AP144FL                     | 6s1  | Yes            | Yes         | Medium           | Low               |
| Dothan                                                       | 35              | B            | .15 | 5           | 2   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 4                   | G133AP143FL                     | 4e2  | Yes            | Yes         | Low              | Medium            |
| Angie                                                        | 21              | C            | .32 | 5           | 3   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 5                   | G133AP143FL                     | 6e5  | Yes            | Yes         | Low              | Medium            |
| 50: Yemassee, Garcon, and Bigbee soils, occasionally flooded |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Yemassee                                                     | 40              | C            | .20 | 5           | 3   | 0 to 2           | No          | Not prime farmland           | No                                       | No        | 5                   | G133AP263FL                     | 2w5  | Yes            | Yes         | Low              | Medium            |
| Garcon                                                       | 30              | C            | .10 | 5           | 2   | 0 to 2           | No          | Not prime farmland           | No                                       | No        | 5                   | G133AP075FL                     | 2w4  | Yes            | Yes         | Medium           | Medium            |
| Bigbee                                                       | 22              | A            | .10 | 5           | 1   | 0 to 2           | No          | Not prime farmland           | No                                       | No        | 5                   | G133AP092FL                     | 3s22 | No             | No          | High             | Low               |
| 51: Troup-Orangeburg-Cowarts complex, 5 to 12 percent slopes |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Troup                                                        | 47              | A            | .10 | 5           | 1   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 5                   | G133AP144FL                     | 6s21 | Yes            | Yes         | Medium           | Medium            |
| Orangeburg                                                   | 18              | B            | .20 | 5           | 3   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 5                   | G133AP143FL                     | 4e1  | Yes            | Yes         | Medium           | High              |
| Cowarts                                                      | 15              | C            | .15 | 4           | 2   | 5 to 12          | No          | Not prime farmland           | No                                       | Yes       | 5                   | G133AP143FL                     | 6e5  | Yes            | Yes         | Low              | Medium            |
| 52: Escambia fine sandy loam, 0 to 3 percent slopes          |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Escambia                                                     | 94              | C            | .24 | 5           | 3   | 0 to 3           | No          | Prime farmland if drained    | No                                       | No        | 7                   | G133AP325FL                     | 2w5  | Yes            | Yes         | Low              | Medium            |
| 53: Notcher gravelly sandy loam, 0 to 2 percent slopes       |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Notcher                                                      | 96              | B            | .17 | 5           | 3   | 0 to 2           | No          | All areas are prime farmland | No                                       | No        | 5                   | G133AP125FL                     | 12   | Yes            | Yes         | Low              | Medium            |
| 54: Notcher gravelly sandy loam, 2 to 5 percent slopes       |                 |              |     |             |     |                  |             |                              | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Notcher                                                      | 89              | B            | .17 | 5           | 3   | 2 to 5           | No          | All areas are prime farmland | Yes                                      | No        | 5                   | G133AP328FL                     | 2e2  | Yes            | Yes         | Low              | Medium            |

## Field Office Technical Guide Soils Information (FL)

FL091: Okaloosa County, Florida

| Map symbol<br>and soil name                  | Pct. of<br>unit | Hyd<br>group | Kf  | T<br>factor | WEG | Slope<br>Percent | Hydric<br>? | Farm Class:        | FL<br>PHE:                               | FL<br>HE: | Ecological<br>Group | Forage Suitability<br>Group ID: | LCU  | FL<br>Triumph: | FL<br>Temik | FL Pot.<br>Leach | FL Pot.<br>Runoff |
|----------------------------------------------|-----------------|--------------|-----|-------------|-----|------------------|-------------|--------------------|------------------------------------------|-----------|---------------------|---------------------------------|------|----------------|-------------|------------------|-------------------|
| 55: Pansey sandy loam, depressional          |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Pansey                                       | 95              | D            | .20 | 5           | 3   | 1 to 2           | Yes         | Not prime farmland | No                                       | No        | 21                  | G133AP800FL                     | 6w3  | Yes            | Yes         | Low              | High              |
| 56: Pansey sandy loam, 1 to 3 percent slopes |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Pansey                                       | 88              | D            | .20 | 5           | 3   | 1 to 3           | Yes         | Not prime farmland | No                                       | No        | 23                  | G133AP201FL                     | 4w23 | Yes            | Yes         | Low              | High              |
| 99: Water                                    |                 |              |     |             |     |                  |             |                    | MLRA: 133A, Southern Coastal Plain       |           |                     |                                 |      |                |             |                  |                   |
| Water                                        | 100             | ---          | --- | ---         | --- | ---              | Inranker    |                    | ---                                      | ---       | ---                 | Not assigned                    | ---  | ---            | ---         | ---              | ---               |
| 100: Waters of the Gulf of Mexico            |                 |              |     |             |     |                  |             |                    | MLRA: 152A, Eastern Gulf Coast Flatwoods |           |                     |                                 |      |                |             |                  |                   |
| Water of the Gulf of Mexico                  | 100             | ---          | --- | ---         | --- | ---              | Inranker    |                    | ---                                      | ---       | ---                 | Not assigned                    | ---  | ---            | ---         | ---              | ---               |