

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

LAND RECONSTRUCTION, CURRENTLY MINED LAND

(Acre)

CODE 544

DEFINITION

Restoring currently mined land to an acceptable form and planned use.

- 30 CFR 785.17, 816.22, and part 823.
- Federal Register/Vol. 64, No. 124, Tuesday, June 29, 1999/Notices, pages 34770-34778.

PURPOSE

- Prevent permanent damage to soil and water resources in and near mined areas.
- Restore the productivity of the soils to their pre-mining level.
- Reduce erosion and sedimentation.
- Maintain or improve the visual quality of the landscape.

Site preparation. Areas shall be cleared of trees, logs, brush, rubbish, and other undesirable materials. Areas to be preserved, including those containing trees, vegetation, stream corridors, natural springs or other important features shall be properly identified.

Additional Criteria to Restore the Productivity of Soils to Their Pre-mining Level.

Removal of material for soil reconstruction.

All upper soil horizons to be used in reconstructing the soil shall be removed from the immediate area before blasting, mining or any surface disturbance other than removal of woody plants.

The A horizon shall be removed for use as surface soil on disturbed areas. If the A horizon is less than 6 inches (45 cm) thick, material (other than bedrock) immediately below the A horizon shall be removed and used to obtain this thickness. If the total thickness of the available material is less than 6 inches (15 cm), all unconsolidated material shall be used.

Soils identified with high electrical conductivity (EC), calcium carbonate, sodium or other restrictive properties shall be separated and treated if practical.

Removal of overburden material for use as topsoil. Selected overburden material can be substituted for or added to the material in the A

CONDITIONS WHERE PRACTICE APPLIES

On areas that are or will be undergoing surface mining operations.

This standard applies to the identification, removal, stockpiling, and replacement of soil materials on currently mined land. It also applies to nearby areas that can be affected by the mining of various minerals or commodities.

CRITERIA

General Criteria Applicable to All Purposes

Reclamation and operation plans must comply with all local, state, and federal laws and regulations relating to mining and reclamation. These include:

- Surface Mining Control and Reclamation Act of 1977 (SMCRA), 30 U.S.C. 1201 et seq.

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

NRCS, ALASKA

July 2002

and B horizons. Before this is done, field observations and/or chemical and physical laboratory analyses must be done which demonstrate that the overburden material, or a mixture of overburden and original topsoil, is suited to restoring the capability and productivity of the original A and B horizon material. Analyses shall include determination of pH value; sulfide content; percentage of organic material; nitrogen, phosphorus, and potassium contents; sodium absorption ratio (SAR); electrical conductivity (EC); texture; and available water capacity. Field-site trials or greenhouse tests shall be conducted if needed to ascertain the feasibility of using overburden material.

If the overburden material is determined to be suitable, it must be removed, segregated and replaced according to the requirements specified in this standard.

Storage of soil material. If it is impractical to spread the material immediately after the land is regraded, it must be stockpiled. Stockpiles shall be selectively located and protected against wind and water erosion, unnecessary compaction, and contamination by undesirable materials including invasive plant species.

Replacement of soil material. Before spreading topsoil, the regraded areas must be scarified or otherwise treated to eliminate slippage surfaces and to promote root penetration.

Topsoil shall be spread in a manner that prevents excess compaction. The bulk density and soil strength of the reconstructed soil when moist must permit the soil to support plant growth at a level equivalent to that of a similar layer in undisturbed soil.

Nutrients and soil amendments. After the topsoil has been spread on the disturbed areas, nutrients and soil amendments shall be applied based on a nutrient management plan for the site.

Additional Criteria to Reduce Erosion and Sedimentation

For all post-mining land uses, develop a resource management system that reduces water and/or wind erosion to acceptable levels.

The resource management system shall consider buffer practices, such as filter strips, riparian forest buffers, contour buffer strips, vegetative barriers or similar practices that will reduce sediment delivery off the reclamation site.

Additional Criteria to Maintain or Improve the Visual Quality of the Landscape

The appearance of the reclaimed site shall be in accordance with standards for maintaining and improving the visual quality of the landscape and shall be compatible with the adjacent landscape. Areas of high public visibility or those offering direct or indirect human benefits shall be evaluated and considered in landscape resource management planning and design.

CONSIDERATIONS

Evaluate water and other related resources.

Consider locations for storage of soil material, access roads, and possible permanent impoundments.

Consider measures for placement of spoil, water disposal, replacement of soil material, restoration of soil productivity and revegetation of disturbed areas.

Consider measures to maintain or enhance landscape resources.

A special concern is the potential for uncovering or redistributing toxic materials from earth moving activities.

Consider cultural resources when planning, installation, and maintenance. This practice may adversely affect cultural resources and should comply with 420 GM Part 401 concerning cultural resources.

PLANS AND SPECIFICATIONS

Plans and specifications for reconstructing currently mined land shall be in keeping with this standard and shall describe the requirements for applying the practice to achieve its intended purpose. A reclamation plan must be developed for each site. The plan must specify the required procedures for conducting reclamation operations.

OPERATION AND MAINTENANCE

A plan shall be prepared that provides specific details concerning maintenance and operation of conservation practices identified in the reclamation plan. The maintenance and operation plan shall specify procedures for:

- filling areas where settlement may adversely affect drainage and land use
- promptly repairing and re-treatment of bare spots and eroded areas
- adding soil amendments to soils that cannot support adequate vegetation or replacing them with suitable soil material
- maintaining access roads
- keeping drainage structures and channels clear and functional
- applying fertilizer and lime when needed
- controlling weeds
- controlling vehicular traffic and recreation use