

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AgA: Agar-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
AgB: Agar-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
AmA: Agar-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Mobridge-----	30	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
AoA: Agar-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Mobridge-----	20	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Tetonka-----	15	Very limited Shrink-swell Ponding Depth to saturated zone Frost action Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BgE: Betts-----	50	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Content of large stones	1.00 0.84
Gettys-----	30	Very limited Slope Low strength Shrink-swell	1.00 1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Content of large stones	1.00 0.11
BkE: Betts-----	55	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Java-----	30	Very limited Slope Low strength Frost action	1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Bo: Bon-----	85	Very limited Flooding Low strength Frost action	1.00 0.78 0.50	Very limited Cutbanks cave Flooding	1.00 0.60	Somewhat limited Flooding	0.60
Bv: Bon-----	85	Very limited Frost action Flooding Low strength	1.00 1.00 0.78	Very limited Cutbanks cave Flooding Depth to saturated zone	1.00 0.80 0.61	Very limited Flooding	1.00
CaA: Cavo-----	80	Very limited Low strength Shrink-swell	1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Very limited Sodium content	1.00

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Da: Davison-----	90	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
De: Degrey-----	85	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.47 0.12 0.10	Very limited Sodium content	1.00
DmA: Delmont-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.03
DsD: Delmont-----	55	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.03
Schamber-----	30	Somewhat limited Slope	0.63	Very limited Cutbanks cave Slope	1.00 0.63	Very limited Droughty Slope Gravel content	1.00 0.63 0.38
Du: Durrstein-----	85	Very limited Shrink-swell Flooding Low strength Depth to saturated zone Frost action	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.60 0.28 0.10	Very limited Sodium content Depth to saturated zone Salinity Flooding	1.00 1.00 1.00 0.60
EaA: Eakin-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EpB: Eakin-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Peno-----	25	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
EpC: Eakin-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Peno-----	30	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
GeF: Gettys-----	85	Very limited Slope Low strength Shrink-swell	1.00 1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Content of large stones	1.00 0.11
GlA: Glenham-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
GpB: Glenham-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
GrA: Glenham-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Prosper-----	35	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GrB: Glenham-----	65	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Prosper-----	25	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
HbA: Highmore-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
HbB: Highmore-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
HbC: Highmore-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
HdA: Highmore-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Degrey-----	25	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.47 0.12 0.10	Very limited Sodium content	1.00
HfA: Highmore-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mobridge-----	30	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Frost action	0.50				
HgB: Highmore-----	55	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Peno-----	30	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
		Shrink-swell	1.00				
HgC: Highmore-----	45	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Peno-----	35	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
		Shrink-swell	1.00				
Ho: Hoven-----	80	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Sodium content	1.00
		Low strength	1.00	Too clayey	0.28	Ponding	1.00
		Ponding	1.00	Cutbanks cave	0.10		
		Frost action	0.50				
Hu: Hurley-----	85	Very limited Shrink-swell	1.00	Very limited Too clayey	1.00	Very limited Sodium content	1.00
		Low strength	1.00	Depth to soft bedrock	0.42	Droughty	0.77
				Cutbanks cave	0.10	Depth to bedrock	0.42

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hz: Hurley-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to soft bedrock Cutbanks cave	1.00 0.42 0.10	Very limited Sodium content Droughty Depth to bedrock	1.00 0.77 0.42
Slickspots, Dry-----	30	Not rated		Not rated		Not rated	
JbC: Java-----	55	Very limited Low strength Frost action	1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Betts-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
JgB: Java-----	45	Very limited Low strength Frost action	1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Glenham-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
JmE: Java-----	50	Very limited Slope Low strength Frost action	1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Schamber-----	25	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty Gravel content	1.00 1.00 0.38

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Jr: Jerauld-----	75	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.47 0.28 0.10	Very limited Sodium content	1.00
LoA: Lowry-----	85	Somewhat limited Low strength Frost action	0.78 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
LoB: Lowry-----	90	Somewhat limited Low strength Frost action	0.78 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
LoC: Lowry-----	80	Somewhat limited Low strength Frost action	0.78 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
LpC: Lowry-----	60	Somewhat limited Low strength Frost action	0.78 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Peno-----	25	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
LpD: Lowry-----	55	Somewhat limited Low strength Slope Frost action	0.78 0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
Peno-----	30	Very limited Low strength Shrink-swell Slope	1.00 1.00 0.63	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope Content of large stones	0.63 0.01

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mo: Mobridge-----	85	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Shrink-swell Frost action	0.50 0.50	Cutbanks cave	0.10		
OaA: Oahe-----	98	Not limited		Very limited Cutbanks cave	1.00	Not limited	
OaB: Oahe-----	95	Not limited		Very limited Cutbanks cave	1.00	Not limited	
OdB: Oahe-----	60	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Delmont-----	35	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.03
OkF: Okaton-----	85	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	0.72	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
OpB: Opal-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.24
OpC: Opal-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.24

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OsD: Opal-----	55	Very limited Shrink-swell Low strength Slope	1.00 1.00 1.00	Very limited Cutbanks cave Slope Too clayey Depth to soft bedrock	1.00 1.00 0.88 0.42	Very limited Too clayey Slope Depth to bedrock Droughty	1.00 1.00 0.42 0.24
Sansarc-----	30	Very limited Shrink-swell Slope Depth to soft bedrock Low strength	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 1.00 0.10	Very limited Too clayey Depth to bedrock Slope Droughty	1.00 1.00 1.00 1.00
Pa: Orthents, Gravelly--	99	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty Gravel content	1.00 0.42 0.25
Pk: Plankinton-----	85	Very limited Shrink-swell Depth to saturated zone Low strength Ponding Frost action	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Ponding Too clayey Cutbanks cave	1.00 1.00 0.41 0.10	Very limited Depth to saturated zone Ponding	1.00 1.00
PrA: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
PrB: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
RaA: Raber-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RaB: Raber-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
RcA: Raber-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
Cavo-----	30	Very limited Low strength Shrink-swell	1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Very limited Sodium content	1.00
RcB: Raber-----	60	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
Cavo-----	25	Very limited Low strength Shrink-swell	1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Very limited Sodium content	1.00
RgD: Raber-----	60	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.63	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
Gettys-----	30	Very limited Low strength Shrink-swell Slope	1.00 1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Schamber-----	5	Somewhat limited Slope	0.63	Very limited Cutbanks cave Slope	1.00 0.63	Very limited Droughty Slope Gravel content	1.00 0.63 0.38
RhC: Raber-----	50	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
Peno-----	30	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rn: Ranslo-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Sodium content	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Shrink-swell	1.00	Cutbanks cave	0.10	Depth to saturated zone	0.19
		Low strength Depth to saturated zone	1.00 0.19	Too clayey	0.03		
Rr: Ranslo-----	60	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Sodium content	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Shrink-swell	1.00	Cutbanks cave	0.10	Depth to saturated zone	0.19
		Low strength Depth to saturated zone	1.00 0.19	Too clayey	0.03		
Durrstein-----	30	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Sodium content	1.00
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	1.00
		Low strength Depth to saturated zone	1.00 1.00	Too clayey Cutbanks cave	0.28 0.10	Salinity Flooding	1.00 0.60
		Frost action	0.50				
RsA: Ree-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
Rt: Regan-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Flooding	0.80	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Cutbanks cave	0.10		
		Low strength	0.78				
		Shrink-swell	0.50				

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ranslo-----	4	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Sodium content	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Shrink-swell	1.00	Cutbanks cave	0.10	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.03		
		Depth to saturated zone	0.19				
SaF: Sansarc-----	80	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
ScF: Schamber-----	75	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
				Cutbanks cave	1.00	Droughty	1.00
						Gravel content	0.38
Te: Tetonka-----	80	Very limited Shrink-swell	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	0.28		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Wa: Walke-----	80	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Very limited Sodium content	1.00
		Shrink-swell	1.00	Cutbanks cave	0.10		
				Too clayey	0.03		

Section II
Soil and Site Information

Building Site Development
Potter County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wf: Wendte-----	85	Very limited Shrink-swell Flooding Low strength	1.00 1.00 1.00	Somewhat limited Flooding Too clayey Depth to saturated zone Cutbanks cave	0.80 0.50 0.47 0.10	Very limited Flooding	1.00
Wo: Worthing-----	90	Very limited Shrink-swell Ponding Depth to saturated zone Frost action Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.50 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
Wp: Worthing-----	95	Very limited Shrink-swell Ponding Depth to saturated zone Frost action	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.50 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00