

Field Office Technical Guide Soils Information (FL)

FL005: Bay County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
1: Albany sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Albany	85	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	5	G152AT065FL	3w	Yes	Yes	Low	Medium
2: Albany sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Albany	80	C	.10	5	1	2 to 5	No	Not prime farmland	No	No	5	G152AT068FL	3e	Yes	Yes	Low	Medium
3: Blanton fine sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G152AT142FL	3s	Yes	Yes	Medium	Low
4: Blanton fine sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G152AT142FL	4s	Yes	Yes	Medium	Low
5: Bonifay sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT141FL	3s	Yes	Yes	Medium	Low
6: Bonifay sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G152AT141FL	4s	Yes	Yes	Medium	Low
9: Lakeland sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT192FL	4s	No	No	High	Low
10: Lakeland sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G152AT192FL	6s	No	No	High	Low
11: Lakeland sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	80	A	.10	5	1	8 to 12	No	Not prime farmland	No	Yes	4	G152AT195FL	6s	No	No	High	Medium
12: Leefield sand									MLRA: 133A, Southern Coastal Plain								
Leefield	85	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT75FL	2w	Yes	Yes	Low	Medium
13: Leon sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Leon, non-hydric	70	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Medium	High
Leon, hydric	15	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Medium	High
15: Stilson sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Stilson	85	B	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G152AT078FL	2s	Yes	Yes	Medium	Low

Field Office Technical Guide Soils Information (FL)

FL005: Bay County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
16: Stilson sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Stilson	85	B	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G152AT078FL	3e	Yes	Yes	Medium	Low
17: Troup sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT141FL	3s	Yes	Yes	Medium	Low
18: Troup sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G152AT141FL	4s	Yes	Yes	Medium	Low
19: Troup sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	8 to 12	No	Not prime farmland	No	Yes	4	G152AT144FL	6s	Yes	Yes	Medium	Low
20: Foxworth sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Foxworth	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT142FL	3s	No	No	High	Low
21: Foxworth sand, 5 to 8 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Foxworth	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G152AT142FL	4s	No	No	High	Low
22: Pamlico-Dorovan complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Pamlico	40	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
Dorovan	35	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
23: Chipley sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipley	85	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G152AT080FL	3s	No	No	High	Medium
24: Chipley sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipley	85	C	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G152AT080FL	4s	No	No	High	Medium
25: Hurricane sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Hurricane	80	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	3w	No	No	Medium	Medium
26: Centenary sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Centenary	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT142FL	3s	Yes	Yes	Medium	Low
27: Mandarin sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Mandarin	85	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	6s	No	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL005: Bay County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
28: Allanton sand																	
Allanton	75	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT002FL	5w	Yes	Yes	Medium	High
									MLRA: 133A, Southern Coastal Plain								
29: Rutlege sand																	
Rutlege	80	D	.17	5	1	0 to 2	Yes	Not prime farmland	No	No	21/22	G152AT800FL	4w	Yes	Yes	High	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
30: Pottsburg sand																	
Pottsburg, hydric	60	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
Pottsburg, non-hydric	15	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
31: Osier fine sand																	
Osier	85	A/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT800FL	5w	No	No	High	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
32: Plummer sand																	
Plummer	85	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
33: Pelham sand																	
Pelham, hydric	65	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT002FL	4w	Yes	Yes	Medium	High
Pelham, non-hydric	15	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT002FL	4w	Yes	Yes	Medium	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
36: Alapaha loamy sand																	
Alapaha	80	D	.10	5	2	0 to 2	Yes	Not prime farmland	No	No	7	G152AT015FL	5w	Yes	Yes	Low	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
37: Rains sand																	
Rains	85	B/D	.15	5	1	0 to 2	Yes	Not prime farmland	No	No	21	G152AT201FL	3w	Yes	Yes	Medium	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
38: Pansey loamy sand																	
Pansey	85	D	.17	5	2	0 to 2	Yes	Not prime farmland	No	No	7	G152AT201FL	4w	Yes	Yes	Low	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
39: Pantego sandy loam																	
Pantego	85	B/D	.15	5	3	0 to 2	Yes	Not prime farmland	No	No	21/22	G152AT800FL	3w	Yes	Yes	Medium	High
									MLRA: 152A, Eastern Gulf Coast Flatwoods								
40: Arents, 0 to 5 percent slopes																	
Arents	80	B	.05	5	1	0 to 5	No	Not prime farmland	No	No	---	G152AT900FL	---	Yes	No	---	---

Field Office Technical Guide Soils Information (FL)

FL005: Bay County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
41: Dirego muck									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Dirego	85	D		2	8	0 to 1	Yes	Not prime farmland	No	No	18	G152AT850FL	8	Yes	Yes	Low	High
42: Resota fine sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Resota	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	3	G152AT142FL	6s	No	No	High	Low
43: Urban land									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Urban land	75	---		---	---	0 to 8	Unranked	Not prime farmland	---	---	---	G152AT900FL	---	---	---	---	---
44: Beaches									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Beaches	95	D		---	---	1 to 3	Unranked	Not prime farmland	No	No	---	G152AT900FL	---	No	No	---	---
45: Kureb sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Kureb	90	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	3	G152AT192FL	7s	No	No	High	Low
46: Sapelo sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Sapelo, non-hydric	70	D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Low	High
Sapelo, hydric	15	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Low	High
47: Pits									MLRA: 133A, Southern Coastal Plain								
Pits	100	---		---	8	1 to 4	Unranked	Not prime farmland	Yes	No	---	G152AT900FL	---	No	No	---	---
48: Fripp-Corolla complex, 2 to 30 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Fripp	60	A	.10	5	1	2 to 30	No	Not prime farmland	Yes	No	1	G152AT195FL	7s	No	No	High	Low
Corolla	25	C	.10	5	1	2 to 6	No	Not prime farmland	No	No	1	G152AT180FL	7s	No	No	High	High
50: Pickney fine sand									MLRA: 133A, Southern Coastal Plain								
Pickney	85	A/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	21/22	G152AT800FL	4w	Yes	Yes	High	High
51: Rutlege-Pamlico complex									MLRA: 133A, Southern Coastal Plain								
Rutlege, frequently flooded	35	D	.17	5	2	0 to 1	Yes	Not prime farmland	No	No	21/22	G152AT800FL	6w	Yes	Yes	Low	High
Pamlico, frequently flooded	25	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21/22	G152AT850FL	6w	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL005: Bay County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
52: Bayvi loamy sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Bayvi	86	D	.10	5	8	0 to 1	Yes	Not prime farmland	No	No	18	G152AT850FL	8	No	No	Low	High
53: Ebro-Dorovan complex									MLRA: 133A, Southern Coastal Plain								
Ebro	45	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21/22	G152AT850FL	7w	Yes	Yes	Low	High
Dorovan	35	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21/22	G152AT850FL	7w	Yes	Yes	Low	High