

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
2: Adamsville fine sand									MLRA: 154, South-Central Florida Ridge								
Adamsville	80	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	6	G154XU077FL	3w9	No	No	High	Medium
3: Candler fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Candler	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU195FL	4s23	No	No	High	Low
4: Candler fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Candler	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G154XU195FL	6s3	No	No	High	Low
5: Basinger fine sand									MLRA: 154, South-Central Florida Ridge								
Basinger	80	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	26	G154XU003FL	4w21	No	No	High	High
6: Basinger fine sand, depressional									MLRA: 154, South-Central Florida Ridge								
Basinger	80	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	7w3	No	Yes	High	High
7: Myakka fine sand									MLRA: 154, South-Central Florida Ridge								
Myakka, non-hydric	70	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	6	G154XU003FL	4w2	Yes	Yes	Medium	High
Myakka, hydric	10	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU003FL	4w2	Yes	Yes	Medium	High
8: Paola fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Paola	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU192FL	6s5	No	No	High	Low
9: Pompano fine sand									MLRA: 154, South-Central Florida Ridge								
Pompano, hydric	50	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	26	G154XU800FL	4w21	No	No	High	High
Pompano, non-hydric	35	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	26	G154XU800FL	4w21	No	No	High	High
10: Pompano fine sand, depressional									MLRA: 154, South-Central Florida Ridge								
Pompano	80	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	7w3	No	No	High	High
11: Tavares fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Tavares	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU142FL	3s6	No	No	High	Low
12: Immokalee fine sand									MLRA: 154, South-Central Florida Ridge								
Immokalee, non-hydric	70	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	6	G154XU013FL	4w2	Yes	Yes	Medium	High
Immokalee, hydric	20	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU013FL	4w2	Yes	Yes	Medium	High

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
13: Okeelanta muck									MLRA: 154, South-Central Florida Ridge								
Okeelanta	75	B/D	---	2	2	0 to 1	Yes	Not prime farmland	No	No	25	G154XU850FL	7w1	Yes	Yes	Medium	High
14: Lake fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Lake	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU192FL	4s23	No	No	High	Low
15: Lake fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Lake	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G154XU192FL	6s3	No	No	High	Low
16: Arredondo fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Arredondo	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU141FL	3s4	Yes	Yes	Low	Low
17: Arredondo fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Arredondo	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G154XU141FL	4s4	Yes	Yes	Low	Low
18: Kendrick fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Kendrick	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU140FL	2e7	Yes	Yes	Low	Low
19: Kendrick fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Kendrick	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	11	G154XU143FL	3e7	Yes	Yes	Low	Low
20: Pits									MLRA: 154, South-Central Florida Ridge								
Pits	70	---	---	---	---	1 to 8	No	Not prime farmland	No	No	---	G154XU900FL	7s8	---	---	Medium	High
22: Quartzipsaments, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Quartzipsaments	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	---	G154XU900FL	6s20	No	No	High	Low
23: Weekiwachee-Durbin mucks									MLRA: 154, South-Central Florida Ridge								
Weekiwachee	45	D	---	2	2	0 to 1	Yes	Not prime farmland	No	No	18	G154XU850FL	8w2	Yes	Yes	Medium	High
Durbin	40	D	---	5	2	0 to 1	Yes	Not prime farmland	No	No	18	G154XU850FL	8w2	Yes	Yes	Medium	High
24: Okeelanta-Lauderhill-Terra Ceia mucks									MLRA: 154, South-Central Florida Ridge								
Okeelanta	37	B/D	---	2	2	0 to 1	Yes	Not prime farmland	No	No	25	G154XU850FL	7w1	Yes	Yes	Medium	High
Lauderhill	33	B/D	---	2	2	0 to 1	Yes	Not prime farmland	No	No	25	G154XU850FL	7w1	Yes	Yes	Medium	High
Terra Ceia	30	B/D	---	3	2	0 to 1	Yes	Not prime farmland	No	No	25	G154XU850FL	7w1	Yes	Yes	Medium	High

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
25: Lochloosa fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Lochloosa	80	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU079FL	2w7	Yes	Yes	Low	Medium
26: Williston-Pedro-Rock outcrop complex, 2 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Williston	40	C	.15	2	2	2 to 5	No	Not prime farmland	Yes	No	11	G154XU140FL	2e6	Yes	Yes	Low	Medium
Pedro	30	C	.10	2	1	2 to 5	No	Not prime farmland	Yes	No	11	G154XU541FL	4s27	No	Yes	Low	Medium
Rock outcrop	15	---	---	---	8	0 to 5	Jnranke	Not prime farmland	No	No	---	G154XU900FL	8s1	No	No	High	High
27: Pomello fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Pomello	80	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU130FL	6s8	Yes	Yes	Medium	Medium
28: Redlevel fine sand									MLRA: 154, South-Central Florida Ridge								
Redlevel	80	C	.10	3	1	0 to 2	No	Not prime farmland	No	No	8	G154XU077FL	3w6	No	Yes	High	Medium
29: Astatula fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Astatula	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU192FL	6s5	No	No	High	Low
30: Astatula fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Astatula	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G154XU192FL	6s5	No	No	High	Low
31: Sparr fine sand, 5 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Sparr	80	C	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	11	G154XU080FL	4s5	Yes	Yes	Low	Medium
32: Candler-Urban land complex, 0 to 8 percent slopes									MLRA: 154, South-Central Florida Ridge								
Candler	55	A	.10	5	1	0 to 8	No	Not prime farmland	No	No	---	G154XU195FL	6s3	No	Yes	High	Low
Urban land	35	---	---	---	---	0 to 8	Jnranke	Not prime farmland	---	---	---	G154XU900FL	---	---	---	---	---
33: Micanopy loamy fine sand, 2 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Micanopy	90	C	.15	5	2	2 to 5	No	Prime farmland if drained	No	No	11	G154XU078FL	2w7	Yes	Yes	Low	Medium
35: Sparr fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Sparr	80	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU080FL	3w9	Yes	Yes	Low	Medium
36: EauGallie fine sand									MLRA: 154, South-Central Florida Ridge								
EauGallie, non-hydric	65	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	6	G154XU003FL	4w3	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
36: EauGallie fine sand									MLRA: 154, South-Central Florida Ridge								
EauGallie, hydric	20	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU003FL	4w3	Yes	Yes	Low	High
37: Matlacha, limestone substratum-Urban land complex									MLRA: 154, South-Central Florida Ridge								
Matlacha	50	C	.10	3	1	0 to 2	No	Not prime farmland	No	No	---	G154XU075FL	6s24	Yes	Yes	Medium	Medium
Urban land	25	---	---	---	---	0 to 2	Jnranke	Not prime farmland	---	---	---	G154XU900FL	---	---	---	---	---
38: Rock outcrop-Homosassa-Lacoochee complex									MLRA: 154, South-Central Florida Ridge								
Rock outcrop	40	D	---	---	8	0 to 1	Jnranke	Not prime farmland	No	No	---	G154XU900FL	8s1	No	No	High	High
Homosassa	35	D	.10	2	3	0 to 1	Yes	Not prime farmland	No	No	18	G154XU800FL	8w2	Yes	Yes	Medium	High
Lacoochee	15	D	.20	1	3	0 to 1	Yes	Not prime farmland	---	---	18	G154XU800FL	8w2	---	---	---	---
39: Hallandale-Rock outcrop complex, rarely flooded									MLRA: 154, South-Central Florida Ridge								
Hallandale, non-hydric	50	A/D	.10	1	1	0 to 2	No	Not prime farmland	No	No	12	G154XU403FL	4w6	Yes	Yes	Low	High
Rock outcrop	25	D	---	---	8	0 to 2	Jnranke	Not prime farmland	No	No	---	G154XU900FL	8s1	No	No	High	High
Hallandale, hydric	10	A/D	.10	1	1	0 to 2	Yes	Not prime farmland	No	No	12	G154XU403FL	4w6	Yes	Yes	Low	High
40: Homosassa mucky fine sandy loam									MLRA: 154, South-Central Florida Ridge								
Homosassa	100	D	.10	2	3	0 to 1	Yes	Not prime farmland	No	No	18	G154XU201FL	8w2	Yes	Yes	Medium	High
41: Candler fine sand, 8 to 12 percent slopes									MLRA: 154, South-Central Florida Ridge								
Candler	80	A	.10	5	1	8 to 12	No	Not prime farmland	Yes	No	4	G154XU198FL	6s3	No	No	High	Medium
46: EauGallie fine sand, depressional									MLRA: 154, South-Central Florida Ridge								
EauGallie	80	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	4w22	No	Yes	Low	High
47: Fort Meade loamy fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Fort Meade	90	A	.15	5	2	0 to 5	No	Not prime farmland	No	No	11	G154XU140FL	3s4	No	Yes	High	Low
48: Arents, 45 to 65 percent slopes									MLRA: 154, South-Central Florida Ridge								
Arents	100	A	.10	5	1	45 to 65	No	Not prime farmland	Yes	No	---	G154XU900FL	7e1	No	No	Medium	High
49: Terra Ceia-Okeelanta association, very frequently flooded									MLRA: 154, South-Central Florida Ridge								
Terra Ceia	65	D	---	3	2	0 to 1	Yes	Not prime farmland	No	No	25/21	G154XU850FL	7w1	Yes	Yes	Medium	High
Okeelanta	20	D	---	2	2	0 to 1	Yes	Not prime farmland	No	No	25/21	G154XU850FL	7w1	Yes	Yes	Medium	High

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
50: Kanapaha fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Kanapaha, non-hydric	70	B/D	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU006FL	3w1	No	No	Low	High
Kanapaha, hydric	10	B/D	.10	5	1	0 to 5	Yes	Not prime farmland	No	No	11	G154XU006FL	3w1	No	No	Low	High
51: Boca-Pineda, limestone substratum complex									MLRA: 154, South-Central Florida Ridge								
Boca, non-hydric	55	B/D	.10	2	1	0 to 2	No	Not prime farmland	No	No	6	G154XU003FL	3w6	Yes	Yes	Low	High
Pineda, non-hydric	20	B/D	.15	3	1	0 to 2	No	Not prime farmland	No	No	6	G154XU003FL	5w2	Yes	Yes	Low	High
Boca, hydric	10	B/D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU003FL	3w6	Yes	Yes	Low	High
Pineda, hydric	10	B/D	.15	3	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU003FL	5w2	Yes	Yes	Low	High
52: Anclote fine sand, depressional									MLRA: 154, South-Central Florida Ridge								
Anclote	55	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	7w3	No	Yes	High	High
Anclote	30	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	7w3	No	Yes	High	High
53: Boca fine sand									MLRA: 154, South-Central Florida Ridge								
Boca, non-hydric	55	B/D	.10	2	1	0 to 2	No	Not prime farmland	No	No	8	G154XU003FL	3w6	Yes	Yes	Low	High
Boca, hydric	20	B/D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	8	G154XU003FL	3w6	Yes	Yes	Low	High
54: Apopka fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Apopka	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G154XU142FL	3s4	Yes	Yes	Medium	Low
55: Udorthents, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Udorthents	90	C	---	---	---	0 to 5	No	Not prime farmland	Yes	No	---	G154XU900FL	6s25	No	No	High	High
56: Lake, clayey surface, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Lake, clayey surface	80	C	.32	5	4	0 to 5	No	Not prime farmland	Yes	No	---	G154XU192FL	4s23	No	No	High	Medium
57: Ona fine sand									MLRA: 154, South-Central Florida Ridge								
Ona, non-hydric	75	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	6	G154XU002FL	3w3	Yes	Yes	Low	High
Ona, hydric	10	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	6	G154XU002FL	3w3	Yes	Yes	Low	High
58: Myakka, limestone substratum-EauGallie, limestone substratum complex									MLRA: 154, South-Central Florida Ridge								
Myakka	40	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	8/6	G154XU013FL	4w2	Yes	Yes	Medium	High
EauGallie, non-hydric	25	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	8/6	G154XU003FL	4w3	Yes	Yes	Low	High
EauGallie, hydric	10	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	8/6	G154XU003FL	4w3	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL017: Citrus County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WEG	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
59: Boca fine sand, depressional									MLRA: 154, South-Central Florida Ridge								
Boca, depressional	80	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	25	G154XU800FL	7w3	Yes	Yes	Medium	High
60: Broward fine sand									MLRA: 154, South-Central Florida Ridge								
Broward	80	C	.10	2	1	0 to 2	No	Not prime farmland	No	No	6/8	G154XU002FL	4w8	No	Yes	High	Medium
61: Orsino fine sand, 0 to 5 percent slopes									MLRA: 154, South-Central Florida Ridge								
Orsino	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G154XU142FL	4s22	No	No	High	Low
62: Malabar fine sand									MLRA: 154, South-Central Florida Ridge								
Malabar	85	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	8	G154XU003FL	4w22	Yes	Yes	Low	High
63: Paisley fine sand									MLRA: 154, South-Central Florida Ridge								
Paisley, non-hydric	50	D	.10	5	1	0 to 1	No	Not prime farmland	No	No	8	G154XU001FL	3w1	Yes	Yes	Low	High
Paisley, hydric	30	D	.10	5	1	0 to 1	Yes	Not prime farmland	No	No	8	G154XU001FL	3w1	Yes	Yes	Low	High
64: Citronelle fine sand									MLRA: 154, South-Central Florida Ridge								
Citronelle	80	D	.10	1	1	0 to 2	No	Not prime farmland	No	No	8/6	G154XU477FL	6s26	Yes	Yes	Medium	High
99: Water									MLRA: 154, South-Central Florida Ridge								
Water	100	---	---	---	---	---	Inranker	Not prime farmland	---	---	---	Not assigned	---	---	---	---	---
100: Waters of the Gulf of Mexico									MLRA: 154, South-Central Florida Ridge								
Waters of the Gulf of Mexico	100	---	---	---	---	---	Inranker	Not prime farmland	---	---	---	Not assigned	---	---	---	---	---