

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
2: Albany-Blanton complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Albany	50	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP068FL	3e	Yes	Yes	Low	Medium
Blanton	38	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP142FL	3s	Yes	Yes	Medium	Low
3: Albany-Ousley-Pelham complex, 0 to 5 percent slopes, occasionally flooded									MLRA: 133A, Southern Coastal Plain								
Albany	39	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP068FL	3e	Yes	Yes	Low	Medium
Ousley	30	D	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP800FL	3w	No	No	High	High
Pelham	16	B/D	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133APFL	5w	Yes	Yes	Medium	High
5: Blanton sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	80	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP142FL	3s	Yes	Yes	Medium	Low
6: Blanton sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	85	A	.10	5	1	5 to 8	No	Not prime farmland	No	No	11	G133AP142FL	4s	Yes	Yes	Medium	Low
9: Bonifay-Alpin complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	52	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
Alpin	38	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP089FL	4s	No	No	High	Low
10: Bonifay-Albany-Centenary complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	40	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
Albany	25	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP068FL	3e	Yes	Yes	Low	Medium
Centenary	20	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AT142FL	3s	Yes	Yes	Medium	Low
11: Troup-Bonifay-Fuquay complex, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	35	A	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	4	G133APFL	6s	Yes	Yes	Medium	Medium
Bonifay	30	A	.10	5	2	8 to 15	No	Not prime farmland	No	Yes	4	G133AT141FL	6s	Yes	Yes	Medium	Low
Fuquay	25	B	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4s	Yes	Yes	Low	Low
12: Bonneau-Leafield-Norfolk complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonneau	32	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133APFL	2s	Yes	Yes	Medium	Low
Leafield	29	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP078FL	2w	Yes	Yes	Low	Medium
Norfolk	27	B	.17	5	2	0 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
14: Cowarts-Dothan-Fuquay complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	33	C	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP143FL	4e	Yes	Yes	Medium	Medium
Dothan	30	B	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Low	Medium
Fuquay	28	B	.10	5	1	5 to 8	No	All areas are prime farmland	Yes	No	5	G133AP140FL	3s	Yes	Yes	Low	Low
16: Cowarts-Nankin complex, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	48	C	.17	5	2	8 to 15	No	Not prime farmland	No	Yes	5	G133AP143FL	6e	Yes	Yes	Medium	Medium
Nankin	40	C	.17	5	3	8 to 15	No	Not prime farmland	No	Yes	5	G133AP143FL	4e	Yes	Yes	Low	High
18: Dothan-Fuquay complex, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	47	B	.15	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP140FL	1	Yes	Yes	Low	Medium
Fuquay	41	B	.10	5	1	0 to 2	No	All areas are prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Low	Low
19: Dothan-Fuquay complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	49	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Low	Medium
Fuquay	39	B	.10	5	1	2 to 5	No	All areas are prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Low	Low
21: Dothan-Fuquay-Cowarts complex, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	49	B	.17	5	2	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4e	Yes	Yes	Low	Medium
Fuquay	20	B	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4s	Yes	Yes	Low	Low
Cowarts	19	C	.17	5	2	8 to 15	No	Not prime farmland	No	Yes	5	G133AP143FL	6e	Yes	Yes	Medium	Medium
23: Fuquay-Lucy-Orangeburg complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	40	B	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Low	Low
Lucy	30	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Medium	Low
Orangeburg	20	B	.15	5	2	0 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
24: Fuquay-Bonifay complex, 5 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	55	B	.10	5	1	5 to 15	No	Not prime farmland	Yes	No	5	G133AP140FL	4s	Yes	Yes	Low	Low
Bonifay	38	A	.10	5	2	5 to 15	No	Not prime farmland	Yes	No	4	G133AT141FL	6s	Yes	Yes	Medium	Low

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
27: Goldsboro loamy fine sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Goldsboro	87	B	.17	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP078FL	2w	Yes	Yes	Medium	Medium
28: Goldsboro loamy fine sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Goldsboro	91	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP078FL	2e	Yes	Yes	Medium	Medium
29: Grady fine sandy loam, depressional									MLRA: 133A, Southern Coastal Plain								
Grady	85	D	.17	5	8	0 to 2	Yes	Not prime farmland	No	No	17	G133AP201FL	5w	Yes	Yes	Low	High
30: Lakeland sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	89	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP192FL	3s	No	No	High	Low
31: Lakeland sand, 5 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	90	A	.10	5	1	5 to 15	No	Not prime farmland	Yes	No	11	G133AP192FL	6s	No	No	High	Low
32: Leefield-Bonifay-Dothan complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Leefield	44	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP078FL	2w	Yes	Yes	Low	Medium
Bonifay	26	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
Dothan	23	B	.17	5	2	0 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Low	Medium
33: Leon-Chipley complex									MLRA: 133A, Southern Coastal Plain								
Leon	48	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Medium	High
Chipley	42	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
35: Lucy-Troup complex, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lucy	45	A	.10	5	2	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4s	Yes	Yes	Medium	Low
Troup	42	A	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	4	G133APFL	6s	Yes	Yes	Medium	Medium
36: Lucy-Orangeburg-Cowarts complex, 15 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lucy	49	A	.10	5	2	15 to 45	No	Not prime farmland	No	Yes	5	G133AP140FL	7s	Yes	Yes	Medium	Low
Orangeburg	21	B	.15	5	2	15 to 45	No	Not prime farmland	No	Yes	5	G133AP140FL	7e	Yes	Yes	Medium	Medium
Cowarts	19	C	.17	5	2	15 to 45	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Medium	Medium
40: Cowarts-Dothan-Fuquay complex, 15 to 60 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	50	C	.17	5	2	15 to 60	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
40: Cowarts-Dothan-Fuquay complex, 15 to 60 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	25	B	.17	5	2	15 to 60	No	Not prime farmland	No	Yes	5	G133AP140FL	7e	Yes	Yes	Low	Medium
Fuquay	17	B	.10	5	1	15 to 60	No	Not prime farmland	No	Yes	5	G133AP140FL	7s	Yes	Yes	Low	Low
41: Norfolk loamy fine sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Norfolk	89	B	.17	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP140FL	1	Yes	Yes	Medium	Medium
42: Norfolk loamy fine sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Norfolk	89	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
43: Ocilla sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Ocilla	90	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP064FL	3w	Yes	Yes	Medium	Medium
45: Orangeburg loamy sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	91	B	.15	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP140FL	1	Yes	Yes	Medium	Medium
46: Orangeburg loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	92	B	.15	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
47: Orangeburg-Norfolk-Tifton complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	48	B	.15	5	2	5 to 8	No	All areas are prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
Norfolk	19	B	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
Tifton	18	B	.15	5	2	5 to 8	No	All areas are prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Low	Medium
48: Fuquay-Orangeburg-Norfolk complex, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	45	B	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4s	Yes	Yes	Low	Low
Orangeburg	25	B	.15	5	2	8 to 15	No	Not prime farmland	No	Yes	5	G133AP140FL	4e	Yes	Yes	Medium	Medium
Norfolk	21	B	.17	5	2	8 to 10	No	Not prime farmland	No	Yes	5	G133AP140FL	4e	Yes	Yes	Medium	Medium
49: Orangeburg-Norfolk complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	50	B	.15	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
Norfolk	36	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
51: Plummer sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Plummer	85	B/D	.10	5	1	0 to 5	No	Not prime farmland	No	No	7	G133AP003FL	4w	Yes	Yes	Medium	High
52: Rains fine sandy loam									MLRA: 133A, Southern Coastal Plain								
Rains	86	C/D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	21	G133AP201FL	4w	Yes	Yes	Low	Medium
58: Tifton loamy fine sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Tifton	92	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Low	Medium
59: Troup-Lakeland-Lucy complex, 2 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	50	A	.10	5	1	2 to 8	No	Not prime farmland	Yes	No	4	G133APFL	4s	Yes	Yes	Medium	Medium
Lakeland	21	A	.10	5	1	2 to 8	No	Not prime farmland	Yes	No	11	G133AP192FL	4s	No	No	High	Low
Lucy	16	A	.10	5	2	2 to 8	No	Not prime farmland	Yes	No	5	G133AP140FL	3s	Yes	Yes	Medium	Low
60: Troup sand, 8 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	8 to 15	No	Not prime farmland	No	Yes	4	G133APFL	6s	Yes	Yes	Medium	Medium
61: Troup-Nankin complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	48	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G133APFL	4s	Yes	Yes	Medium	Medium
Nankin	37	C	.17	5	3	5 to 8	No	Not prime farmland	No	Yes	5	G133AP143FL	3e	Yes	Yes	Low	High
63: Troup-Nankin complex, 15 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	50	A	.10	5	1	15 to 45	No	Not prime farmland	No	Yes	4	G133APFL	7s	Yes	Yes	Medium	Medium
Nankin	35	C	.17	5	3	15 to 45	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Low	High
65: Udorthents, reclaimed									MLRA: 133A, Southern Coastal Plain								
Udorthents	100	---	---	---	---	0 to 3	No	Not prime farmland	No	No	---	G133AT900FL	---	No	No	---	---
66: Pickney, Dorovan, and Bibb soils, frequently flooded									MLRA: 133A, Southern Coastal Plain								
Pickney	32	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	21	G133AP002FL	6w	No	No	High	High
Dorovan	29	D		3	8	0 to 2	Yes	Not prime farmland	No	No	21	G133AP850FL	7w	Yes	Yes	Low	High
Bibb	25	D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	20/21	G133AP015FL	5w	Yes	Yes	Medium	High
69: Lucy-Bonifay-Orangeburg complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lucy	38	A	.10	5	2	5 to 8	No	Not prime farmland	Yes	No	5	G133AP140FL	3s	Yes	Yes	Medium	Low

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
69: Lucy-Bonifay-Orangeburg complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	28	A	.10	5	2	5 to 8	No	Not prime farmland	Yes	No	4	G133AT141FL	4s	Yes	Yes	Medium	Low
Orangeburg	22	B	.15	5	2	5 to 8	No	Not prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
71: Cowarts-Nankin complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	45	C	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP143FL	3e	Yes	Yes	Medium	Medium
Nankin	40	C	.17	5	3	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP143FL	2e	Yes	Yes	Low	High
72: Goldsboro-Ocilla complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Goldsboro	48	B	.15	5	2	5 to 8	No	Not prime farmland	Yes	No	5	G133AP078FL	3e	Yes	Yes	Medium	Medium
Ocilla	39	C	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G133AP064FL	3w	Yes	Yes	Medium	Medium
73: Norfolk loamy fine sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Norfolk	86	B	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
77: Bonifay-Fuquay complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	49	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
Fuquay	40	B	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Low	Low
78: Chipley, Leon, and Foxworth soils, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipley	35	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
Leon	30	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Medium	High
Foxworth	26	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP142FL	3s	No	No	High	Low
79: Hurricane and Chipley soils, 0 to 3 percent slopes									MLRA: 133A, Southern Coastal Plain								
Hurricane	50	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	5	G133AP080FL	3w	No	Yes	High	Medium
Chipley	41	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
80: Foxworth-Lakeland complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	53	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP142FL	3s	No	No	High	Low
Lakeland	32	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP192FL	3s	No	No	High	Low
82: Chipley-Foxworth complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipley	46	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
82: Chipley-Foxworth complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	40	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP142FL	3s	No	No	High	Low
83: Foxworth-Lakeland complex, 5 to 15 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	47	A	.10	5	1	5 to 15	No	Not prime farmland	Yes	No	4	G133AP142FL	6s	No	No	High	Low
Lakeland	41	A	.10	5	1	5 to 15	No	Not prime farmland	Yes	No	11	G133AP192FL	6s	No	No	High	Low
85: Bonifay-Leon-Chipley complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	38	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
Leon	27	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Medium	High
Chipley	25	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
86: Leon, Clara, and Pickney soils, commonly flooded									MLRA: 133A, Southern Coastal Plain								
Leon	31	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Medium	High
Clara	30	B/D		5	2	0 to 2	Yes	Not prime farmland	No	No	7	G133AT800FL	6w	Yes	Yes	High	High
Pickney	29	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	21	G133AP002FL	6w	No	No	High	High
87: Ousley, Rutlege, and Pickney soils, commonly flooded									MLRA: 133A, Southern Coastal Plain								
Ousley	35	D	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP800FL	3w	No	No	High	High
Rutlege	30	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G133AP800FL	6w	Yes	Yes	High	High
Pickney	26	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	21	G133AP002FL	6w	No	No	High	High
88: Rutlege, Bibb, and Surrency soils, frequently flooded									MLRA: 133A, Southern Coastal Plain								
Rutlege	38	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G133AP800FL	6w	Yes	Yes	High	High
Bibb	27	D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	20/21	G133AP015FL	5w	Yes	Yes	Medium	High
Surrency	25	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	21	G133AP002FL	5w	Yes	Yes	Medium	High
89: Bibb-Rains-Garcon complex, occasionally flooded									MLRA: 133A, Southern Coastal Plain								
Bibb	40	D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	20/21	G133AP015FL	5w	Yes	Yes	Medium	High
Rains	25	C/D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	21	G133AP201FL	4w	Yes	Yes	Low	Medium
Garcon	24	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	20	G133AT078FL	2w	Yes	Yes	Medium	Medium
90: Hosford and Plummer mucky sands, 2 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Hosford	50	D	.10	5	8	2 to 12	Yes	Not prime farmland	Yes	No	---	G133ATFL	5w	No	No	Medium	High

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
90: Hosford and Plummer mucky sands, 2 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Plummer	41	B/D	.10	5	8	2 to 5	Yes	Not prime farmland	Yes	No	7	G133AP003FL	4w	Yes	Yes	Medium	High
91: Pits									MLRA: 133A, Southern Coastal Plain								
Pits	100	---		---	---	1 to 15	Unranked	Not prime farmland	---	---	---	G133AP900FL	---	No	No	Low	High
92: Telogia sandy loam, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Telogia	90	D	.20	3	3	2 to 5	No	Not prime farmland	Yes	No	11	G133AP201FL	3e	Yes	Yes	Low	High
93: Foxworth-Blanton-ChIPLEY complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	45	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP142FL	3s	No	No	High	Low
Blanton	24	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP142FL	3s	Yes	Yes	Medium	Low
ChIPLEY	20	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
94: Albany-Garcon-Bibb complex, 0 to 5 percent slopes, occasionally flooded									MLRA: 133A, Southern Coastal Plain								
Albany	33	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP068FL	3e	Yes	Yes	Low	Medium
Garcon	28	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	20	G133AT078FL	2w	Yes	Yes	Medium	Medium
Bibb	26	D	.20	5	3	0 to 5	Yes	Not prime farmland	No	No	20/21	G133AP015FL	5w	Yes	Yes	Medium	High
96: Pelham sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Pelham	87	B/D	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133APFL	4w	Yes	Yes	Medium	High
97: Eunola, Garcon, and Ousley soils, occasionally flooded									MLRA: 133A, Southern Coastal Plain								
Eunola	45	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	5	G133AP325FL	2w	Yes	Yes	Medium	Medium
Garcon	25	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	20	G133AT078FL	2w	Yes	Yes	Medium	Medium
Ousley	20	D	.10	5	1	0 to 2	No	Not prime farmland	No	No	11	G133AP800FL	3w	No	No	High	High
98: Rutlege and Plummer soils, depressional									MLRA: 133A, Southern Coastal Plain								
Rutlege, depressional	50	A/D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	17/21	G133AP800FL	6w	Yes	Yes	Medium	High
Plummer, depressional	38	B/D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	11	G133AP800FL	6w	Yes	Yes	Medium	High
99: Water									MLRA: 133A, Southern Coastal Plain								
Water	100	---		---	---	---	Unranked	Not prime farmland	---	---	---	Not assigned	---	---	---	---	---

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach:	FL Pot. Runoff:
101: Albany-Ocilla-Chipley complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Albany	48	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G133AP068FL	3e	Yes	Yes	Low	Medium
Ocilla	25	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP064FL	3w	Yes	Yes	Medium	Medium
Chipley	16	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP080FL	3s	No	No	High	Medium
104: Urban land-Orangeburg-Norfolk complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Urban land	50	---		---	---	2 to 5	Unranked	Not prime farmland	---	---	---	G133AP900FL	---	---	---	---	---
Orangeburg	20	B	.15	5	2	2 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
Norfolk	18	B	.17	5	2	2 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
105: Urban land-Orangeburg-Norfolk complex, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Urban land	46	---		---	---	5 to 8	Unranked	Not prime farmland	---	---	---	G133AP900FL	---	---	---	---	---
Orangeburg	25	B	.15	5	2	5 to 8	No	Not prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
Norfolk	17	B	.17	5	2	5 to 8	No	Not prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
106: Plummer-Leon-Sapelo complex									MLRA: 133A, Southern Coastal Plain								
Plummer	49	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP003FL	4w	Yes	Yes	Medium	High
Leon	19	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Medium	High
Sapelo	18	D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G133AP013FL	4w	Yes	Yes	Low	High
107: Fuquay-Bonifay complex, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	50	B	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP140FL	2s	---	---	Low	Low
Bonifay	38	A	.10	5	2	0 to 5	No	Not prime farmland	No	No	4	G133AT141FL	3s	Yes	Yes	Medium	Low
108: Troup-Lakeland complex, 15 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	50	A	.10	5	1	15 to 45	No	Not prime farmland	No	Yes	4	G133APFL	7s	Yes	Yes	Medium	Medium
Lakeland	38	A	.10	5	1	15 to 45	No	Not prime farmland	No	Yes	11	G133AP192FL	7s	No	No	High	Low
109: Dothan-Cowarts-Fuquay complex, 15 to 60 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	35	B	.17	5	2	15 to 60	No	Not prime farmland	No	Yes	5	G133AP140FL	7e	Yes	Yes	Low	Medium
Cowarts	28	C	.17	5	2	15 to 60	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Medium	Medium
Fuquay	25	B	.10	5	1	15 to 60	No	Not prime farmland	No	Yes	5	G133AP140FL	7s	---	---	Low	Low

Field Office Technical Guide Soils Information (FL)

FL039: Gadsden County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percent	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik:	FL Pot. Leach	FL Pot. Runoff
113: Leefield fine sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Leefield	88	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP078FL	2w	Yes	Yes	Low	Medium
115: Faceville loamy fine sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Faceville	85	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
116: Faceville loamy fine sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Faceville	85	B	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
117: Cowarts-Hosford complex, 8 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	50	C	.17	5	2	8 to 45	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Medium	Medium
Hosford	30	D	.10	5	8	8 to 12	Yes	Not prime farmland	No	Yes	---	G133ATFL	5w	No	No	Medium	High
118: Cowarts-Nankin complex, 15 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Cowarts	48	C	.17	5	2	15 to 45	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Medium	Medium
Nankin	40	C	.17	5	3	15 to 45	No	Not prime farmland	No	Yes	5	G133AP143FL	7e	Yes	Yes	Low	High
119: Wahee and Ochlockonee soils, 0 to 3 percent slopes, occasionally flooded									MLRA: 133A, Southern Coastal Plain								
Wahee	55	C	.24	5	3	0 to 3	No	Not prime farmland	Yes	No	20	G133AT213FL	4w	Yes	Yes	Low	High
Ochlockonee	33	B	.15	5	2	0 to 3	No	Not prime farmland	No	No	20	G133AT325FL	2w	Yes	Yes	Medium	High
120: Hardin Heights-Telogia complex, 5 to 45 percent slopes									MLRA: 133A, Southern Coastal Plain								
Hardin Heights	70	D	.28	2	5	5 to 45	No	Not prime farmland	No	Yes	11	G133AP201FL	6e	Yes	Yes	Low	High
Telogia	20	D	.20	3	3	5 to 8	No	Not prime farmland	No	Yes	11	G133AP201FL	4e	Yes	Yes	Low	High