

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
1: Alapaha loamy sand									MLRA: 133A, Southern Coastal Plain								
Alapaha, hydric	65	D	.10	5	2	0 to 2	Yes	Not prime farmland	No	No	21	G133AP015FL	5w	Yes	Yes	Low	High
Alapaha, non-hydric	15	D	.10	5	2	0 to 2	No	Not prime farmland	No	No	21	G133AP015FL	5w	Yes	Yes	Low	High
2: Albany sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Albany	85	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP068FL	3e	Yes	Yes	Low	Medium
3: Apalachee clay									MLRA: 133A, Southern Coastal Plain								
Apalachee	85	D	.32	5	4	0 to 2	Yes	Not prime farmland	No	No	21	G133AP213FL	5w	Yes	Yes	Low	High
4: Betheria silt loam									MLRA: 133A, Southern Coastal Plain								
Betheria	85	D	.28	5	6	0 to 2	Yes	Not prime farmland	No	No	21	G133AP201FL	6w	Yes	Yes	Low	High
5: Bibb soils									MLRA: 133A, Southern Coastal Plain								
Bibb	80	D	.15	5	2	0 to 2	Yes	Not prime farmland	No	No	20/21	G133AP015FL	5w	Yes	Yes	Medium	High
6: Blanton coarse sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP142FL	3s	Yes	Yes	Medium	Low
7: Blanton coarse sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Blanton	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G133AP142FL	4s	Yes	Yes	Medium	Low
8: Bonifay sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP141FL	3s	Yes	Yes	Medium	Low
9: Bonifay sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Bonifay	80	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G133AP141FL	4s	Yes	Yes	Medium	Low
10: Chipola loamy sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipola	80	A	.17	5	2	0 to 5	No	Not prime farmland	No	No	5	G133AP140FL	2s	Yes	Yes	Medium	Low
11: Chipola loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Chipola	80	A	.17	5	2	5 to 8	No	Not prime farmland	No	Yes	5	G133AP140FL	3s	Yes	Yes	Medium	Low
12: Clarendon fine sandy loam									MLRA: 133A, Southern Coastal Plain								
Clarendon	80	C	.20	5	3	0 to 2	No	All areas are prime farmland	No	No	5	G133AP275FL	2w	Yes	Yes	Low	Medium

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
13: Compass loamy sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Compass	85	B	.15	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP125FL	2w	Yes	Yes	Medium	Medium
14: Compass loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Compass	80	B	.15	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP128FL	2e	Yes	Yes	Medium	Medium
15: Compass loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Compass	85	B	.15	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP128FL	3e	Yes	Yes	Medium	Medium
16: Dorovan-Pamlico association									MLRA: 133A, Southern Coastal Plain								
Dorovan	45	D		3	8	0 to 1	Yes	Not prime farmland	No	No	21	G133AP850FL	7w	Yes	Yes	Low	High
Pamlico	35	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21	G133AP850FL	7w	Yes	Yes	Low	High
17: Dothan loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	85	B	.15	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP128FL	2e	Yes	Yes	Low	Medium
18: Dothan loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	85	B	.15	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP128FL	3e	Yes	Yes	Low	Medium
19: Dothan loamy sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Dothan	85	B	.15	5	2	8 to 12	No	Not prime farmland	No	Yes	5	G133AP131FL	4e	Yes	Yes	Low	High
20: Duplin fine sandy loam, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Duplin	85	C	.24	5	3	0 to 2	No	All areas are prime farmland	No	No	5	G133AP325FL	2w	Yes	Yes	Low	Medium
21: Duplin fine sandy loam, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Duplin	85	C	.24	5	3	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP328FL	2e	Yes	Yes	Low	Medium
22: Esto loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Esto	80	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Low	Medium
23: Esto loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Esto	80	B	.17	5	2	5 to 8	No	Not prime farmland	No	Yes	5	G133AP140FL	4e	Yes	Yes	Low	Medium

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
24: Faceville loamy fine sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Faceville	80	B	.17	5	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
25: Faceville loamy fine sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Faceville	80	B	.17	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
26: Faceville loamy fine sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Faceville	75	B	.17	5	2	8 to 12	No	Not prime farmland	No	Yes	5	G133AP143FL	4e	Yes	Yes	Medium	High
27: Faceville-Esto complex, 5 to 15 percent slopes, severely eroded									MLRA: 133A, Southern Coastal Plain								
Faceville, eroded	45	B	.32	5	5	5 to 15	No	Not prime farmland	No	Yes	5	G133AP343FL	6e	Yes	Yes	Medium	High
Esto, eroded	35	B	.28	3	5	5 to 15	No	Not prime farmland	No	Yes	5	G133AP343FL	6e	Yes	Yes	Low	High
28: Foxworth sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP142FL	3s	No	No	High	Low
29: Foxworth sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Foxworth	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G133AP142FL	4s	No	No	High	Low
30: Fuquay coarse sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	85	B	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP128FL	2s	Yes	Yes	Low	Low
31: Fuquay coarse sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Fuquay	85	B	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	5	G133AP128FL	3s	Yes	Yes	Low	Low
32: Grady fine sand loam									MLRA: 133A, Southern Coastal Plain								
Grady	75	D	.10	5	3	0 to 2	Yes	Not prime farmland	No	No	17	G133AP201FL	5w	Yes	Yes	Low	High
33: Greenville fine sandy loam, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Greenville	85	B	.24	5	3	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP340FL	2e	Yes	Yes	Medium	Medium
34: Greenville fine sandy loam, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Greenville	85	B	.24	5	3	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP340FL	3e	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
35: Hornsville fine sandy loam, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Hornsville	85	C	.20	3	3	0 to 2	No	All areas are prime farmland	No	No	5	G133AP325FL	2w	Yes	Yes	Low	Medium
36: Hornsville fine sandy loam, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Hornsville	85	C	.20	3	3	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP328FL	2e	Yes	Yes	Low	Medium
37: luka loam									MLRA: 133A, Southern Coastal Plain								
luka	75	C	.37	5	5	0 to 2	No	All areas are prime farmland	No	No	5	G133AP325FL	2w	Yes	Yes	Medium	Medium
38: Lakeland sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G133AP192FL	4s	No	No	High	Low
39: Lakeland sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G133AP192FL	6s	No	No	High	Low
40: Lakeland sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	80	A	.10	5	1	8 to 12	No	Not prime farmland	No	Yes	4	G133AP195FL	6s	No	No	High	Low
41: Lakeland sand, 12 to 30 percent slopes									MLRA: 133A, Southern Coastal Plain								
Lakeland	80	A	.10	5	1	12 to 30	No	Not prime farmland	No	Yes	4	G133AP198FL	7s	No	No	High	Medium
42: Leefield loamy sand									MLRA: 133A, Southern Coastal Plain								
Leefield	80	C	.10	5	2	0 to 2	No	Not prime farmland	No	No	5	G133AP075FL	2w	Yes	Yes	Low	Medium
43: Oktibbeha variant-Rock outcrop complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Oktibbeha variant	60	C	.37	3	5	2 to 5	No	Not prime farmland	No	Yes	5	G133AP340FL	3e	Yes	Yes	Low	High
Rock outcrop	20	D		---	8	2 to 5	Jnranke	Not prime farmland	No	No	---	G133AP900FL	8	No	No	High	High
44: Oktibbeha variant-Rock outcrop complex, 5 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Oktibbeha variant	60	C	.37	3	5	5 to 12	No	Not prime farmland	No	Yes	5	G133AP343FL	6e	Yes	Yes	Low	High
Rock outcrop	20	D		---	8	5 to 12	Jnranke	Not prime farmland	No	No	---	G133AP900FL	8	No	No	High	High
45: Orangeburg loamy sand, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	85	B	.10	5	2	0 to 2	No	All areas are prime farmland	No	No	5	G133AP137FL	1	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
46: Orangeburg loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	85	B	.10	5	2	2 to 5	No	All areas are prime farmland	No	No	5	G133AP140FL	2e	Yes	Yes	Medium	Medium
47: Orangeburg loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Orangeburg	85	B	.10	5	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Medium	Medium
48: Pamlico-Pantego-Rutlege association									MLRA: 133A, Southern Coastal Plain								
Pamlico	30	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21/22	G133AP850FL	7w	Yes	Yes	Low	High
Pantego	25	B/D	.15	5	3	0 to 2	Yes	Not prime farmland	No	No	21/22	G133AP800FL	6w	Yes	Yes	Medium	High
Rutlege	25	B/D	.17	5	3	0 to 2	Yes	Not prime farmland	No	No	21/22	G133AP002FL	6w	Yes	Yes	High	High
49: Pansey fine sandy loam									MLRA: 133A, Southern Coastal Plain								
Pansey	80	D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	21	G133AP201FL	4w	Yes	Yes	Low	High
50: Pits									MLRA: 133A, Southern Coastal Plain								
Pits	100	---		---	8	1 to 15	Inranker	Not prime farmland	No	No	---	G133AP900FL	8	No	No	Low	High
51: Plummer sand									MLRA: 133A, Southern Coastal Plain								
Plummer, hydric	50	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	23/7	G133AP003FL	4w	Yes	Yes	Medium	High
Plummer, non-hydric	30	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	23/7	G133AP003FL	4w	Yes	Yes	Medium	High
52: Plummer sand, depressional									MLRA: 133A, Southern Coastal Plain								
Plummer, depressional	80	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	17/21	G133AP800FL	7w	Yes	Yes	Medium	High
53: Red Bay fine sandy loam, 0 to 2 percent slopes									MLRA: 133A, Southern Coastal Plain								
Red Bay	85	B	.20	5	3	0 to 2	No	All areas are prime farmland	No	No	5	G133AP337FL	1	Yes	Yes	Medium	Medium
54: Red Bay fine sandy loam, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Red Bay	85	B	.20	5	3	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP340FL	2e	Yes	Yes	Medium	Medium
55: Red Bay fine sandy loam, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Red Bay	85	B	.20	5	3	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP340FL	3e	Yes	Yes	Medium	Medium

Field Office Technical Guide Soils Information (FL)

FL063: Jackson County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
56: Rutlege loamy sand									MLRA: 133A, Southern Coastal Plain								
Rutlege	80	B/D	.17	5	2	0 to 2	Yes	Not prime farmland	No	No	21/22	G133AP002FL	6w	No	No	High	High
57: Tifton loamy sand, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Tifton	85	B	.24	4	2	2 to 5	No	All areas are prime farmland	Yes	No	5	G133AP140FL	2e	Yes	Yes	Low	Medium
58: Tifton loamy sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Tifton	85	B	.24	4	2	5 to 8	No	All areas are prime farmland	No	Yes	5	G133AP140FL	3e	Yes	Yes	Low	Medium
59: Troup sand, 0 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	5	G133AP141FL	3s	Yes	Yes	Medium	Low
60: Troup sand, 5 to 8 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	5 to 8	No	Not prime farmland	Yes	No	4	G133AP141FL	4s	Yes	Yes	Medium	Low
61: Troup sand, 8 to 12 percent slopes									MLRA: 133A, Southern Coastal Plain								
Troup	85	A	.10	5	1	8 to 12	No	Not prime farmland	No	Yes	4	G133AP144FL	6s	Yes	Yes	Medium	Low
62: Urban land									MLRA: 133A, Southern Coastal Plain								
Urban land	85	---		---	---	0 to 5	Inranker	Not prime farmland	---	---	---	G133AP900FL	---	---	---	---	---
63: Wicksburg-Esto complex, 2 to 5 percent slopes									MLRA: 133A, Southern Coastal Plain								
Wicksburg	45	B	.17	5	2	2 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	2s	Yes	Yes	Low	Low
Esto	35	B	.17	5	2	2 to 5	No	Not prime farmland	Yes	No	5	G133AP140FL	3e	Yes	Yes	Low	Medium
64: Yonges-Herod association									MLRA: 133A, Southern Coastal Plain								
Yonges	40	D	.20	5	3	0 to 2	Yes	Not prime farmland	No	No	20	G133AP213FL	4w	Yes	Yes	Low	High
Herod	35	D	.24	5	3	0 to 2	Yes	Not prime farmland	No	No	20	G133AP001FL	6w	Yes	Yes	Low	High