

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
3: Clara and Osier fine sands									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Clara	45	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT800FL	4w	Yes	Yes	High	High
Osier	30	A/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT002FL	5w	Yes	Yes	High	High
5: Chaires fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chaires	81	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT015FL	4w	Yes	Yes	Low	High
6: Leon fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Leon	78	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Medium	High
8: Meadowbrook fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Meadowbrook, nonhydric	80	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
9: Sapelo fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Sapelo	80	D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Medium	High
10: Mandarin-Hurricane complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Mandarin	62	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	6s	No	Yes	Medium	Low
Hurricane	18	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	3w	Yes	Yes	High	Low
12: Ortega fine sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Ortega	78	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	4	G152AT142FL	3s	No	Yes	High	Low
13: Hurricane fine sand, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Hurricane	77	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT080FL	3w	Yes	Yes	High	Low
14: Chipley-Lynn Haven, depressional-Boulogne complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chipley	30	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	3s	No	Yes	High	Low
Lynn Haven, depressional	25	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Boulogne	19	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT015FL	3w	Yes	Yes	Medium	High
15: Ridgewood fine sand, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Ridgewood	77	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	4s	No	Yes	High	Low

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
16: Lutterloh-Ridgewood complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Lutterloh	58	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	3e	Yes	Yes	Medium	Low
Ridgewood	21	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	4s	No	Yes	High	Low
17: Ousley-Leon-Clara complex, 0 to 3 percent slopes, occasionally flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Ousley	29	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT080FL	3w	No	Yes	High	Low
Leon	28	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT013FL	4w	Yes	Yes	Medium	High
Clara	27	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT800FL	6w	Yes	Yes	High	High
19: Otela-Ortega-Lutterloh complex, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Otela	49	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G152AT142FL	3s	Yes	Yes	Low	Low
Ortega	24	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G152AT142FL	3s	No	Yes	High	Low
Lutterloh	22	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	7	G152AT077FL	3e	Yes	Yes	Medium	Low
20: Melvina-Mandarin complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Melvina	40	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	4s	Yes	Yes	Medium	Medium
Mandarin	38	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	7	G152AT077FL	6s	No	Yes	Medium	Low
21: Kershaw fine sand, 0 to 8 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Kershaw	81	A	.10	5	1	0 to 8	No	Not prime farmland	No	No	4	G152AT192FL	7s	No	Yes	High	Low
22: Ocilla sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Ocilla	81	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT067FL	3w	Yes	Yes	Medium	Medium
23: Melvina-Moriah-Lutterloh complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Melvina	44	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	4s	Yes	Yes	Medium	Medium
Moriah	18	B	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	3s	Yes	Yes	Medium	Medium
Lutterloh, limestone substratum	16	C	.10	4	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	3e	Yes	Yes	Medium	Low
24: Albany sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Albany	76	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G152AT068FL	3e	Yes	Yes	Medium	Low
25: Pottsburg fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Pottsburg	77	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
26: Resota-Hurricane complex, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Resota	67	A	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G152AT142FL	6s	Yes	Yes	High	Low
Hurricane	20	C	.10	5	1	0 to 3	No	Not prime farmland	No	No	11	G152AT077FL	3w	Yes	Yes	High	Low
27: Plummer fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Plummer, non-hydric	47	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Low	High
Plummer, hydric	30	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Low	High
28: Surrency, Starke, and Croatan soils, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Surrency	39	D	.10	5	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT002FL	6w	Yes	Yes	Low	High
Starke	27	D	.05	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Medium	High
Croatan	21	D		2	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT850FL	7w	Yes	Yes	Low	High
29: Albany-Surrency, depressional, complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Albany	45	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	11	G152AT065FL	3w	Yes	Yes	Medium	Low
Surrency	38	D	.10	5	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT002FL	6w	Yes	Yes	Low	High
30: Dorovan and Pamlico soils, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Dorovan	56	D		3	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT850FL	7w	Yes	Yes	Low	High
Pamlico	32	D		2	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT850FL	7w	Yes	Yes	Low	High
33: Wesconnett, Evergreen, and Pamlico soils, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Wesconnett	41	D	.15	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Evergreen	25	D		5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT850FL	7w	Yes	Yes	Low	High
Pamlico	20	D		2	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT850FL	7w	Yes	Yes	Low	High
34: Clara and Bodiford soils, frequently flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Clara	58	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	21	G152AT800FL	6w	Yes	Yes	High	Low
Bodiford	21	D		4	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT001FL	7w	Yes	Yes	Medium	High
35: Tooles, Meadowbrook, and Wekiva soils, frequently flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles	40	D	.10	4	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT003FL	5w	Yes	Yes	Medium	High
Meadowbrook, frequently flooded	28	B/D	.10	5	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT003FL	6w	Yes	Yes	Medium	High
Wekiva	23	D	.10	4	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT001FL	5w	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
37: Tooles and Meadowbrook soils, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles, depressional	48	D	.10	4	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Meadowbrook, depressional	36	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
38: Clara and Meadowbrook soils, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Clara	44	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	21	G152AT800FL	6w	Yes	Yes	High	Low
Meadowbrook	32	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	21	G152AT800FL	7w	Yes	Yes	Low	High
40: Lutterloh fine sand, limestone substratum									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Lutterloh, limestone substratum	80	C	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT077FL	3e	Yes	Yes	Medium	Low
41: Tooles-Meadowbrook complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles	48	B/D	.10	4	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Meadowbrook	32	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT003FL	4w	Yes	Yes	Medium	High
45: Chaires fine sand, limestone substratum									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chaires, limestone substratum	77	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT015FL	4w	Yes	Yes	Medium	High
46: Pits									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Pits	77	---		---	---	0 to 4	Unranked	Not prime farmland	---	---	---	G152AT900FL	8	---	---	---	---
48: Wekiva-Tennille-Tooles complex, occasionally flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Wekiva	44	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT001FL	5w	Yes	Yes	Low	High
Tennille	28	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT401FL	6w	Yes	Yes	Low	High
Tooles	16	D	.10	4	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT003FL	5w	Yes	Yes	Medium	High
49: Seaboard-Bushnell-Matmon complex, 0 to 3 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Seaboard	28	B	.10	2	1	0 to 3	No	Not prime farmland	No	No	11	G152AT539FL	6s	Yes	Yes	Medium	High
Bushnell	25	C	.10	2	1	0 to 3	No	Not prime farmland	No	No	11	G152AT075FL	3w	Yes	Yes	Low	High
Matmon	23	D	.10	2	1	0 to 2	No	Not prime farmland	No	No	11	G152AT463FL	4s	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
51: Tooles-Nutall complex, frequently flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles, frequently flooded	60	D	.10	4	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT003FL	5w	Yes	Yes	Medium	High
Nutall, frequently flooded	30	D	.10	3	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT001FL	5w	Yes	Yes	Low	High
52: Clara, depressional-Clara-Meadowbrook complex, occasionally flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Clara, depressional	30	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	High	Low
Clara	29	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT800FL	6w	Yes	Yes	High	Low
Meadowbrook	20	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
53: Bayvi muck, frequently flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Bayvi, frequently flooded	81	D		5	8	0 to 1	Yes	Not prime farmland	No	No	18	G152AT850FL	8	Yes	Yes	Low	High
54: Meadowbrook-Tooles-Clara, depressional, complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Meadowbrook	27	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
Clara, depressional	20	D	.10	5	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	6w	Yes	Yes	High	High
Tooles	20	B/D	.10	4	1	0 to 1	No	Not prime farmland	No	No	7	G152AT003FL	3w	Yes	Yes	Low	High
55: Arents, moderately wet, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Arents, moderately wet	100	B	.05	5	1	0 to 2	No	Not prime farmland	No	No	---	G152AT900FL	6s	Yes	Yes	High	Medium
57: Sapelo fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Sapelo, depressional	81	D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT013FL	4w	Yes	Yes	Low	High
58: Leon mucky fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Leon, depressional	90	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT013FL	4w	Yes	Yes	Low	High
59: Arents, sanitary landfill									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Arents	95	C	.17	5	1	0 to 2	No	Not prime farmland	No	No	---	G152AT900FL	7s	Yes	Yes	High	Medium
60: Chaires, limestone substratum-Meadowbrook, limestone substratum, complex, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chaires, limestone substratum	60	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT015FL	4w	Yes	Yes	Low	High

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
60: Chaires, limestone substratum-Meadowbrook, limestone substratum, complex, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Meadowbrook, limestone substratum	19	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
61: Wekiva-Tooles,depressional-Tennille complex, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Wekiva	43	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	12	G152AT001FL	5w	Yes	Yes	Low	High
Tooles, depressional	25	B/D	.10	4	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	Medium
Tennille	12	D	.10	1	1	0 to 2	No	Not prime farmland	No	No	12	G152AT401FL	5w	Yes	Yes	Low	High
62: Tooles-Tennille-Wekiva complex, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles	45	D	.10	4	8	0 to 1	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Tennille	25	D	.10	1	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT800FL	7w	Yes	Yes	Low	High
Wekiva, depressional	25	D	.10	2	8	0 to 2	Yes	Not prime farmland	No	No	22	G152AT001FL	7w	Yes	Yes	Low	High
63: Steinhatchee fine sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Steinhatchee	80	B/D	.10	3	1	0 to 2	No	Not prime farmland	No	No	12	G152AT015FL	4w	Yes	Yes	Low	High
64: Tooles-Wekiva complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Tooles	63	B/D	.10	4	1	0 to 1	No	Not prime farmland	No	No	11	G152AT003FL	3w	Yes	Yes	Low	High
Wekiva	27	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	11	G152AT001FL	5w	Yes	Yes	Low	High
65: Yellowjacket and Maurepas mucks, frequently flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Maurepas	45	D		3	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
Yellowjacket	45	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
67: Yellowjacket and Maurepas mucks, depressional									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Yellowjacket, depressional	45	D		2	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
Maurepas, depressional	40	D		3	8	0 to 1	Yes	Not prime farmland	No	No	21	G152AT850FL	7w	Yes	Yes	Low	High
68: Matmon-Wekiva-Rock outcrop complex, occasionally flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Matmon	40	D	.10	2	1	0 to 2	No	Not prime farmland	No	No	12	G152AT463FL	4s	Yes	Yes	Low	High
Wekiva	35	D	.10	2	1	0 to 2	Yes	Not prime farmland	No	No	12	G152AT001FL	5w	Yes	Yes	Low	High
Rock outcrop	14	D		---	---	0 to 2	Unranked	Not prime farmland	No	No	---	G152AT900FL	8	No	No	Low	High

Field Office Technical Guide Soils Information (FL)

FL123: Taylor County, Florida

Map symbol and soil name	Pct. of unit	Hyd group	Kf	T factor	WE G	Slope Percen	Hydric ?	Farm Class:	FL PHE:	FL HE:	Ecological Group	Forage Suitability Group ID:	LCU	FL Triumph:	FL Temik	FL Pot. Leach	FL Pot. Runoff
69: Eunola, Goldhead, and Tooles fine sands, commonly flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Eunola	49	C	.15	5	2	0 to 2	No	Not prime farmland	No	No	11	G152AT325FL	2w	Yes	Yes	Medium	High
Goldhead	20	B/D	.10	5	1	0 to 2	Yes	Not prime farmland	No	No	22	G152AT002FL	3w	Yes	Yes	Medium	High
Tooles	11	D	.10	4	1	0 to 1	Yes	Not prime farmland	No	No	22	G152AT003FL	4w	Yes	Yes	Low	High
70: Chiefland-Chiefland, frequently flooded, complex									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chiefland	40	B	.10	5	1	0 to 2	No	Not prime farmland	No	No	11	G152AT139FL	3s	Yes	Yes	Medium	Low
Chiefland, frequently flooded	35	B	.10	5	1	0 to 2	No	Not prime farmland	No	No	11	G152AT139FL	5w	Yes	Yes	Medium	Low
71: Leon fine sand, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Leon, rarely flooded	78	D	.10	5	1	0 to 2	No	Not prime farmland	No	No	12	G152AT013FL	4w	Yes	Yes	Low	High
72: Chaires fine sand, rarely flooded									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chaires, rarely flooded	80	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	12	G152AT015FL	4w	Yes	Yes	Medium	High
73: Chipley sand, 0 to 5 percent slopes									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Chipley	77	C	.10	5	1	0 to 5	No	Not prime farmland	No	No	11	G152AT080FL	3s	No	Yes	High	Low
74: Mascotte sand									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Mascotte	80	B/D	.10	5	1	0 to 2	No	Not prime farmland	No	No	7	G152AT003FL	4w	Yes	Yes	Medium	High
99: Water									MLRA: 152A, Eastern Gulf Coast Flatwoods								
Water	100	---		---	---	---	Unranked		---	---	---	Not assigned	---	---	---	---	---