

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
01A	Riverview loam, 0 to 2 percent slopes, occasionally flooded	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
02A	Congaree loam, 0 to 2 percent slopes, occasionally flooded	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
04A	Chewacla loam, 0 to 2 percent slopes, frequently flooded	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
07A	Armenia loam, 0 to 2 percent slopes, occasionally flooded	ArA	Armenia loam, 0 to 2 percent slopes, frequently flooded
08A	Wehadkee silt loam, 0 to 2 percent slopes, frequently flooded	WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
09A	Aquents loam-clay, 0 to 6 percent slopes, occasionally flooded	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
13C	Cecil-Urban land complex, 2 to 10 percent slopes	CgC	Cecil-Urban land complex, 2 to 10 percent slopes
13E	Cecil-Urban land complex, 10 to 25 percent slopes	CgE	Cecil-Urban land complex, 10 to 25 percent slopes
14C	Lloyd-Urban land complex, 2 to 10 percent slopes	LuC	Lloyd-Urban land complex, 2 to 10 percent slopes
14E	Lloyd-Urban land complex, 10 to 25 percent slopes	LuE	Lloyd-Urban land complex, 10 to 25 percent slopes
16B2	Masada loam, 2 to 6 percent slopes, moderately eroded	MdB	Masada fine sandy loam, 2 to 6 percent slopes
16C2	Masada loam, 6 to 10 percent slopes, moderately eroded	MdC	Masada fine sandy loam, 6 to 10 percent slopes
16D2	Masada loam, 10 to 15 percent slopes, moderately eroded	MdC	Masada fine sandy loam, 6 to 10 percent slopes
17B	Dogue sandy loam, 2 to 6 percent slopes, rarely flooded	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
18C	Dogue-Urban land complex, 2 to 10 percent slopes	DuC	Dorian-Urban land complex, 0 to 10 percent slopes, rarely flooded
20B2	Davidson clay loam, 2 to 6 percent slopes, moderately eroded	HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes
20C2	Davidson clay loam, 6 to 10 percent slopes, moderately eroded	HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes
23B2	Hiwassee sandy clay loam, 2 to 6 percent slopes, moderately eroded	HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes
23C2	Hiwassee sandy clay loam, 6 to 10 percent slopes, moderately eroded	HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes
23D2	Hiwassee sandy clay loam, 10 to 15 percent slopes, moderately eroded	HwD	Hiwassee fine sandy loam, 10 to 15 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
23E	Hiwassee sandy clay loam, 15 to 25 percent slopes	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
26B	Lloyd loam, 2 to 6 percent slopes	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
26B2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
26B3	Lloyd clay, 2 to 6 percent slopes, severely eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
26C	Lloyd loam, 6 to 10 percent slopes	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
26C2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
26C3	Lloyd clay, 6 to 10 percent slopes, severely eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
26D	Lloyd loam, 10 to 15 percent slopes	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
26D2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
26D3	Lloyd clay, 10 to 15 percent slopes, severely eroded	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
26E	Lloyd loam, 15 to 25 percent slopes	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
26E2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
26E3	Lloyd clay, 15 to 25 percent slopes, severely eroded	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
26F	Lloyd loam, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
31B	Cecil sandy loam, 2 to 6 percent slopes	CaB	Cecil sandy loam, 2 to 6 percent slopes
31B2	Cecil sandy clay loam, 2 to 6 percent slopes, moderately eroded	CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, moderately eroded
31B3	Cecil clay, 2 to 6 percent slopes, severely eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
31C	Cecil sandy loam, 6 to 10 percent slopes	CaC	Cecil sandy loam, 6 to 10 percent slopes
31C2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded	CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded
31C3	Cecil clay, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
31D	Cecil sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
31D2	Cecil sandy loam, 10 to 15 percent slopes, moderately eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
31D3	Cecil clay, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
31E	Cecil sandy loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
31E2	Cecil sandy clay loam, 15 to 25 percent slopes, moderately eroded.	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
31E3	Cecil clay, 15 to 25 percent slopes, severely eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
31F	Cecil sandy loam, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
32B	Pacolet sandy loam, 2 to 6 percent slopes	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
32B2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
32B3	Pacolet sandy clay loam, 2 to 6 percent slopes, severely eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
32C	Pacolet sandy loam, 6 to 10 percent slopes	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
32C2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
32C3	Pacolet clay loam, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
32D	Pacolet sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
32D2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
32D3	Pacolet clay loam, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
32E	Pacolet sandy loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
32E2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
32E3	Pacolet clay loam, 15 to 25 percent slopes, severely eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
32F	Pacolet sandy loam, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
32F2	Pacolet sandy clay loam, 25 to 45 percent slopes, moderately eroded	PaF	Pacolet sandy loam, 25 to 45 percent slopes
35B	Wedowee sandy loam, 2 to 6 percent slopes	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
35B2	Wedowee sandy loam, 2 to 6 percent slopes, moderately eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
35C	Wedowee sandy loam, 6 to 10 percent slopes	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
35C2	Wedowee sandy loam, 6 to 10 percent slopes, moderately eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
35C3	Wedowee clay loam, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
35D	Wedowee sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
35D2	Wedowee sandy loam, 10 to 15 percent slopes, moderately eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
35D3	Wedowee clay loam, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
35E	Wedowee sandy loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
35E2	Wedowee sandy loam, 15 to 25 percent slopes, moderately eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
36B	Appling sandy loam, 2 to 6 percent slopes	ApB	Appling sandy loam, 2 to 6 percent slopes
36B2	Appling sandy loam, 2 to 6 percent slopes, moderately eroded	ApB	Appling sandy loam, 2 to 6 percent slopes
36C	Appling sandy loam, 6 to 10 percent slopes	CaC	Cecil sandy loam, 6 to 10 percent slopes
37B	Madison sandy loam, 2 to 6 percent slopes	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
37B2	Madison sandy clay loam, 2 to 6 percent slopes, moderately eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
37B3	Madison clay loam, 2 to 6 percent slopes, severely eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
37C	Madison sandy loam, 6 to 10 percent slopes	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
37C2	Madison sandy clay loam, 6 to 10 percent slopes, moderately eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
37C3	Madison clay loam, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
37D	Madison sandy loam, 6 to 10 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
37D2	Madison sandy clay loam, 6 to 10 percent slopes, moderately eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
37D3	Madison clay loam, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
37E	Madison sandy clay loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
37E2	Madison sandy clay loam, 15 to 25 percent slopes, moderately eroded.	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
37E3	Madison clay loam, 15 to 25 percent slopes, severely eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
37F	Madison sandy loam, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
38B	Rion sandy loam, 2 to 6 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
38C	Rion-Wateree complex, 6 to 10 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
38D	Rion-Wateree complex, 10 to 15 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
38E	Rion-Wateree complex, 15 to 25 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
38F	Rion-Wateree complex, 25 to 50 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
40B	Wickham fine sandy loam, 2 to 6 percent slopes, rarely flooded	MdB	Masada fine sandy loam, 2 to 6 percent slopes
40C	Wickham fine sandy loam, 6 to 10 percent slopes	MdC	Masada fine sandy loam, 6 to 10 percent slopes
44B	Altavista fine sandy loam, 2 to 6 percent slopes, rarely flooded	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
44C	Altavista-Urban land complex, 2 to 6 percent slopes	DuC	Dorian-Urban land complex, 0 to 10 percent slopes, rarely flooded
47C	Pacolet clay loam, 6 to 10 percent slopes, moderately eroded	MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied
47D	Pacolet clay loam, 10 to 15 percent slopes, moderately eroded	MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied
47E	Pacolet clay loam, 15 to 25 percent slopes, moderately eroded	MaE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied
47F	Pacolet clay loam, 25 to 45 percent slopes, moderately eroded	MaF4	Madison-Udorthents complex, 25 to 45 percent slopes, gullied
50B	Enon fine sandy loam, 2 to 6 percent slopes	WtB	Wynott-Enon complex, 2 to 8 percent slopes
50C	Enon fine sandy loam, 6 to 10 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes
50D	Enon fine sandy loam, 10 to 15 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes
51B	Helena sandy loam, 2 to 6 percent slopes	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
52B	Sedgefield fine sandy loam, 1 to 6 percent slopes	IrB	Iredell loam, 2 to 6 percent slopes
53B	Enon-Wynott complex, 2 to 6 percent slopes	WtB	Wynott-Enon complex, 2 to 8 percent slopes
53C	Enon-Wynott complex, 6 to 10 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes
54B2	Mecklenburg clay loam, 2 to 6 percent slopes, moderately eroded	MeB2	Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
54C2	Mecklenburg clay loam, 6 to 10 percent slopes, moderately eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
54D2	Mecklenburg clay loam, 10 to 15 percent slopes, moderately eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
57B2	Vance sandy clay loam, 2 to 6 percent slopes, moderately eroded	MeB2	Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded
57C2	Vance sandy clay loam, 6 to 10 percent slopes, moderately eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
59B	Iredell loam, 2 to 6 percent slopes	IrB	Iredell loam, 2 to 6 percent slopes
59C	Iredell loam, 6 to 10 percent slopes	IrC	Iredell loam, 6 to 10 percent slopes
61B	Zion fine sandy loam, 2 to 6 percent slopes	WtB	Wynott-Enon complex, 2 to 8 percent slopes
61C	Zion fine sandy loam, 6 to 10 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes
61D	Zion fine sandy loam, 10 to 15 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes
63C	Wilkes loam, 6 to 10 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
63D	Wilkes loam, 10 to 15 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
63E	Wilkes loam, 15 to 25 percent slopes	PrE	Poindexter-Rowan complex, 15 to 25 percent slopes
63F	Wilkes loam, 25 to 45 percent slopes	PrF	Poindexter-Rowan complex, 25 to 45 percent slopes
65B	Mocksville-Poindexter complex, 2 to 6 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
65C	Mocksville-Poindexter complex, 6 to 10 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
65D	Mocksville-Poindexter complex, 10 to 15 percent slopes, stony	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
65E	Mocksville-Poindexter complex, 15 to 25 percent slopes, stony	PrE	Poindexter-Rowan complex, 15 to 25 percent slopes
65F	Mocksville-Poindexter complex, 25 to 45 percent slopes, stony	PrF	Poindexter-Rowan complex, 25 to 45 percent slopes
67D	Wateree sandy loam, 10 to 15 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
67E	Wateree sandy loam, 15 to 25 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
67F	Wateree sandy loam, 25 to 45 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
70B	Buncombe loamy sand, 0 to 5 percent slopes, occasionally flooded	BuB	Buncombe loamy sand, 0 to 5 percent slopes, frequently flooded
71B	Toccoa-Buncombe complex, 0 to 5 percent slopes, occasionally flooded	BuB	Buncombe loamy sand, 0 to 5 percent slopes, frequently flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
80A	Worsham sandy loam, 0 to 2 percent slopes	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
86A	Wahee-Roanoke complex, 0 to 2 percent slopes, occasionally flooded	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
97B	Madison-Bethlehem complex, 2 to 6 percent slopes	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
97B2	Madison-Bethlehem complex, 2 to 6 percent slopes, moderately eroded	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
97C	Madison-Bethlehem complex, 6 to 10 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
97C2	Madison-Bethlehem complex, 6 to 10 percent slopes, moderately eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
97D	Madison-Bethlehem complex, 10 to 15 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
97D2	Madison-Bethlehem complex, 10 to 15 percent slopes, moderately eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
97E	Madison-Bethlehem complex, 15 to 25 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
97E2	Pacolet-Bethlehem-Westfield complex, 15 to 25 percent slopes, stony	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
98B	Pacolet-Bethlehem-Westfield complex, 2 to 6 percent slopes	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
98B2	Pacolet-Bethlehem-Westfield complex, 2 to 6 percent slopes, moderately eroded	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
98C	Pacolet-Bethlehem-Westfield complex, 6 to 10 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
98C2	Pacolet-Bethlehem-Westfield complex, 6 to 10 percent slopes, moderately eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
98D	Pacolet-Bethlehem-Westfield complex, 10 to 15 percent slopes, stony	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
98D2	Pacolet-Bethlehem-Westfield complex, 10 to 15 percent slopes, moderately eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
98E	Pacolet-Bethlehem-Westfield complex, 15 to 25 percent slopes, stony	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
98E2	Pacolet-Bethlehem-Westfield complex, 15 to 25 percent slopes, moderately eroded	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
101A	Dan River-Comus complex, 0 to 2 percent slopes, occasionally flooded	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
102A	Congaree loam, mesic, 0 to 2 percent slopes, occasionally flooded	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
104A	Codorus loam, 0 to 2 percent slopes, frequently flooded	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
107A	Elbert loam, 0 to 2 percent slopes, occasionally flooded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
108A	Hatboro silt loam, 0 to 2 percent slopes, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
109A	Aquents loam-clay, mesic, 0 to 6 percent slopes, occasionally flooded	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
113C	Clifford-Urban land complex, 2 to 10 percent slopes	CrC	Clifford-Urban land complex, 2 to 10 percent slopes
113E	Clifford-Urban land complex, 10 to 25 percent slopes	CrE	Clifford-Urban land complex, 10 to 25 percent slopes
114C	Minnieville-Urban land complex, 2 to 10 percent slopes	TuC	Tomlin-Urban land complex, 2 to 10 percent slopes
114E	Minnieville-Urban land complex, 10 to 25 percent slopes	TuE	Tomlin-Urban land complex, 10 to 25 percent slopes
116B	Danripple loam, 2 to 6 percent slopes	DeB	Danripple sandy loam, 2 to 6 percent slopes
116B2	Danripple loam, 2 to 6 percent slopes, moderately eroded	DeB	Danripple sandy loam, 2 to 6 percent slopes
116C2	Danripple sandy clay loam, 6 to 10 percent slopes, moderately eroded	DfC2	Danripple sandy clay loam, 6 to 10 percent slopes, moderately eroded
116D2	Danripple sandy clay loam, 10 to 15 percent slopes, moderately eroded	DfD2	Danripple sandy clay loam, 10 to 15 percent slopes, moderately eroded
117B	Eaglemills-Wate complex, 2 to 6 percent slopes, rarely flooded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
118C	Eaglemills-Urban land complex, 2 to 10 percent slopes	BcB	Banister-Urban land complex, 0 to 10 percent slopes, rarely flooded
120B2	Davidson clay loam, mesic, 2 to 6 percent slopes, moderately eroded	YaB2	Yadkin sandy clay loam, 2 to 6 percent slopes, moderately eroded
120C2	Davidson clay loam, mesic, 6 to 10 percent slopes, moderately eroded	YaC2	Yadkin sandy clay loam, 6 to 10 percent slopes, moderately eroded
123B2	Yadkin sandy clay loam, 2 to 6 percent slopes, moderately eroded	YaB2	Yadkin sandy clay loam, 2 to 6 percent slopes, moderately eroded
123C2	Yadkin sandy clay loam, 6 to 10 percent slopes, moderately eroded	YaC2	Yadkin sandy clay loam, 6 to 10 percent slopes, moderately eroded
123D2	Yadkin sandy clay loam, 10 to 15 percent slopes, moderately eroded	YaD2	Yadkin sandy clay loam, 10 to 15 percent slopes, moderately eroded
123E	Yadkin sandy clay loam, 15 to 25 percent slopes	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
126B	Minnieville loam, 2 to 6 percent slopes	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
126B2	Tomlin clay loam, 2 to 6 percent slopes, moderately eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
126B3	Minnieville clay, 2 to 6 percent slopes, severely eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
126C	Minnieville loam, 6 to 10 percent slopes	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
126C2	Tomlin clay loam, 6 to 10 percent slopes, moderately eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
126C3	Minnieville clay, 6 to 10 percent slopes, severely eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
126D	Minnieville loam, 10 to 15 percent slopes	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
126D2	Tomlin clay loam, 10 to 15 percent slopes, moderately eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
126D3	Minnieville clay, 15 to 25 percent slopes, severely eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
126E	Minnieville loam, 15 to 25 percent slopes	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
126E2	Tomlin clay loam, 15 to 25 percent slopes, moderately eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
126E3	Minnieville clay, 15 to 25 percent slopes, severely eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
131B	Clifford sandy loam, 2 to 6 percent slopes	CkB	Clifford sandy loam, 2 to 6 percent slopes
131B2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded	CmB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
131B3	Clifford clay, 2 to 6 percent slopes, severely eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
131C	Clifford sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
131C2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded	CmC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
131C3	Clifford clay, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
131D	Clifford sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
131D2	Clifford sandy clay loam, 10 to 15 percent slopes, moderately eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
131D3	Clifford clay, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
131E	Clifford sandy loam, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
131E2	Clifford sandy clay loam, 15 to 25 percent slopes, moderately eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
131E3	Clifford clay, 15 to 25 percent slopes, severely eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
131F	Clifford sandy loam, 25 to 45 percent slopes	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
132B	Fairview sandy loam, 2 to 6 percent slopes	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
132B2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
132B3	Fairview sandy clay loam, 2 to 6 percent slopes, severely eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
132C	Fairview sandy loam, 6 to 10 percent slopes	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
132C2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
132C3	Fairview clay loam, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
132D	Fairview sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
132D2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
132D3	Fairview clay loam, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
132E	Fairview sandy loam, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes
132E2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
132E3	Fairview clay loam, 15 to 25 percent slopes, severely eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
132F	Fairview-Stott Knob complex, 25 to 45 percent slopes	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
132F2	Fairview sandy clay loam, 25 to 45 percent slopes, moderately eroded	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
135B	Toast sandy loam, 2 to 6 percent slopes	BeB	Bentley-Clifford complex, 2 to 6 percent slopes
135B2	Toast sandy clay loam, 2 to 6 percent slopes, moderately eroded	CmB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
135C	Toast sandy loam, 6 to 10 percent slopes	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
135C2	Toast sandy clay loam, 6 to 10 percent slopes, moderately eroded	CmC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
135C3	Toast clay loam, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
135D	Toast sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
135D2	Toast sandy clay loam, 10 to 15 percent slopes, moderately eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
135D3	Toast clay loam, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
135E	Toast sandy loam, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes
135E2	Toast sandy clay loam, 15 to 25 percent slopes, moderately eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
136B	Bentley-Clifford complex, 2 to 6 percent slopes	BeB	Bentley-Clifford complex, 2 to 6 percent slopes
136B2	Nathalie sandy loam, 2 to 6 percent slopes, moderately eroded	BeB	Bentley-Clifford complex, 2 to 6 percent slopes
136C	Nathalie sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
137B	Madison sandy loam, mesic, 2 to 6 percent slopes	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
137B2	Madison sandy clay loam, mesic, 2 to 6 percent slopes, moderately eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
137B3	Madison clay loam, mesic, 2 to 6 percent slopes, severely eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
137C	Madison sandy loam, mesic, 6 to 10 percent slopes	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
137C2	Madison sandy clay loam, mesic, 6 to 10 percent slopes, moderately eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
137C3	Madison clay loam, mesic, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
137D	Madison sandy loam, mesic, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
137D2	Madison sandy clay loam, mesic, 10 to 15 percent slopes, moderately eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
137D3	Madison clay loam, mesic, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
137E	Madison sandy loam, mesic, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes
137E2	Madison sandy clay loam, mesic, 15 to 25 percent slopes, moderately eroded.	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
137E3	Madison clay loam, mesic, 15 to 25 percent slopes, severely eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
137F	Madison sandy loam, mesic, 25 to 45 percent slopes	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
138B	Rhodhiss sandy loam, 2 to 6 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
138C	Rhodhiss-Devotion complex, 6 to 10 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
138D	Rhodhiss-Devotion complex, 10 to 15 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
138E	Rhodhiss-Devotion complex, 15 to 25 percent slopes	RcE	Rhodhiss sandy loam, 15 to 25 percent slopes
138F	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
140B	Wickham fine sandy loam, mesic, 2 to 6 percent slopes, rarely flooded	DeB	Danripple sandy loam, 2 to 6 percent slopes
140C	Wickham fine sandy loam, mesic, 6 to 10 percent slopes	DfC2	Danripple sandy clay loam, 6 to 10 percent slopes, moderately eroded
144B	Dillard fine sandy loam, 2 to 6 percent slopes, rarely flooded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
144C	Dillard-Urban land complex, 2 to 6 percent slopes	BcB	Banister-Urban land complex, 0 to 10 percent slopes, rarely flooded
147C	Fairview clay loam, 6 to 10 percent slopes, moderately eroded	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
147D	Fairview clay loam, 10 to 15 percent slopes, moderately eroded	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
147E	Fairview clay loam, 15 to 25 percent slopes, moderately eroded	PxE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied
147F	Fairview clay loam, 25 to 45 percent slopes, moderately eroded	PxF4	Poplar Forest-Udorthents complex, 25 to 45 percent slopes, gullied
150B	Rasalo fine sandy loam, 2 to 6 percent slopes	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
150C	Rasalo fine sandy loam, 6 to 10 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
150D	Rasalo fine sandy loam, 10 to 15 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
151B	Halifax sandy loam, 2 to 6 percent slopes	DkB	Davie sandy loam, 1 to 6 percent slopes
152B	Sedgefield fine sandy loam, mesic, 1 to 6 percent slopes	DkB	Davie sandy loam, 1 to 6 percent slopes
153B	Rasalo-Redbrush complex, 2 to 6 percent slopes	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
153C	Rasalo-Redbrush complex, 6 to 10 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
154B2	Oak Level clay loam, 2 to 6 percent slopes, moderately eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
154C2	Oak Level clay loam, 6 to 10 percent slopes, moderately eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
154D2	Oak Level clay loam, 10 to 15 percent slopes, moderately eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
157B2	Casville sandy clay loam, 2 to 6 percent slopes, moderately eroded	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
157C2	Casville sandy clay loam, 6 to 10 percent slopes, moderately eroded	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
159B	Jackland loam, 2 to 6 percent slopes	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
159C	Jackland loam, 6 to 10 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
161B	Redbrush fine sandy loam, 2 to 6 percent slopes	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
161C	Redbrush fine sandy loam, 6 to 10 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
161D	Redbrush fine sandy loam, 10 to 15 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
163C	Siloam loam, 6 to 10 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
163D	Siloam loam, 10 to 15 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
163E	Siloam loam, 15 to 25 percent slopes	MoE	Mocksville-Spriggs complex, 15 to 25 percent slopes, stony
163F	Siloam loam, 25 to 45 percent slopes	MoF	Mocksville-Spriggs complex, 25 to 45 percent slopes, stony
165B	Spriggs-Turnersburg complex, 2 to 6 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
165C	Spriggs-Turnersburg complex, 6 to 10 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
165D	Spriggs-Turnersburg complex, 10 to 15 percent slopes, stony	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
165E	Spriggs-Turnersburg complex, 15 to 25 percent slopes, stony	MoE	Mocksville-Spriggs complex, 15 to 25 percent slopes, stony
165F	Spriggs-Turnersburg complex, 25 to 45 percent slopes, stony	MoF	Mocksville-Spriggs complex, 25 to 45 percent slopes, stony
170B	Biltmore loamy sand, 0 to 5 percent slopes, occasionally flooded	RxB	Ronda-Comus complex, 0 to 5 percent slopes, occasionally flooded
171B	Comus-Biltmore complex, 0 to 5 percent slopes, occasionally flooded	RxB	Ronda-Comus complex, 0 to 5 percent slopes, occasionally flooded
186A	Wahee-Roanoke complex, mesic, 0 to 2 percent slopes, occasionally flooded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
197B	Madison-Woolwine complex, mesic, 2 to 6 percent slopes	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
197B2	Madison-Woolwine complex, mesic, 2 to 6 percent slopes, moderately eroded	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
197C	Madison-Woolwine complex, mesic, 6 to 10 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
197C2	Madison-Woolwine complex, mesic, 6 to 10 percent slopes, moderately eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
197D	Madison-Woolwine complex, mesic, 10 to 15 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
197D2	Madison-Woolwine complex, mesic, 10 to 15 percent slopes, moderately eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
197E	Madison-Woolwine complex, mesic, 15 to 25 percent slopes	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
197E2	Fairview-Woolwine-Westfield complex, 15 to 25 percent slopes, stony	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
198B	Fairview-Woolwine-Westfield complex, 2 to 6 percent slopes	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
198B2	Fairview-Woolwine-Westfield complex, 2 to 6 percent slopes, moderately eroded	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
198C	Fairview-Woolwine-Westfield complex, 6 to 10 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
198C2	Fairview-Woolwine-Westfield complex, 6 to 10 percent slopes, moderately eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
198D	Fairview-Woolwine-Westfield complex, 10 to 15 percent slopes, stony	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
198D2	Fairview-Woolwine-Westfield complex, 10 to 15 percent slopes, moderately eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
198E	Fairview-Woolwine-Westfield complex, 15 to 25 percent slopes, stony	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
198E2	Fairview-Woolwine-Westfield complex, 15 to 25 percent slopes, moderately eroded	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
204F	Cleveland-Rock outcrop complex, 8 to 90 percent slopes	CiF	Cleveland-Rock outcrop complex, 8 to 90 percent slopes
221B	Tate-French complex, 2 to 10 percent slopes	BaC	Bandana-Tate-Nikwasi complex, 0 to 15 percent slopes, frequently flooded
232B2	Fairview-Woolwine complex, 2 to 8 percent slopes, moderately eroded	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
232C2	Fairview-Woolwine-Westfield complex, 8 to 15 percent slopes, moderately eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
232E	Fairview-Woolwine-Westfield complex, 15 to 25 percent slopes, moderately eroded, stony	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
232F	Fairview-Woolwine complex, 25 to 45 percent slopes, stony	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
234B	Braddock and Clifford soils, 2 to 8 percent slopes	BkB	Braddock-Appomattox complex, 2 to 8 percent slopes
234B2	Braddock and Clifford soils, 2 to 8 percent slopes, moderately eroded	BkB	Braddock-Appomattox complex, 2 to 8 percent slopes
234D	Braddock and Clifford soils, 8 to 15 percent slopes	BnD	Braddock-Clifford complex, 8 to 15 percent slopes
234D2	Braddock and Clifford soils, 8 to 15 percent slopes, moderately eroded	BnD	Braddock-Clifford complex, 8 to 15 percent slopes
234E	Braddock and Clifford soils, 15 to 25 percent slopes	BgE	Braddock cobbly fine sandy loam, 15 to 25 percent slopes, stony
234E2	Braddock and Clifford soils, 15 to 25 percent slopes, moderately eroded	BgE	Braddock cobbly fine sandy loam, 15 to 25 percent slopes, stony
237D	Cowee-Saluda complex, 8 to 25 percent slopes, very stony	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
237E	Cowee-Saluda complex, 25 to 60 percent slopes, very stony	CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony
238B	Rhodhiss-Stott Knob complex, 2 to 8 percent slopes, stony	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
238D	Rhodhiss-Stott Knob complex, 8 to 15 percent slopes, stony	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
238E	Rhodhiss-Stott Knob complex, 15 to 25 percent slopes, stony	RcE	Rhodhiss sandy loam, 15 to 25 percent slopes
238F	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
240E	Brevard-Greenlee complex, 8 to 25 percent slopes	BrE	Brevard-Greenlee complex, 8 to 25 percent slopes, very bouldery
240F	Brevard-Greenlee complex, 25 to 60 percent slopes	BrF	Brevard-Greenlee complex, 25 to 60 percent slopes, very bouldery
244C2	Braddock and Hayesville soils, 6 to 15 percent slopes, moderately eroded	BnD	Braddock-Clifford complex, 8 to 15 percent slopes
244D2	Braddock and Hayesville soils, 15 to 25 percent slopes, moderately eroded	BgE	Braddock cobbly fine sandy loam, 15 to 25 percent slopes, stony
270E	Hibriten very cobbly sandy loam, 8 to 25 percent slopes	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
270F	Hibriten very cobbly sandy loam, 25 to 60 percent slopes	CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
271B	Hibriten-Stott Knob complex, 2 to 8 percent slopes, very stony	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
271D	Hibriten-Stott Knob complex, 8 to 15 percent slopes, very stony	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
271E	Hibriten-Stott Knob complex, 15 to 25 percent slopes, very stony	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
271F	Hibriten-Stott Knob complex, 25 to 60 percent slopes, very stony	CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony
283D	Evard-Cowee complex, 8 to 25 percent slopes, stony	EvE	Evard-Cowee complex, 8 to 25 percent slopes, stony
283E	Evard-Cowee complex, 25 to 60 percent slopes, stony	EvF	Evard-Cowee complex, 25 to 60 percent slopes, stony
285A	Cullowhee fine sandy loam, 0 to 3 percent slopes, frequently flooded	BaC	Bandana-Tate-Nikwasi complex, 0 to 15 percent slopes, frequently flooded
298B	Stott Knob-Westfield complex, 2 to 8 percent slopes, stony	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
298D	Stott Knob-Westfield complex, 8 to 15 percent slopes, stony	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
298E	Stott Knob-Westfield complex, 15 to 25 percent slopes, stony	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
298F	Stott Knob-Westfield complex, 25 to 60 percent slopes, stony	SwF	Stott Knob-Westfield complex, 25 to 60 percent slopes, stony
AfB	Altavista fine sandy loam, 2 to 6 percent slopes	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
AfB	Altavista fine sandy loam, 2 to 6 percent slopes	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
AfB2	Altavista fine sandy loam, 2 to 6 percent slopes, eroded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
AfB2	Altavista fine sandy loam, 2 to 6 percent slopes, eroded	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
AmC3	Appling sandy clay loam, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
AmC3	Appling sandy clay loam, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
AmD3	Appling sandy clay loam, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
AmD3	Appling sandy clay loam, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
ArA	Armenia loam, 0 to 2 percent slopes, frequently flooded	ArA	Armenia loam, 0 to 2 percent slopes, frequently flooded
AsB	Appling sandy loam, 2 to 6 percent slopes	ApB	Appling sandy loam, 2 to 6 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
AsB	Appling sandy loam, 2 to 6 percent slopes	DeB	Danripple sandy loam, 2 to 6 percent slopes
AsB2	Appling sandy loam, 2 to 6 percent slopes, eroded	ApB	Appling sandy loam, 2 to 6 percent slopes
AsB2	Appling sandy loam, 2 to 6 percent slopes, eroded	DeB	Danripple sandy loam, 2 to 6 percent slopes
AsC	Appling sandy loam, 6 to 10 percent slopes	CaC	Cecil sandy loam, 6 to 10 percent slopes
AsC	Appling sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
AsC2	Appling sandy loam, 6 to 10 percent slopes, eroded	CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded
AsC2	Appling sandy loam, 6 to 10 percent slopes, eroded	CmC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
AsD	Appling sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
AsD	Appling sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
AsD2	Appling sandy loam, 10 to 15 percent slopes, eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
AsD2	Appling sandy loam, 10 to 15 percent slopes, eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
AsE	Appling sandy loam, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes
AsE	Appling sandy loam, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
AsE2	Appling sandy loam, 15 to 25 percent slopes, eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
AsE2	Appling sandy loam, 15 to 25 percent slopes, eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
BaC	Bandana-Tate-Nikwasi complex, 0 to 15 percent slopes, frequently flooded	BaC	Bandana-Tate-Nikwasi complex, 0 to 15 percent slopes, frequently flooded
BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
BcB	Banister-Urban land complex, 0 to 10 percent slopes, rarely flooded	BcB	Banister-Urban land complex, 0 to 10 percent slopes, rarely flooded
BgE	Braddock cobbly fine sandy loam, 15 to 25 percent slopes, stony	BgE	Braddock cobbly fine sandy loam, 15 to 25 percent slopes, stony
BkB	Braddock-Appomattox complex, 2 to 8 percent slopes	BkB	Braddock-Appomattox complex, 2 to 8 percent slopes
Bn	Buncombe loamy sand	BuB	Buncombe loamy sand, 0 to 5 percent slopes, frequently flooded
Bn	Buncombe loamy sand	RxB	Ronda-Comus complex, 0 to 5 percent slopes, occasionally flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
BnD	Braddock-Clifford complex, 8 to 15 percent slopes	BnD	Braddock-Clifford complex, 8 to 15 percent slopes
BrE	Brevard-Greenlee complex, 8 to 25 percent slopes, very bouldery	BrE	Brevard-Greenlee complex, 8 to 25 percent slopes, very bouldery
BrF	Brevard-Greenlee complex, 25 to 60 percent slopes, very bouldery	BrF	Brevard-Greenlee complex, 25 to 60 percent slopes, very bouldery
BuB	Buncombe loamy sand, 0 to 5 percent slopes, frequently flooded	BuB	Buncombe loamy sand, 0 to 5 percent slopes, frequently flooded
CcB3	Cecil clay loam, 2 to 6 percent slopes, severely eroded	FrB2	Fairview sandy clay loam, 2 to 6 percent slopes, moderately eroded
CcB3	Cecil clay loam, 2 to 6 percent slopes, severely eroded	PcB2	Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded
CcC3	Cecil clay loam, 6 to 10 percent slopes, severely eroded	FrC2	Fairview sandy clay loam, 6 to 10 percent slopes, moderately eroded
CcC3	Cecil clay loam, 6 to 10 percent slopes, severely eroded	PcC2	Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded
CcD3	Cecil clay loam, 10 to 15 percent slopes, severely eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
CcD3	Cecil clay loam, 10 to 15 percent slopes, severely eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
CcE3	Cecil clay loam, 15 to 25 percent slopes, severely eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
CcE3	Cecil clay loam, 15 to 25 percent slopes, severely eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
CfB	Cecil fine sandy loam, 2 to 6 percent slopes	CaB	Cecil sandy loam, 2 to 6 percent slopes
CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
CfB	Cecil fine sandy loam, 2 to 6 percent slopes	CkB	Clifford sandy loam, 2 to 6 percent slopes
CfB2	Cecil fine sandy loam, 2 to 6 percent slopes, eroded	CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, moderately eroded
CfB2	Cecil fine sandy loam, 2 to 6 percent slopes, eroded	CmB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
CfC	Cecil fine sandy loam, 6 to 10 percent slopes	CaC	Cecil sandy loam, 6 to 10 percent slopes
CfC	Cecil fine sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
CfC2	Cecil fine sandy loam, 6 to 10 percent slopes, eroded	CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded
CfC2	Cecil fine sandy loam, 6 to 10 percent slopes, eroded	CmC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
CfD	Cecil fine sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
CfD	Cecil fine sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
CfD2	Cecil fine sandy loam, 10 to 15 percent slopes, eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
CfD2	Cecil fine sandy loam, 10 to 15 percent slopes, eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
CgB	Cecil gravelly fine sandy loam, 2 to 6 percent slopes	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
CgB	Cecil gravelly fine sandy loam, 2 to 6 percent slopes	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
CgB	Cecil gravelly fine sandy loam, 2 to 6 percent slopes	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
CgB2	Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
CgB2	Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
CgB2	Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
CgC	Cecil gravelly fine sandy loam, 6 to 10 percent slopes	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CgC	Cecil gravelly fine sandy loam, 6 to 10 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
CgC	Cecil gravelly fine sandy loam, 6 to 10 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
CgC2	Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CgC2	Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
CgC2	Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
CgD	Cecil gravelly fine sandy loam, 10 to 15 percent slopes	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CgD	Cecil gravelly fine sandy loam, 10 to 15 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
CgD	Cecil gravelly fine sandy loam, 10 to 15 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
CgD2	Cecil gravelly fine sandy loam, 10 to 15 percent, eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
CgD2	Cecil gravelly fine sandy loam, 10 to 15 percent, eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
CgD2	Cecil gravelly fine sandy loam, 10 to 15 percent, eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
CgE	Cecil gravelly fine sandy loam, 15 to 25 percent slopes	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
CgE	Cecil gravelly fine sandy loam, 15 to 25 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
CgE	Cecil gravelly fine sandy loam, 15 to 25 percent slopes	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
CgE2	Cecil gravelly fine sandy loam, 15 to 25 percent slopes, eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
CgE2	Cecil gravelly fine sandy loam, 15 to 25 percent slopes, eroded	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
CgE2	Cecil gravelly fine sandy loam, 15 to 25 percent slopes, eroded	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
CmB	Cecil sandy loam, 2 to 6 percent slopes	CaB	Cecil sandy loam, 2 to 6 percent slopes
CmB	Cecil sandy loam, 2 to 6 percent slopes	CkB	Clifford sandy loam, 2 to 6 percent slopes
CmB2	Cecil sandy loam, 2 to 6 percent slopes, eroded	CeB2	Cecil sandy clay loam, 2 to 6 percent slopes, moderately eroded
CmB2	Cecil sandy loam, 2 to 6 percent slopes, eroded	CmB2	Clifford sandy clay loam, 2 to 6 percent slopes, moderately eroded
CmC	Cecil sandy loam, 6 to 10 percent slopes	CaC	Cecil sandy loam, 6 to 10 percent slopes
CmC	Cecil sandy loam, 6 to 10 percent slopes	CkC	Clifford sandy loam, 6 to 10 percent slopes
CmC2	Cecil sandy loam, 6 to 10 percent slopes, eroded	CeC2	Cecil sandy clay loam, 6 to 10 percent slopes, moderately eroded
CmC2	Cecil sandy loam, 6 to 10 percent slopes, eroded	CmC2	Clifford sandy clay loam, 6 to 10 percent slopes, moderately eroded
CmD	Cecil sandy loam, 10 to 15 percent slopes	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
CmD	Cecil sandy loam, 10 to 15 percent slopes	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
CmD2	Cecil sandy loam, 10 to 15 percent slopes, eroded	FrD2	Fairview sandy clay loam, 10 to 15 percent slopes, moderately eroded
CmD2	Cecil sandy loam, 10 to 15 percent slopes, eroded	PcD2	Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded
CsE	Cecil soils, 15 to 25 percent slopes	FaE	Fairview sandy loam, 15 to 25 percent slopes
CsE	Cecil soils, 15 to 25 percent slopes	PaE	Pacolet sandy loam, 15 to 25 percent slopes
CsE2	Cecil soils, 15 to 25 percent slopes, eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
CsE2	Cecil soils, 15 to 25 percent slopes, eroded	PcE2	Pacolet sandy clay loam, 15 to 25 percent slopes, moderately eroded
CsF	Cecil soils, 25 to 45 percent slopes	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
CsF	Cecil soils, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
CsF	Cecil soils, 25 to 45 percent slopes	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
CsF	Cecil soils, 25 to 45 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
CsF2	Cecil soils, 25 to 45 percent slopes, eroded	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
CsF2	Cecil soils, 25 to 45 percent slopes, eroded	PaF	Pacolet sandy loam, 25 to 45 percent slopes
CsF2	Cecil soils, 25 to 45 percent slopes, eroded	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
CsF2	Cecil soils, 25 to 45 percent slopes, eroded	RiF	Rion sandy loam, 15 to 45 percent slopes
CtD2	Cecil stony fine sandy loam, 6 to 15 percent slopes, eroded	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
CtD2	Cecil stony fine sandy loam, 6 to 15 percent slopes, eroded	RiD	Rion sandy loam, 8 to 15 percent slopes
CtD2	Cecil stony fine sandy loam, 6 to 15 percent slopes, eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
CtD2	Cecil stony fine sandy loam, 6 to 15 percent slopes, eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	EvE	Evard-Cowee complex, 8 to 25 percent slopes, stony
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
CuE	Cecil stony fine sandy loam, shallow, 15 to 25 percent slopes	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
CuF	Cecil stony fine sandy loam, shallow, 25 to 55 percent slopes	CiF	Cleveland-Rock outcrop complex, 8 to 90 percent slopes
CuF	Cecil stony fine sandy loam, shallow, 25 to 55 percent slopes	CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony
CuF	Cecil stony fine sandy loam, shallow, 25 to 55 percent slopes	EvF	Evard-Cowee complex, 25 to 60 percent slopes, stony

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
CuF	Cecil stony fine sandy loam, shallow, 25 to 55 percent slopes	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
CuF	Cecil stony fine sandy loam, shallow, 25 to 55 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
Cw	Chewacla soils	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
Cw	Chewacla soils	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony	CwE	Cowee-Saluda complex, 8 to 25 percent slopes, stony
CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony	CwF	Cowee-Saluda complex, 25 to 60 percent slopes, stony
CxB	Colfax sandy loam, 2 to 6 percent slopes	BeB	Bentley-Clifford complex, 2 to 6 percent slopes
Cy	Congaree soils	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
Cy	Congaree soils	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
DaB2	Davidson clay loam, 2 to 6 percent slopes, eroded	HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes
DaB2	Davidson clay loam, 2 to 6 percent slopes, eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
DaB2	Davidson clay loam, 2 to 6 percent slopes, eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
DaB2	Davidson clay loam, 2 to 6 percent slopes, eroded	YaB2	Yadkin sandy clay loam, 2 to 6 percent slopes, moderately eroded
DaC2	Davidson clay loam, 6 to 10 percent slopes, eroded	HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes
DaC2	Davidson clay loam, 6 to 10 percent slopes, eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
DaC2	Davidson clay loam, 6 to 10 percent slopes, eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
DaC2	Davidson clay loam, 6 to 10 percent slopes, eroded	YaC2	Yadkin sandy clay loam, 6 to 10 percent slopes, moderately eroded
Dam	Dam	DAM	Dam
DeB	Danripple sandy loam, 2 to 6 percent slopes	DeB	Danripple sandy loam, 2 to 6 percent slopes
DkB	Davie sandy loam, 1 to 6 percent slopes	DkB	Davie sandy loam, 1 to 6 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
DuC	Dorian-Urban land complex, 0 to 10 percent slopes, rarely flooded	DuC	Dorian-Urban land complex, 0 to 10 percent slopes, rarely flooded
EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes	HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes
HwB2	Hiwassee loam, 2 to 6 percent slopes, eroded	HwB	Hiwassee fine sandy loam, 2 to 6 percent slopes
HwB2	Hiwassee loam, 2 to 6 percent slopes, eroded	YaB2	Yadkin sandy clay loam, 2 to 6 percent slopes, moderately eroded
HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes	HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes
HwC2	Hiwassee loam, 6 to 10 percent slopes, eroded	HwC	Hiwassee fine sandy loam, 6 to 10 percent slopes
HwC2	Hiwassee loam, 6 to 10 percent slopes, eroded	YaC2	Yadkin sandy clay loam, 6 to 10 percent slopes, moderately eroded
HwD	Hiwassee fine sandy loam, 10 to 15 percent slopes	HwD	Hiwassee fine sandy loam, 10 to 15 percent slopes
IrB2	Iredell loam, 2 to 6 percent slopes, eroded	IrB	Iredell loam, 2 to 6 percent slopes
IrB2	Iredell loam, 2 to 6 percent slopes, eroded	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
IrC2	Iredell loam, 6 to 10 percent slopes, eroded	IrC	Iredell loam, 6 to 10 percent slopes
IrC2	Iredell loam, 6 to 10 percent slopes, eroded	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
LcB3	Lloyd clay loam, 2 to 6 percent slopes, severely eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
LcB3	Lloyd clay loam, 2 to 6 percent slopes, severely eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LcC3	Lloyd clay loam, 6 to 10 percent slopes, severely eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
LcC3	Lloyd clay loam, 6 to 10 percent slopes, severely eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LcD3	Lloyd clay loam, 10 to 15 percent slopes, severely eroded	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
LcD3	Lloyd clay loam, 10 to 15 percent slopes, severely eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LcE3	Lloyd clay loam, 15 to 25 percent slopes, severely eroded	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
LcE3	Lloyd clay loam, 15 to 25 percent slopes, severely eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
LfB	Lloyd fine sandy loam, 2 to 6 percent slopes	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
LfB	Lloyd fine sandy loam, 2 to 6 percent slopes	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LfB2	Lloyd fine sandy loam, 2 to 6 percent slopes, eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
LfB2	Lloyd fine sandy loam, 2 to 6 percent slopes, eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LfC	Lloyd fine sandy loam, 6 to 10 percent slopes	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
LfC	Lloyd fine sandy loam, 6 to 10 percent slopes	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LfC2	Lloyd fine sandy loam, 6 to 10 percent slopes, eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
LfC2	Lloyd fine sandy loam, 6 to 10 percent slopes, eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LfD	Lloyd fine sandy loam, 10 to 15 percent slopes	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
LfD	Lloyd fine sandy loam, 10 to 15 percent slopes	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LfD2	Lloyd fine sandy loam, 10 to 15 percent slopes, eroded	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
LfD2	Lloyd fine sandy loam, 10 to 15 percent slopes, eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LfE	Lloyd fine sandy loam, 15 to 25 percent slopes	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
LfE	Lloyd fine sandy loam, 15 to 25 percent slopes	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
LfE2	Lloyd fine sandy loam, 15 to 25 percent slopes, eroded	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
LfE2	Lloyd fine sandy loam, 15 to 25 percent slopes, eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
LmB	Lloyd loam, 2 to 6 percent slopes	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
LmB	Lloyd loam, 2 to 6 percent slopes	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LmB2	Lloyd loam, 2 to 6 percent slopes, eroded	LcB2	Lloyd clay loam, 2 to 6 percent slopes, moderately eroded
LmB2	Lloyd loam, 2 to 6 percent slopes, eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
LmC	Lloyd loam, 6 to 10 percent slopes	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
LmC	Lloyd loam, 6 to 10 percent slopes	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LmC2	Lloyd loam, 6 to 10 percent slopes, eroded	LcC2	Lloyd clay loam, 6 to 10 percent slopes, moderately eroded
LmC2	Lloyd loam, 6 to 10 percent slopes, eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
LmD	Lloyd loam, 10 to 15 percent slopes	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
LmD	Lloyd loam, 10 to 15 percent slopes	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LmD2	Lloyd loam, 10 to 15 percent slopes, eroded	LcD2	Lloyd clay loam, 10 to 15 percent slopes, moderately eroded
LmD2	Lloyd loam, 10 to 15 percent slopes, eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
LmE	Lloyd loam, 15 to 25 percent slopes	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
LmE	Lloyd loam, 15 to 25 percent slopes	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
LmE2	Lloyd loam, 15 to 25 percent slopes, eroded	LcE2	Lloyd clay loam, 15 to 25 percent slopes, moderately eroded
LmE2	Lloyd loam, 15 to 25 percent slopes, eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
Lo	Local alluvial land	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
Lo	Local alluvial land	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
Lo	Local alluvial land	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Lo	Local alluvial land	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
Lo	Local alluvial land	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
Lo	Local alluvial land	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
Lo	Local alluvial land	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
LuC	Louisburg and Louisa soils, 6 to 10 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
LuC	Louisburg and Louisa soils, 6 to 10 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
LuC	Louisburg and Louisa soils, 6 to 10 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
LuC	Louisburg and Louisa soils, 6 to 10 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
LuD	Louisburg and Louisa soils, 10 to 15 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
LuD	Louisburg and Louisa soils, 10 to 15 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
LuD	Louisburg and Louisa soils, 10 to 15 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
LuD	Louisburg and Louisa soils, 10 to 15 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
LuE	Louisburg and Louisa soils, 15 to 25 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
LuE	Louisburg and Louisa soils, 15 to 25 percent slopes	RcE	Rhodhiss sandy loam, 15 to 25 percent slopes
LuE	Louisburg and Louisa soils, 15 to 25 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
LuE	Louisburg and Louisa soils, 15 to 25 percent slopes	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
LuF	Louisburg and Louisa soils, 25 to 55 percent slopes	FyF	Fairview-Stott Knob complex, 25 to 45 percent slopes
LuF	Louisburg and Louisa soils, 25 to 55 percent slopes	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
LuF	Louisburg and Louisa soils, 25 to 55 percent slopes	SwF	Stott Knob-Westfield complex, 25 to 60 percent slopes, stony
M-W	Miscellaneous water	M-W	Miscellaneous water
Ma	Made land	UdE	Udorthents, loamy, 0 to 25 percents slopes
Ma	Made land	UfB	Udorthents-Urban land complex, 0 to 6 percent slopes, rarely flooded
Ma	Made land	UmF	Udorthents-Urban land complex, 0 to 45 percent slopes

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
Ma	Made land	Ur	Urban land
MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied	MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied
MaE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied	MaE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied
MaF4	Madison-Udorthents complex, 25 to 45 percent slopes, gullied	MaF4	Madison-Udorthents complex, 25 to 45 percent slopes, gullied
MdB	Madison gravelly fine sandy loam, 2 to 6 percent slopes	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
MdB	Madison gravelly fine sandy loam, 2 to 6 percent slopes	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
MdB	Masada fine sandy loam, 2 to 6 percent slopes	MdB	Masada fine sandy loam, 2 to 6 percent slopes
MdB	Madison gravelly fine sandy loam, 2 to 6 percent slopes	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
MdB2	Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	CfB	Cecil-Bethlehem-Spartanburg complex, 2 to 8 percent slopes
MdB2	Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	FwB2	Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded
MdB2	Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
MdC	Madison gravelly fine sandy loam, 6 to 10 percent slopes	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
MdC	Masada fine sandy loam, 6 to 10 percent slopes	MdC	Masada fine sandy loam, 6 to 10 percent slopes
MdC	Madison gravelly fine sandy loam, 6 to 10 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
MdC	Madison gravelly fine sandy loam, 6 to 10 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
MdC2	Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
MdC2	Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
MdC2	Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
MdD	Madison gravelly fine sandy loam, 10 to 15 percent slopes	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
MdD	Madison gravelly fine sandy loam, 10 to 15 percent slopes	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
MdD	Madison gravelly fine sandy loam, 10 to 15 percent slopes	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
MdD2	Madison gravelly fine sandy loam, 10 to 15 percent slopes, eroded	FwD2	Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded
MdD2	Madison gravelly fine sandy loam, 10 to 15 percent slopes, eroded	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony
MdD2	Madison gravelly fine sandy loam, 10 to 15 percent slopes, eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded
MdE	Madison gravelly fine sandy loam, 15 to 25 percent slopes	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
MdE	Madison gravelly fine sandy loam, 15 to 25 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
MdE	Madison gravelly fine sandy loam, 15 to 25 percent slopes	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
MdE2	Madison gravelly fine sandy loam, 15 to 25 percent slopes, eroded	FwE2	Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded
MdE2	Madison gravelly fine sandy loam, 15 to 25 percent slopes, eroded	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
MdE2	Madison gravelly fine sandy loam, 15 to 25 percent slopes, eroded	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
MdF	Madison gravelly fine sandy loam, 25 to 45 percent slopes	PaF	Pacolet sandy loam, 25 to 45 percent slopes
MdF	Madison gravelly fine sandy loam, 25 to 45 percent slopes	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
MdF	Madison gravelly fine sandy loam, 25 to 45 percent slopes	RhF	Rhodhiss-Stott Knob complex, 25 to 60 percent slopes, stony
MdF	Madison gravelly fine sandy loam, 25 to 45 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
MdF	Madison gravelly fine sandy loam, 25 to 45 percent slopes	SwF	Stott Knob-Westfield complex, 25 to 60 percent slopes, stony
MeB2	Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded	MeB2	Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded
MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
MfB2	Mayodan sandy loam, 2 to 6 percent slopes, eroded	ApB	Appling sandy loam, 2 to 6 percent slopes
MfB2	Mayodan sandy loam, 2 to 6 percent slopes, eroded	BeB	Bentley-Clifford complex, 2 to 6 percent slopes
MhD3	Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
MhD3	Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
MhD3	Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
MkB2	Mecklenburg loam, 2 to 6 percent slopes, eroded	MeB2	Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded
MkB2	Mecklenburg loam, 2 to 6 percent slopes, eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
MkC2	Mecklenburg loam, 6 to 10 percent slopes, eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
MkC2	Mecklenburg loam, 6 to 10 percent slopes, eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
MkD2	Mecklenburg loam, 10 to 15 percent slopes, eroded	MeD2	Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded
MkD2	Mecklenburg loam, 10 to 15 percent slopes, eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
Mm	Mixed alluvial land	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
Mm	Mixed alluvial land	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Mm	Mixed alluvial land	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
Mm	Mixed alluvial land	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
Mn	Mixed alluvial land, wet	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
Mn	Mixed alluvial land, wet	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
Mn	Mixed alluvial land, wet	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Mn	Mixed alluvial land, wet	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
Mn	Mixed alluvial land, wet	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
Mn	Mixed alluvial land, wet	WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
MoC	Moderately gullied land, rolling	MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied
MoC	Moderately gullied land, rolling	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
MoD	Moderately gullied land, hilly	MaE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
MoD	Moderately gullied land, hilly	MaF4	Madison-Udorthents complex, 25 to 45 percent slopes, gullied
MoD	Moderately gullied land, hilly	PxE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied
MoD	Moderately gullied land, hilly	PxF4	Poplar Forest-Udorthents complex, 25 to 45 percent slopes, gullied
MoE	Mocksville-Spriggs complex, 15 to 25 percent slopes, stony	MoE	Mocksville-Spriggs complex, 15 to 25 percent slopes, stony
MoF	Mocksville-Spriggs complex, 25 to 45 percent slopes, stony	MoF	Mocksville-Spriggs complex, 25 to 45 percent slopes, stony
PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony	PgE	Pacolet-Bethlehem-Spartanburg complex, 15 to 25 percent slopes, stony
Pi	Pits, quarry	Pi	Pits, quarry
PrD	Poindexter-Rowan complex, 8 to 15 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
PrE	Poindexter-Rowan complex, 15 to 25 percent slopes	PrE	Poindexter-Rowan complex, 15 to 25 percent slopes
PrF	Poindexter-Rowan complex, 25 to 45 percent slopes	PrF	Poindexter-Rowan complex, 25 to 45 percent slopes
Pt	Pits	Pi	Pits, quarry
PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
PxE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied	PxE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied
PxF4	Poplar Forest-Udorthents complex, 25 to 45 percent slopes, gullied	PxF4	Poplar Forest-Udorthents complex, 25 to 45 percent slopes, gullied
RaB	Rasalo-Zion complex, 2 to 6 percent slopes	RaB	Rasalo-Zion complex, 2 to 6 percent slopes
RaC	Rasalo-Zion complex, 6 to 10 percent slopes	RaC	Rasalo-Zion complex, 6 to 10 percent slopes
RcD	Rhodhiss sandy loam, 8 to 15 percent slopes	RcD	Rhodhiss sandy loam, 8 to 15 percent slopes
RcE	Rhodhiss sandy loam, 15 to 25 percent slopes	RcE	Rhodhiss sandy loam, 15 to 25 percent slopes
RiD	Rion sandy loam, 8 to 15 percent slopes	RiD	Rion sandy loam, 8 to 15 percent slopes
RiF	Rion sandy loam, 15 to 45 percent slopes	RiF	Rion sandy loam, 15 to 45 percent slopes
RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
RxB	Ronda-Comus complex, 0 to 5 percent slopes, occasionally flooded	RxB	Ronda-Comus complex, 0 to 5 percent slopes, occasionally flooded
ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony	ScD	Spartanburg-Cecil-Bethlehem complex, 8 to 15 percent slopes, stony

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
Sg	Severely gullied land	MaD4	Madison-Udorthents complex, 2 to 15 percent slopes, gullied
Sg	Severely gullied land	MaE4	Madison-Udorthents complex, 15 to 25 percent slopes, gullied
Sg	Severely gullied land	MaF4	Madison-Udorthents complex, 25 to 45 percent slopes, gullied
Sg	Severely gullied land	PxD4	Poplar Forest-Udorthents complex, 2 to 15 percent slopes, gullied
Sg	Severely gullied land	PxE4	Poplar Forest-Udorthents complex, 15 to 25 percent slopes, gullied
Sg	Severely gullied land	PxF4	Poplar Forest-Udorthents complex, 25 to 45 percent slopes, gullied
St	Starr loam	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
St	Starr loam	DaA	Dan River and Comus soils, 0 to 4 percent slopes, occasionally flooded
St	Starr loam	DeB	Danripple sandy loam, 2 to 6 percent slopes
St	Starr loam	DrB	Dorian fine sandy loam, 0 to 6 percent slopes, rarely flooded
St	Starr loam	MdB	Masada fine sandy loam, 2 to 6 percent slopes
St	Starr loam	RtA	Riverview and Toccoa soils, 0 to 2 percent slopes, occasionally flooded
ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded	ToB2	Tomlin sandy clay loam, 2 to 6 percent slopes, moderately eroded
ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded	ToC2	Tomlin sandy clay loam, 6 to 10 percent slopes, moderately eroded
ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded	ToD2	Tomlin sandy clay loam, 10 to 15 percent slopes, moderately eroded
ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded	ToE2	Tomlin sandy clay loam, 15 to 25 percent slopes, moderately eroded
TuC	Tomlin-Urban land complex, 2 to 10 percent slopes	TuC	Tomlin-Urban land complex, 2 to 10 percent slopes
TuE	Tomlin-Urban land complex, 10 to 25 percent slopes	TuE	Tomlin-Urban land complex, 10 to 25 percent slopes
Ud	Udorthents, loamy	UdE	Udorthents, loamy, 0 to 25 percent slopes
UdC	Udorthents-Urban land complex, 0 to 45 percent slopes	UmF	Udorthents-Urban land complex, 0 to 45 percent slopes
UdE	Udorthents, loamy, 0 to 25 percent slopes	UdE	Udorthents, loamy, 0 to 25 percent slopes
UfB	Udorthents-Urban land complex, 0 to 6 percent slopes, rarely flooded	UfB	Udorthents-Urban land complex, 0 to 6 percent slopes, rarely flooded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publi- cation symbol	Approved map unit name
UfB	Udorthents-Urban land complex, 0 to 3 percent slopes, rarely flooded	UfB	Udorthents-Urban land complex, 0 to 6 percent slopes, rarely flooded
Ur	Urban land, 0 to 10 percent slopes	Ur	Urban land
Ur	Urban land	Ur	Urban land
W	Water	W	Water
WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
Wd	Warne and Roanoke fine sandy loams	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
Wd	Warne and Roanoke fine sandy loams	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
We	Wehadkee silt loam	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
We	Wehadkee silt loam	ChA	Chewacla loam, 0 to 2 percent slopes, frequently flooded
We	Wehadkee silt loam	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
We	Wehadkee silt loam	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
We	Wehadkee silt loam	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
We	Wehadkee silt loam	WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded	WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
WfB	Wickham fine sandy loam, 2 to 6 percent slopes	DeB	Danripple sandy loam, 2 to 6 percent slopes
WfB	Wickham fine sandy loam, 2 to 6 percent slopes	MdB	Masada fine sandy loam, 2 to 6 percent slopes
WfB2	Wickham fine sandy loam, 2 to 6 percent slopes, eroded	DeB	Danripple sandy loam, 2 to 6 percent slopes
WfB2	Wickham fine sandy loam, 2 to 6 percent slopes, eroded	MdB	Masada fine sandy loam, 2 to 6 percent slopes
WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded	WfB2	Woolwine-Fairview-Westfield complex, 2 to 8 percent slopes, moderately eroded
WfC2	Wickham fine sandy loam, 6 to 10 percent slopes, eroded	DfC2	Danripple sandy clay loam, 6 to 10 percent slopes, moderately eroded
WfC2	Wickham fine sandy loam, 6 to 10 percent slopes, eroded	MdC	Masada fine sandy loam, 6 to 10 percent slopes
WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded	WfD2	Woolwine-Fairview-Westfield complex, 8 to 15 percent slopes, moderately eroded

Soil Correlation Of  
Iredell County, North Carolina: Detailed Soil Map Legend

Field symbols	Field map unit name	Publication symbol	Approved map unit name
WkC	Wilkes soils, 6 to 10 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
WkC	Wilkes soils, 6 to 10 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
WkD	Wilkes soils, 10 to 15 percent slopes	EsD	Enott-Spriggs complex, 6 to 15 percent slopes, stony
WkD	Wilkes soils, 10 to 15 percent slopes	PrD	Poindexter-Rowan complex, 8 to 15 percent slopes
WkE	Wilkes soils, 15 to 25 percent slopes	MoE	Mocksville-Spriggs complex, 15 to 25 percent slopes, stony
WkE	Wilkes soils, 15 to 25 percent slopes	PrE	Poindexter-Rowan complex, 15 to 25 percent slopes
WkF	Wilkes soils, 25 to 55 percent slopes	MoF	Mocksville-Spriggs complex, 25 to 45 percent slopes, stony
WkF	Wilkes soils, 25 to 55 percent slopes	PrF	Poindexter-Rowan complex, 25 to 45 percent slopes
Wo	Worsham loam	ArA	Armenia loam, 0 to 2 percent slopes, frequently flooded
Wo	Worsham loam	BbB	Banister-Wate complex, 2 to 6 percent slopes, rarely flooded
Wo	Worsham loam	CsA	Codorus loam, 0 to 2 percent slopes, frequently flooded
Wo	Worsham loam	HaA	Hatboro loam, 0 to 2 percent slopes, frequently flooded
Wo	Worsham loam	WaA	Warne loam, 0 to 2 percent slopes, occasionally flooded
Wo	Worsham loam	WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded
WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony	WoE	Woolwine-Fairview-Westfield complex, 15 to 25 percent slopes, stony
WtB	Wynott-Enon complex, 2 to 8 percent slopes	WtB	Wynott-Enon complex, 2 to 8 percent slopes
WtD	Wynott-Enon complex, 8 to 15 percent slopes	WtD	Wynott-Enon complex, 8 to 15 percent slopes