

The Taxonomic Classification of the Soils of Vermont
USDA Natural Resources Conservation Service
updated March 2011

Soil Name	Taxonomic Classification (based on Soil Taxonomy, Second Edition, 1999, except where noted)
Adamant	Coarse-silty, isotic, frigid Typic Haplorthods
Adams	Sandy, isotic, frigid Typic Haplorthods
Adams variant	Sandy, mixed, frigid Typic Haplorthods (out of date classification)
Adrian	Sandy or sandy-skeletal, mixed, euic, mesic Terric Haplosaprists
Agawam	Coarse-loamy over sandy or sandy-skeletal, mixed, active, mesic Typic Dystrudepts
Allagash	Coarse-loamy over sandy or sandy-skeletal, isotic, frigid Typic Haplorthods
Amenia	Coarse-loamy, mixed, active, mesic Aquic Eutrudepts
Au Gres	Sandy, mixed, frigid Typic Endoaquods
Balch	Bog soils (inactive series; out of date classification; see Carlisle or Pinnebog series)
Belgrade	Coarse-silty, mixed, active, mesic Aquic Dystric Eutrudepts
Benson	Loamy-skeletal, mixed, active, mesic Lithic Eutrudepts
Berkshire	Coarse-loamy, isotic, frigid Typic Haplorthods
Binghamville	Coarse-silty, mixed, active, nonacid, mesic Typic Epiaquepts
Birdsall	Coarse-silty, mixed, active, nonacid, mesic Typic Humaquepts
Bomoseen	Coarse-loamy, mixed, active, mesic Aquic Dystric Eutrudepts
Boothbay	Fine-silty, mixed, superactive, frigid Aquic Dystric Eutrudepts
Brayton	Coarse-loamy, mixed, active, nonacid, frigid Aerice Epiaquepts
Buckland	Coarse-loamy, mixed, semiactive, frigid Aquic Dystric Eutrudepts
Bucksport	Euic, frigid Typic Haplosaprists
Buxton	Fine, illitic, frigid Aquic Dystric Eutrudepts
Cabot	Coarse-loamy, mixed, active, nonacid, frigid, shallow Typic Humaquepts
Calais	Coarse-loamy, mixed, frigid Typic Fragiorthods (inactive series; out of date classification)
Canandaigua	Fine-silty, mixed, active, nonacid, mesic Mollic Endoaquepts
Carlisle	Euic, mesic Typic Haplosaprists
Castile	Loamy-skeletal, mixed, active, mesic Aquic Dystrudepts
Charles	Coarse-silty, mixed, superactive, nonacid, frigid Aerice Fluvaquents
Colonel	Coarse-loamy, isotic, frigid, shallow Aquic Haplorthods
Colrain	Coarse-loamy, mixed, active, frigid Humic Dystrudepts
Colton	Sandy-skeletal, isotic, frigid Typic Haplorthods
Copake	Coarse-loamy over sandy or sandy-skeletal, mixed, semiactive, mesic Dystric Eutrudepts
Covington	Very-fine, illitic, mesic Mollic Epiaqualls
Croghan	Sandy, isotic, frigid Aquic Haplorthods
Deerfield	Mixed, mesic Aquic Udipsamments
Dixfield	Coarse-loamy, isotic, frigid Aquic Haplorthods
Duane	Sandy-skeletal, mixed, frigid, ortstein Typic Haplorthods (out-of-date classification)
Dummerston	Coarse-loamy, mixed, active, frigid Typic Dystrudepts
Dutchess	Coarse-loamy, mixed, active, mesic Typic Dystrudepts
Duxbury	Sandy, isotic, frigid Typic Haplorthods
Eldridge	Sandy over loamy, mixed, active, nonacid, mesic Aquic Udorthents
Elmridge	Coarse-loamy over clayey, mixed, semiactive, mesic Aquic Dystric Eutrudepts
Elmwood	Coarse-loamy over clayey, mixed over illitic, superactive, frigid Aquic Dystric Eutrudepts
Elmwood variant	Sandy over fine, mixed, mesic Aquentic Haplorthods (out of date classification)
Elvers	Coarse-silty, mixed, nonacid, mesic Thapto-Histic Fluvaquents
Enosburg	Sandy over loamy, mixed, active, nonacid, mesic Aerice Epiaquents
Farmington	Loamy, mixed, active, mesic Lithic Eutrudepts
Farmington variant	Coarse-loamy, mixed, mesic Dystric Eutrochrepts (inactive; correlated to Galway)
Fredon	Coarse-loamy over sandy or sandy-skeletal, mixed, active, nonacid, mesic Aerice Endoaquepts
Fryeburg	Coarse-silty, mixed, superactive, frigid Fluventic Dystrudepts
Fullam	Coarse-loamy, mixed, active, frigid Aquic Dystrudepts
Galoo	Loamy, mixed, nonacid, mesic Lithic Udorthents
Galway	Coarse-loamy, mixed, superactive, mesic Typic Eutrudepts
Georgia	Coarse-loamy, mixed, semiactive, mesic Aquic Dystric Eutrudepts
Glebe	Coarse-loamy, isotic Typic Humicryods
Glover	Loamy, mixed, active, frigid Humic Lithic Dystrudepts
Grange	Coarse-loamy over sandy or sandy-skeletal, mixed, superactive, nonacid, frigid Aerice Endoaquepts
Groton	Sandy-skeletal, mixed, mesic Typic Eutrudepts
Hadley	Coarse-silty, mixed, superactive, nonacid, mesic Typic Udifluvents
Hamlin	Coarse-silty, mixed, active, mesic Dystric Fluventic Eutrudepts
Hartland	Coarse-silty, mixed, active, mesic Dystric Eutrudepts

Hero	Coarse-loamy over sandy or sandy-skeletal, mixed, semiactive, mesic Aquic Eutrudepts
Hinckley	Sandy-skeletal, mixed, mesic Typic Udorthents
Hinesburg	Sandy over loamy, mixed, nonacid, mesic Typic Udorthents
Hitchcock	Coarse-silty, mixed, active, mesic Typic Dystrudepts
Hogback	Loamy, isotic, frigid Lithic Haplohumods
Houghtonville	Coarse-loamy, isotic, frigid Typic Haplorthods
Hubbardton	Loamy-skeletal, mixed, active, acid, frigid Lithic Udorthents
Irasburg	Sandy over loamy, mixed, active, frigid Aquic Udorthents
Kars	Loamy-skeletal, mixed, active, mesic Glossic Hapludalfs
Kendaia	Fine-loamy, mixed, active, nonacid, mesic Aerice Endoaquepts
Killington	Loamy-skeletal, mixed, frigid Lithic Haplorthods (out of date classification)
Kingsbury	Very-fine, illitic, mesic Aerice Epiaqualfs
Lamoine	Fine, illitic, nonacid, frigid Aerice Epiaquepts
Limerick	Coarse-silty, mixed, active, nonacid, mesic Typic Fluvaquents
Limerick variant	Coarse-silty, mixed, nonacid, frigid Typic Fluvaquents (inactive; correlated to Charles)
Linwood	Loamy, mixed, euic, mesic Terric Haplosaprists
Livingston	Very-fine, illitic, nonacid, mesic Mollic Epiaquepts
Lombard	Coarse-loamy, mixed, active, frigid Typic Dystrudepts
Londonderry	Loamy, mixed, active, acid Lithic Cryorthents
Lordstown	Coarse-loamy, mixed, active, mesic Typic Dystrudepts
Lupton	Euic, frigid Typic Haplosaprists
Lyman	Loamy, isotic, frigid Lithic Haplorthods
Lyme	Coarse-loamy, mixed, active, acid, frigid Aerice Endoaquepts
Lyons	Fine-loamy, mixed, active, nonacid, mesic Mollic Endoaquepts
Machais	Coarse-loamy over sandy or sandy-skeletal, mixed, frigid Aquic Haplorthods (out of date classification)
Macomber	Loamy-skeletal, mixed, active, frigid Typic Dystrudepts
Mansfield	Coarse-loamy, mixed, nonacid, mesic Typic Humaquepts (out of date classification)
Markey	Sandy or sandy-skeletal, mixed, euic, frigid Terric Haplosaprists
Marlow	Coarse-loamy, isotic, frigid Oxyaquic Haplorthods
Massena	Coarse-loamy, mixed, active, nonacid, mesic Aerice Endoaquepts
Medomak	Coarse-silty, mixed, superactive, nonacid, frigid Fluvaquentic Humaquepts
Melrose	Coarse-loamy over clayey, mixed over illitic, superactive, frigid Oxyaquic Dystrudepts
Merrimac	Sandy, mixed, mesic Typic Dystrudepts
Middlebury	Coarse-loamy, mixed, active, mesic Fluvaquentic Eutrudepts
Missisquoi	Sandy, isotic, frigid Entic Haplorthods
Monadnock	Coarse-loamy over sandy or sandy-skeletal, isotic, frigid Typic Haplorthods
Moosilauke	Sandy, mixed, frigid Aerice Endoaquepts
Mundal	Coarse-loamy, mixed, frigid Aquic Haplorthods (out of date classification)
Munson	Coarse-silty over clayey, mixed, active, nonacid, mesic Aerice Epiaquepts
Nasmith	Sandy over loamy, mixed, active, nonacid, frigid Aerice Epiaquepts
Nassau	Loamy-skeletal, mixed, active, mesic Lithic Dystrudepts
Nellis	Coarse-loamy, mixed, superactive, mesic Typic Eutrudepts
Nicholville	Coarse-silty, isotic, frigid Aquic Haplorthods
Ninigret	Coarse-loamy over sandy or sandy-skeletal, mixed, active, mesic Aquic Dystrudepts
Occum	Coarse-loamy, mixed, superactive, mesic Fluventic Dystrudepts
Ondawa	Coarse-loamy, mixed, active, frigid Fluventic Dystrudepts
Ondawa variant	Coarse-loamy over sandy or sandy-skeletal, mixed, mesic Fluventic Dystrudepts (inactive; correlated to Waitsfield)
Palatine	Loamy-skeletal, mixed, active, mesic Typic Hapludolls
Panton	Very-fine, illitic, mesic Typic Epiaqualfs
Pawling	Coarse-loamy over sandy or sandy-skeletal, mixed, active, mesic Fluvaquentic Eutrudepts
Paxton	Coarse-loamy, mixed, active, mesic Oxyaquic Dystrudepts
Peacham	Coarse-loamy, mixed, active, nonacid, frigid, shallow Histic Humaquepts
Peru	Coarse-loamy, isotic, frigid Aquic Haplorthods
Pinnebog	Euic, mesic Hemic Haplosaprists
Pittsfield	Coarse-loamy, mixed, active, mesic Dystric Eutrudepts
Pittstown	Coarse-loamy, mixed, active, mesic Aquic Dystrudepts
Podunk	Coarse-loamy, mixed, active, frigid Fluvaquentic Dystrudepts
Podunk variant	Coarse-loamy over sandy or sandy-skeletal, mixed, mesic Fluvaquentic Dystrudepts (inactive; correlated to Weider)
Pomfret	Sandy, mixed, frigid Humic Dystrudepts
Pondicherry	Sandy or sandy-skeletal, mixed, euic, frigid Terric Haplosaprists
Pootatuck	Coarse-loamy, mixed, active, mesic Fluvaquentic Dystrudepts
Potsdam	Coarse-loamy, isotic, frigid Typic Haplorthods
Quonset	Sandy-skeletal, mixed, mesic Typic Udorthents
Rawsonville	Coarse-loamy, isotic, frigid Typic Haplohumods

Raynham	Coarse-silty, mixed, active, nonacid, mesic Aericepalepts
Raynham variant	Coarse-silty, mixed, nonacid, mesic Typic Haplaquepts (inactive; correlated to Binghamville)
Ricker	Dystric Lithic Cryofolists
Rifle	Euic, frigid Typic Haplohemists
Rippowam	Coarse-loamy, mixed, superactive, nonacid, mesic Aericepalepts
Roundabout	Coarse-silty, mixed, active, nonacid, frigid Aericepalepts
Rumney	Coarse-loamy, mixed, active, nonacid, frigid Fluvaquentic Endoaquepts
Rumney variant	Coarse-loamy over sandy or sandy-skeletal, mixed, mesic Typic Fluvaquents (inactive; correlated to Sunny)
Saco	Coarse-silty, mixed, active, nonacid, mesic Fluvaquentic Humaquepts
Salmon	Coarse-silty, isotic, frigid Typic Haploorthods
Salmon variant	Coarse-silty, mixed, frigid Typic Haploorthods (inactive; correlated to Adamant)
Scantic	Fine, illitic, nonacid, frigid Typic Epiaquepts
Scantic variant	Fine, mixed, nonacid, frigid Typic Haplaquepts (out of date classification)
Scarboro	Sandy, mixed, mesic Histic Humaquepts
Searsport	Sandy, mixed, frigid Histic Humaquepts
Sheepscot	Sandy-skeletal, isotic, frigid Aquic Haploorthods
Shelburne	Coarse-loamy, mixed, semiactive, frigid Typic Dystrudepts
Sisk	Coarse-loamy, isotic Oxyaquic Humicryods
Skerry	Coarse-loamy, isotic, frigid Aquic Haploorthods
St. Albans	Coarse-loamy, mixed, active, mesic Typic Dystrudepts
Stetson	Sandy-skeletal, isotic, frigid Typic Haploorthods
Stockbridge	Coarse-loamy, mixed, semiactive, mesic Dystric Eutrudepts
Stowe	Coarse-loamy, mixed, active, frigid Oxyaquic Dystrudepts
Stratton	Loamy-skeletal, isotic Lithic Humicryods
Sudbury	Sandy, mixed, mesic Aquic Dystrudepts
Sunapee	Coarse-loamy, isotic, frigid Aquic Haploorthods
Sunday	Mixed, frigid Typic Udipsamments
Sunny	Coarse-loamy over sandy or sandy-skeletal, mixed, nonacid, frigid Typic Fluvaquents
Swanton	Coarse-loamy over clayey, mixed over illitic, superactive, nonacid, frigid Aericepalepts
Swanville	Fine-silty, mixed, active, nonacid, frigid Aericepalepts
Taconic	Loamy-skeletal, mixed, active, frigid Lithic Dystrudepts
Teago	Mixed, frigid Humic Psammentic Dystrudepts
Teel	Coarse-silty, mixed, active, mesic Fluvaquentic Eutrudepts
Tioga	Coarse-loamy, mixed, active, mesic Dystric Fluventic Eutrudepts
Tisbury	Coarse-silty over sandy or sandy-skeletal, mixed, active, mesic Aquic Dystrudepts
Tunbridge	Coarse-loamy, isotic, frigid Typic Haploorthods
Unadilla	Coarse-silty, mixed, active, mesic Typic Dystrudepts
Vergennes	Very-fine, mixed, active, mesic Glossaquic Hapludalfs
Vergennes variant	Very-fine, illitic, mesic Glossaquic Hapludalfs (out of date classification)
Vershire	Coarse-loamy, mixed, active, frigid Humic Dystrudepts
Waitsfield	Coarse-loamy over sandy or sandy-skeletal, mixed, active, frigid Fluventic Dystrudepts
Wallkill	Fine-loamy, mixed, superactive, nonacid, mesic Fluvaquentic Humaquepts
Walpole	Sandy, mixed, mesic Aericepalepts
Wappinger	Coarse-loamy over sandy or sandy-skeletal, mixed, active, mesic Dystric Fluventic Eutrudepts
Wareham	Mixed, mesic Humaqueptic Psammaquents
Warwick	Loamy-skeletal, mixed, active, mesic Typic Dystrudepts
Weider	Coarse-loamy over sandy or sandy-skeletal, mixed, active, frigid Fluvaquentic Dystrudepts
Westbury	Coarse-loamy, isotic, frigid Typic Fragiaquods
Whately	Coarse-loamy over clayey, mixed over illitic, superactive, nonacid, frigid Mollic Epiaquepts
Wilmington	Coarse-loamy, mixed, frigid Typic Epiaquods
Windsor	Mixed, mesic Typic Udipsamments
Winooski	Coarse-silty, mixed, superactive, nonacid, mesic Aquic Udifluvents
Wonsqueak	Loamy, mixed, euic, frigid Terric Haplosaprists
Woodstock	Loamy, mixed, active, frigid Lithic Dystrudepts
Worden	Coarse-loamy, mixed, frigid Aquic Haploorthods (out of date classification)