

SOIL MAP LEGEND
Caledonia County, Vermont
01/10/2005

Map symbol	Soil name
1A	Combined with 30A ONDAWA FINE SANDY LOAM, 0 to 2 PERCENT SLOPES
2A	Combined with 31A PODUNK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
3	Combined with 3A CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
3A	CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
4A	MEDOMAK MUCKY SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
5B	Combined with 32B COLTON-DUXBURY COMPLEX, 3 TO 8 PERCENT SLOPES
5C	Combined with 32C COLTON-DUXBURY COMPLEX, 8 TO 15 PERCENT SLOPES
5D	Combined with 32D COLTON-DUXBURY COMPLEX, 15 TO 25 PERCENT SLOPES
5E	Combined with 32E COLTON-DUXBURY COMPLEX, 25 TO 60 PERCENT SLOPES
6A	ADAMS LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
6B	ADAMS LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
6C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES
6D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES
6E	ADAMS LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES
7B	SALMON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
7C	SALMON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
7D	SALMON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
7E	SALMON VERY FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES
8A	NICHOLVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES
8B	NICHOLVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES
8C	NICHOLVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES
8D	NICHOLVILLE SILT LOAM, 15 TO 25 PERCENT SLOPES
9A	ROUNDAABOUT SILT LOAM, 0 TO 3 PERCENT SLOPES
10A	Combined with 32A COLTON-DUXBURY COMPLEX, 0 TO 3 PERCENT SLOPES
10B	Combined with 32B COLTON-DUXBURY COMPLEX, 3 TO 8 PERCENT SLOPES
10C	Combined with 32C COLTON-DUXBURY COMPLEX, 8 TO 15 PERCENT SLOPES
10D	Combined with 32D COLTON-DUXBURY COMPLEX, 15 TO 25 PERCENT SLOPES
10E	Combined with 32E COLTON-DUXBURY COMPLEX, 25 TO 60 PERCENT SLOPES
11A	SHEEPSCOT GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
11B	SHEEPSCOT GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
11C	SHEEPSCOT GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
11D	Combined with 11C SHEEPSCOT GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
12A	MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
12C	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
13A	Combined with 50A Wonsqueack-Pondicherry Mucks, 0 to 2 percent slopes
14B	VERSHIRE-LOMBARD COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY
14C	VERSHIRE-LOMBARD COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
14D	VERSHIRE-LOMBARD COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
14E	VERSHIRE-LOMBARD COMPLEX, 25 TO 35 PERCENT SLOPES, ROCKY
16B	DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
16C	DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
16D	DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
16E	DUMMERSTON VERY FINE SANDY LOAM, 25 TO 35 PERCENT SLOPES
17B	DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
17C	DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
17D	DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
17E	DUMMERSTON VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
18B	Combined with 16B DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
18C	Combined with 16C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
18D	Combined with 16D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
19C	Combined with 17C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
19D	Combined with 17D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
19E	Combined with 17E DUMMERSTON VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
20B	BUCKLAND VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
20C	BUCKLAND VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
20D	BUCKLAND VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
21B	BUCKLAND VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
21C	BUCKLAND VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
21D	BUCKLAND VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
21E	BUCKLAND VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
22B	CABOT SILT LOAM, 3 TO 8 PERCENT SLOPES
22C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES
23B	CABOT SILT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY

SOIL MAP LEGEND
Caledonia County, Vermont
01/10/2005

Map symbol	Soil name
23C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
24A	PEACHAM MUCK, 0 TO 3 PERCENT SLOPES, VERY STONY
27	Combined with 27A BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES
27A	BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES
29	Combined with 380F ROCK OUTCROP, 60 TO 120 PERCENT SLOPES
30	Combined with 30A ONDAWA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
30A	ONDAWA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
31	Combined with 31A PODUNK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
31A	PODUNK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
32A	COLTON-DUXBURY COMPLEX, 0 TO 3 PERCENT SLOPES
32B	COLTON-DUXBURY COMPLEX, 3 TO 8 PERCENT SLOPES
32C	COLTON-DUXBURY COMPLEX, 8 TO 15 PERCENT SLOPES
32D	COLTON-DUXBURY COMPLEX, 15 TO 25 PERCENT SLOPES
32E	COLTON-DUXBURY COMPLEX, 25 TO 60 PERCENT SLOPES
34	Combined with 27A BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES
36	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
37A	Combined with 11A SHEEPSCOT GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
37B	Combined with 11B SHEEPSCOT GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
37C	Combined with 11C SHEEPSCOT GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
38A	CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
38B	CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
38C	Combined with 38B CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
39E	Combined with 32E COLTON-DUXBURY COMPLEX, 25 TO 60 PERCENT SLOPES
40A	Combined with 30A ONDAWA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
41A	Combined with 3A CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
41B	Combined with 3A CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
42A	RUMNEY VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED
43B	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
44B	Combined with 32B COLTON-DUXBURY COMPLEX, 3 TO 8 PERCENT SLOPES
44C	Combined with 32C COLTON-DUXBURY COMPLEX, 8 TO 15 PERCENT SLOPES
44D	Combined with 32D COLTON-DUXBURY COMPLEX, 15 TO 25 PERCENT SLOPES
45C	Combined with 46C LAMOINE SILT LOAM, 8 TO 15 PERCENT SLOPES
45D	Combined with 46D LAMOINE SILT LOAM, 15 TO 25 PERCENT SLOPES
45E	Combined with 46E LAMOINE SILT LOAM, 25 TO 50 PERCENT SLOPES
46A	Combined with 47A SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES
46B	LAMOINE SILT LOAM, 3 TO 8 PERCENT SLOPES
46C	LAMOINE SILT LOAM, 8 TO 15 PERCENT SLOPES
46D	LAMOINE SILT LOAM, 15 TO 25 PERCENT SLOPES
46E	LAMOINE SILT LOAM, 25 TO 50 PERCENT SLOPES
47A	SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES
47B	Combined with 47A SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES
48A	Combined with 50A WONSQUEAK AND PONDICHERRY MUCKS, 0 TO 2 PERCENT SLOPES
49A	Combined with 50A WONSQUEAK AND PONDICHERRY MUCKS, 0 TO 2 PERCENT SLOPES
50A	WONSQUEAK AND PONDICHERRY MUCKS, 0 TO 2 PERCENT SLOPES
51A	Combined with 27A BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES
53A	Combined with 27A BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES
55A	PEACHAM MUCK, 0 TO 3 PERCENT SLOPES
56B	VERSHIRE-GLOVER COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY
56C	VERSHIRE-GLOVER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY
56D	VERSHIRE-GLOVER COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
56E	VERSHIRE-GLOVER COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY
58B	TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY
58C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
58D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
59D	Combined with 159D DIXFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
60C	Combined with 160C DIXFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
60D	Combined with 160D DIXFIELD FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
61B	TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY
61C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY
61D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
61E	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY
62E	Combined with 61E TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY
63B	TUNBRIDGE-BERKSHIRE COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY

SOIL MAP LEGEND
Caledonia County, Vermont
01/10/2005

Map symbol	Soil name
63C	TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
63D	TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
64B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
64C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
64D	BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
65C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
65D	BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
65E	BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
70B	Combined with 72B COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
70C	Combined with 72C COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
70D	Combined with 72D COLONEL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
71B	Combined with 73B COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
71C	Combined with 73C COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
71D	Combined with 73D COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
72B	COLONEL-CABOT COMPLEX, 3 TO 8 PERCENT SLOPES
72C	COLONEL-CABOT COMPLEX, 8 TO 15 PERCENT SLOPES
72D	COLONEL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
73B	COLONEL-CABOT COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY
73C	COLONEL-CABOT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY
73D	COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
74B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
74C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
74D	MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
75C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
75D	MONADNOCK FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
75E	MONADNOCK FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
76C	Combined with 22C CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES
76D	Combined with 20D BUCKLAND VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
77C	Combined with 23C CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
77D	Combined with 21D BUCKLAND VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
80A	Combined with 11A SHEEPSCOT GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
80B	Combined with 11B SHEEPSCOT GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
80C	Combined with 11C SHEEPSCOT GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
81D	RICKER-LONDONDERRY-STRATTON COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
81E	RICKER-LONDONDERRY-STRATTON COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY
82F	RICKER-LONDONDERRY-ROCK OUTCROP COMPLEX, 60 TO 90 PERCENT SLOPES
83D	Combined with 81D RICKER-LONDONDERRY-STRATTON COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
85C	DIXFIELD FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
85D	DIXFIELD FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY
86A	Combined with 86C CABOT SILT LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
86B	Combined with 86C CABOT SILT LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
86C	CABOT SILT LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
87C	COLONEL-CABOT COMPLEX, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
88C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
89D	MUNDAL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
91D	Combined with 92D HOGBACK-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
92C	HOGBACK-RAWSONVILLE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY
92D	HOGBACK-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY
92E	HOGBACK-RAWSONVILLE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY
94D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY BOULDERY
99A	Combined with 38A CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
99B	Combined with 38B CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
100	PITS, SAND AND PITS, GRAVEL
101	Combined with 100 PITS, SAND AND PITS, GRAVEL
102	PITS, QUARRY-DUMPS, MINE COMPLEX
103	UDORTHENTS LOAMY
104B	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 0 TO 8 PERCENT SLOPES
104C	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 8 TO 15 PERCENT SLOPES
104D	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 15 TO 25 PERCENT SLOPES
104E	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 25 TO 60 PERCENT SLOPES
105D	LYMAN-ROCK OUTCROP COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY
105E	LYMAN-ROCK OUTCROP COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY
105F	LYMAN-ROCK OUTCROP COMPLEX, 60 TO 90 PERCENT SLOPES, VERY STONY

SOIL MAP LEGEND
Caledonia County, Vermont
01/10/2005

Map symbol	Soil name
159B	DIXFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
159C	DIXFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
159D	DIXFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
160B	DIXFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
160C	DIXFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
160D	DIXFIELD FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
160E	DIXFIELD FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
163B	TUNBRIDGE-BERKSHIRE COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY
163C	TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY
163D	TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY
163E	TUNBRIDGE-BERKSHIRE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY
165D	BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY
165E	BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY
175C	MONADNOCK FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY
180B	Combined with 16B DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
180C	Combined with 16C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
180D	Combined with 16D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
181C	Combined with 17C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
181D	Combined with 17D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
181E	Combined with 17E DUMMERSTON VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY
190D	Combined with 85D DIXFIELD FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY BOULDERY
195B	SUNAPEE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
195C	SUNAPEE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
207B	SALMON-ADAMANT COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY
207C	SALMON-ADAMANT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY
207D	SALMON-ADAMANT COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY
207E	SALMON-ADAMANT COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY
212A	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
212B	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
214B	VERSHIRE-LOMBARD COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY
214C	VERSHIRE-LOMBARD COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY
214D	VERSHIRE-LOMBARD COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY
214E	VERSHIRE-LOMBARD COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY
221B	Combined with 21B BUCKLAND VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
223B	Combined with 23B CABOT SILT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY
223C	Combined with 23C CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
238A	Combined with MOOSILAUKE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
250A	IRASBURG LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
250B	IRASBURG LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
250C	IRASBURG LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES
250D	IRASBURG LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES
250E	IRASBURG LOAMY FINE SAND, 25 TO 50 PERCENT SLOPES
260F	UDORTHERTS, 60 TO 90 PERCENT SLOPES, VERY RUBBLY
263C	Combined with 63C TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
263D	Combined with 63D TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
263E	Combined with 63D TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
264C	MONADNOCK-TUNBRIDGE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
264D	MONADNOCK-TUNBRIDGE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
275B	Combined with 16B DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
275C	Combined with 16C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
275D	Combined with 16D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES
310	Combined with 12A MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
362B	TUNBRIDGE-DIXFIELD COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY
362C	TUNBRIDGE-DIXFIELD COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY
362D	TUNBRIDGE-DIXFIELD COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY
363B	TUNBRIDGE-DIXFIELD COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY
363C	TUNBRIDGE-DIXFIELD COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY
363D	TUNBRIDGE-DIXFIELD COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY
363E	TUNBRIDGE-DIXFIELD COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY
375B	Combined with 17B DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY
375C	Combined with 17C DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY
375D	Combined with 17D DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY
380F	Combine with 105F LYMAN-ROCK OUTCROP COMPLEX, 60 TO 90 PERCENT SLOPES, VERY STONY

SOIL MAP LEGEND
Caledonia County, Vermont
01/10/2005

Map symbol	Soil name
900 W	DENIED ACCESS WATER