

# Map Unit Legend

Orleans County, Vermont

Map symbol	Map unit name
2A	Peacham muck, 0 to 3 percent slopes, very stony
3B	Vershire-Lombard complex, 3 to 8 percent slopes, rocky
3C	Vershire-Lombard complex, 8 to 15 percent slopes, rocky
3D	Vershire-Lombard complex, 15 to 25 percent slopes, rocky
5B	Nicholville very fine sandy loam, 3 to 8 percent slopes
5C	Nicholville very fine sandy loam, 8 to 15 percent slopes
5D	Nicholville very fine sandy loam, 15 to 25 percent slopes
6B	Vershire-Lombard complex, 3 to 8 percent slopes, very stony
6C	Vershire-Lombard complex, 8 to 15 percent slopes, very stony
6D	Vershire-Lombard complex, 15 to 35 percent slopes, very stony
8A	Roundabout silt loam, 0 to 3 percent slopes
12C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky
12D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky
12E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky
14A	Irasburg loamy fine sand, 0 to 3 percent slopes
14B	Irasburg loamy fine sand, 3 to 8 percent slopes
14C	Irasburg loamy fine sand, 8 to 15 percent slopes
14D	Irasburg loamy fine sand, 15 to 25 percent slopes
14E	Irasburg loamy fine sand, 25 to 50 percent slopes
15B	Dixfield sandy loam, 3 to 8 percent slopes
15C	Dixfield sandy loam, 8 to 15 percent slopes
15D	Dixfield sandy loam, 15 to 25 percent slopes
16B	Dixfield sandy loam, 3 to 8 percent slopes, very stony
16C	Dixfield sandy loam, 8 to 15 percent slopes, very stony
16D	Dixfield sandy loam, 15 to 35 percent slopes, very stony
16E	Dixfield sandy loam, 35 to 60 percent slopes, very stony
17B	Buckland fine sandy loam, 3 to 8 percent slopes
17C	Buckland fine sandy loam, 8 to 15 percent slopes
17D	Buckland fine sandy loam, 15 to 25 percent slopes
18B	Buckland fine sandy loam, 3 to 8 percent slopes, very stony
18C	Buckland fine sandy loam, 8 to 15 percent slopes, very stony
18D	Buckland fine sandy loam, 15 to 35 percent slopes, very stony
18E	Buckland fine sandy loam, 35 to 60 percent slopes, very stony
21A	Nasmith loamy fine sand, 0 to 3 percent slopes
25	Pits, sand and Pits, gravel
26A	Adams loamy fine sand, 0 to 3 percent slopes
26B	Adams loamy fine sand, 3 to 8 percent slopes
26C	Adams loamy fine sand, 8 to 15 percent slopes
26D	Adams loamy fine sand, 15 to 25 percent slopes
26E	Adams loamy fine sand, 25 to 60 percent slopes
27A	Croghan loamy fine sand, 0 to 3 percent slopes
27B	Croghan loamy fine sand, 3 to 8 percent slopes
31A	Sheepscot gravelly fine sandy loam, 0 to 3 percent slopes
31B	Sheepscot gravelly fine sandy loam, 3 to 8 percent slopes
33A	Moosilauke very fine sandy loam, 0 to 3 percent slopes
38A	Colton-Duxbury complex, 0 to 3 percent slopes
38B	Colton-Duxbury complex, 3 to 8 percent slopes
38C	Colton-Duxbury complex, 8 to 15 percent slopes
38D	Colton-Duxbury complex, 15 to 25 percent slopes
38E	Colton-Duxbury complex, 25 to 60 percent slopes

# Map Unit Legend

Orleans County, Vermont

Map symbol	Map unit name
47A	Cabot silt loam, 0 to 3 percent slopes
47B	Cabot silt loam, 3 to 8 percent slopes
47C	Cabot silt loam, 8 to 15 percent slopes
50A	Scantic silt loam, 0 to 3 percent slopes
54B	Salmon very fine sandy loam, 3 to 8 percent slopes
54C	Salmon very fine sandy loam, 8 to 15 percent slopes
54D	Salmon very fine sandy loam, 15 to 25 percent slopes
54E	Salmon very fine sandy loam, 25 to 50 percent slopes
58B	Lamoine silt loam, 3 to 8 percent slopes
58C	Lamoine silt loam, 8 to 15 percent slopes
58D	Lamoine silt loam, 15 to 25 percent slopes
58E	Lamoine silt loam, 25 to 50 percent slopes
59B	Cabot silt loam, 0 to 8 percent slopes, very stony
59C	Cabot silt loam, 8 to 15 percent slopes, very stony
60A	Rumney fine sandy loam, 0 to 2 percent slopes, frequently flooded
70A	Bucksport muck, 0 to 2 percent slopes, ponded
72A	Charles silt loam, 0 to 2 percent slopes, frequently flooded
76A	Podunk fine sandy loam, 0 to 2 percent slopes, occasionally flooded
79A	Medomak mucky silt loam, 0 to 2 percent slopes, frequently flooded
83A	Wonsqueak and Pondicherry mucks, 0 to 2 percent slopes
84A	Bucksport muck, 0 to 2 percent slopes
88D	Lyman-Rock outcrop complex, 15 to 35 percent slopes, very stony
88F	Lyman-Rock outcrop complex, 60 to 90 percent slopes, very stony
92B	Monadnock fine sandy loam, 3 to 8 percent slopes
92C	Monadnock fine sandy loam, 8 to 15 percent slopes
92D	Monadnock fine sandy loam, 15 to 25 percent slopes
93B	Monadnock fine sandy loam, 3 to 8 percent slopes, very stony
93C	Monadnock fine sandy loam, 8 to 15 percent slopes, very stony
93D	Monadnock fine sandy loam, 15 to 35 percent slopes, very stony
93E	Monadnock fine sandy loam, 35 to 60 percent slopes, very stony
94C	Vershire-Glover complex, 8 to 15 percent slopes, very rocky
94D	Vershire-Glover complex, 15 to 35 percent slopes, very rocky
94E	Vershire-Glover complex, 35 to 60 percent slopes, very rocky
96B	Dummerston very fine sandy loam, 3 to 8 percent slopes
96C	Dummerston very fine sandy loam, 8 to 15 percent slopes
96D	Dummerston very fine sandy loam, 15 to 25 percent slopes
97B	Dummerston very fine sandy loam, 3 to 8 percent slopes, very stony
97C	Dummerston very fine sandy loam, 8 to 15 percent slopes, very stony
97D	Dummerston very fine sandy loam, 15 to 35 percent slopes, very stony
97E	Dummerston very fine sandy loam, 35 to 60 percent slopes, very stony
100B	Tunbridge-Dixfield complex, 3 to 8 percent slopes, rocky
100C	Tunbridge-Dixfield complex, 8 to 15 percent slopes, rocky
100D	Tunbridge-Dixfield complex, 15 to 25 percent slopes, rocky
101B	Tunbridge-Dixfield complex, 3 to 8 percent slopes, very stony
101C	Tunbridge-Dixfield complex, 8 to 15 percent slopes, very stony
101D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, very stony
101E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, very stony
104B	Urban land-Adams-Nicholville complex, 0 to 8 percent slopes
104C	Urban land-Adams-Nicholville complex, 8 to 15 percent slopes
104D	Urban land-Adams-Nicholville complex, 15 to 25 percent slopes

# Map Unit Legend

Orleans County, Vermont

Map symbol	Map unit name
105	Dumps, landfill
106	Pits, quarry-Dumps, mine complex
112D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky
112E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky
210E	Ricker-Londonderry-Stratton complex, 35 to 60 percent slopes, very rocky
211F	Ricker-Londonderry-Rock outcrop complex, 60 to 90 percent slopes
247B	Colonel-Cabot complex, 3 to 8 percent slopes
247C	Colonel-Cabot complex, 8 to 15 percent slopes
247D	Colonel-Cabot complex, 15 to 25 percent slopes
259B	Colonel-Cabot complex, 3 to 8 percent slopes, very stony
259C	Colonel-Cabot complex, 8 to 15 percent slopes, very stony
259D	Colonel-Cabot complex, 15 to 35 percent slopes, very stony
260F	Udorthents, 60 to 90 percent slopes, very rubbly
301C	Tunbridge-Dixfield complex, 3 to 15 percent slopes, extremely bouldery
301D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, extremely bouldery
301E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, extremely bouldery
316C	Dixfield sandy loam, 3 to 15 percent slopes, extremely bouldery
316D	Dixfield sandy loam, 15 to 35 percent slopes, extremely bouldery
316E	Dixfield sandy loam, 35 to 60 percent slopes, extremely bouldery
359C	Cabot silt loam, 3 to 15 percent slopes, extremely bouldery
393D	Monadnock fine sandy loam, 15 to 35 percent slopes, extremely bouldery
393E	Monadnock fine sandy loam, 35 to 60 percent slopes, extremely bouldery
W	Water