

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD
CONNECTICUT**

WATERING FACILITY

(No.)

CODE 614

DEFINITION

A permanent or portable device to provide an adequate amount and quality of drinking water for livestock and or wildlife.

PURPOSE

To provide access to drinking water for livestock and/or wildlife in order to:

- Meet daily water requirements
- Improve animal distribution

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to all land uses where there is a need for new or improved watering facilities for livestock and/or wildlife.

CRITERIA

General Criteria Applicable To All Purposes

Laws and Regulations. All federal, state, and local laws, rules, and regulations, including local inland wetland agency regulations, governing the construction and use of this practice as well as setbacks from wells, surface water and property boundaries shall be followed. Planned work shall comply with all federal, state, and local laws and permit conditions and requirements. **The landowner shall obtain all necessary permits prior to construction or any land clearing activities.**

Design watering facilities with adequate capacity and supply to meet the daily water requirements of the livestock and/or wildlife planned to use the facility. Include the storage volume necessary to provide water between periods of replenishment. Refer to the National

Range and Pasture Handbook for guidance on livestock water quantity and quality requirements. For wildlife, base water quantity and quality requirements on targeted species needs.

Locate facilities to promote even grazing distribution and reduce grazing pressure on sensitive areas.

Design the watering facility to provide adequate access to the animals planned to use the facility. Incorporate escape features into the watering facility design where local knowledge and experience indicate that wildlife may be at risk of drowning.

Include design elements to meet the specific needs of the animals that are planned to use the watering facility, both livestock and wildlife.

Protect areas around watering facilities where animal concentrations or overflow from the watering facility will cause resource concerns. Use criteria in Connecticut NRCS Standard 561, Heavy Use Area Protection to design the protection.

Install permanent watering facilities on a firm, level, foundation that will not settle differentially. Examples of suitable foundation materials are bedrock, compacted gravel and stable, well compacted soils.

Design and install watering facilities to prevent overturning by wind and animals.

Provide automatic water level control and/or overflow facilities as appropriate. Protect valves or pipes with shields or covers to prevent damage by livestock. Overflow shall be piped to a stable or suitable point of release.

Design watering facilities and all valves and controls to withstand or be protected from damage by livestock, wildlife, freezing and ice damage. Freeze-proof troughs or electric heaters may be used. Install frost-free hydrants and bury supply lines below anticipated frost depth.

Construct watering facilities from durable materials that have a life expectancy that meets or exceeds the planned useful life of the installation. Follow appropriate NRCS design procedures for the material being used or industry standards where NRCS standards do not exist.

Use the criteria in Connecticut NRCS Standard 516, Pipeline to design piping associated with the watering facility. Include backflow prevention devices on facilities connected to wells, domestic or municipal water systems.

CONSIDERATIONS

Design fences associated with the watering facilities to allow safe access and exit for area wildlife species. To protect bats and other species that access water by skimming across the surface, fencing material should not extend across the water surface. If fencing across the water is necessary it should be made highly visible by avoiding the use of single wire fences and using fencing materials such as woven wire or by adding streamers or coverings on the fence.

For watering facilities that will be accessible to wildlife, give consideration to the effects the location of the facility will have on target and non-target species. Also consider the effect of introducing a new water source within the ecosystem in the vicinity of the facility. This should include things such as the concentration of grazing, predation, entrapment, drowning, disease transmission, hunting and expansion of the wildlife populations beyond the carrying capacity of available habitat.

Consider the following guidelines for materials commonly used for watering facilities.

Concrete	3000 psi compressive strength
Galvanized Steel	20 gauge thickness
Plastic	Ultraviolet resistance
Fiberglass	Ultraviolet resistance

Where water is supplied continuously or under pressure to the watering facility, consider the use of automatic water level controls to control the flow of water to the facility and to prevent unnecessary overflows.

Watering facilities often collect debris and algae and should be cleaned on a regular basis. Consider increasing the pipe sizes for inlets and outlets to reduce the chances of clogging. Maintenance of a watering facility can be made easier by providing a method to completely drain the watering facility.

Steep slopes leading to watering facilities can cause erosion problems from over use by animals as well as problems with piping and valves from excess pressure. Choose the location of watering facilities to minimize these problems from steep topography.

PLANS AND SPECIFICATIONS

Plans and specifications shall be in keeping with this standard and shall describe the requirements for applying the practice to achieve its intended purpose. Plans and specifications shall include construction plans, drawings, job sheets or other similar documents. These documents shall as a minimum, specify the requirements for installing the practice and include the kind, quantity and quality of materials to be used.

To the extent practical, specifications shall conform to NRCS National Engineering Handbook Parts 642 and 643 (Section 20).

Plans and specifications for watering facilities shall provide the information necessary to install the facility. As a minimum this shall include the following:

- A map or aerial photograph showing the location of the facility
- Detail drawings showing the facility, necessary appurtenances (such as foundations, pipes and valves) and stabilization of any areas disturbed by the installation of the facility
- Construction specifications describing the installation of the facility

AS BUILT DRAWINGS

As built drawings shall be prepared showing all pertinent element and elevations as actually installed, and a copy shall be provided to the owner / operator upon construction completion.

OPERATION AND MAINTENANCE

An Operation and Maintenance (O&M) plan shall be prepared for, reviewed, and signed by the landowner or operator. The plan shall specify that the treated areas and associated practices are inspected annually and after significant storm events to identify repair and maintenance needs. An operation and maintenance plan shall be developed that is consistent with the purposes of the practice, its intended life, safety requirements, and the criteria for its design. The plan shall require, include, or provide for the following as appropriate:

- a monitoring schedule to ensure maintenance of adequate inflow and outflow;
- checking for leaks and repair as necessary;
- if present, the checking of the automatic water level device to insure proper operation;
- checking to ensure that adjacent areas are protected against erosion;
- if present, checking to ensure the outlet pipe is freely operating and not causing erosion problems;
- a schedule for periodic cleaning of the facility.

REFERENCES

- Brigham, William and Stevenson, Craig, 1997, Wildlife Water Catchment Construction in Nevada, Technical Note 397.
- Tsukamoto, George and Stiver, San Juan, 1990, Wildlife water Development, Proceedings of the Wildlife Water Development Symposium, Las Vegas, NV, USDI Bureau of Land Management.
- Yoakum, J. and W.P. Dasmann. 1971. Habitat manipulation practices. Ch. 14 in Wildlife Management Techniques, Third Edition. Ed. Robert H. Giles, Jr. Pub. The Wildlife Society. 633 pp.
- National Engineering Handbook, Part 650 Engineering Field Handbook, Chapters 5, 11 & 12, USDA Natural Resources Conservation Service.
- National Range and Pasture Handbook, Chapter 6, Page 6-12, Table 6-7 & 6-8, USDA-Natural Resources Conservation Service.
- National Research Council, 1996 Nutrient Requirements of Domestic Animals, National Academy Press.