

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AaA	Aaron silt loam, 0 to 2 percent slopes	Not highly erodible land
AaB	Aaron silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AvA	Avonburg silt loam, 0 to 2 percent slopes	Not highly erodible land
BkD	Berks silt loam, 15 to 25 percent slopes	Highly erodible land
BnB	Bratton silt loam, 2 to 8 percent slopes	Potentially highly erodible land
BrC2	Bratton-Opequon complex, 8 to 15 percent slopes, eroded	Highly erodible land
BsC2	Brushcreek silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
BtD2	Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded	Highly erodible land
CkB	Cincinnati silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
CrB	Crider silt loam, 1 to 6 percent slopes	Potentially highly erodible land
EgE2	Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded	Highly erodible land
EgF2	Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded	Highly erodible land
EkB	Elkinsville silt loam, 1 to 6 percent slopes	Potentially highly erodible land
FaC2	Faywood silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
FbD2	Faywood silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land
Ge	Gessie loam, frequently flooded	Not highly erodible land
JeB	Jessup silt loam, 1 to 8 percent slopes	Potentially highly erodible land
JeC2	Jessup silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
JeD2	Jessup silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
JeE2	Jessup silt loam, 25 to 35 percent slopes, eroded	Highly erodible land
LbC	Latham silt loam, 8 to 15 percent slopes	Highly erodible land
LbD2	Latham silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
LkB	Licking silt loam, 1 to 6 percent slopes	Potentially highly erodible land
LkC2	Licking silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
LkD2	Licking silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
LoA	Loudon silt loam, 0 to 2 percent slopes	Not highly erodible land
LoB	Loudon silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LoC2	Loudon silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
LwB	Lowell silt loam, 2 to 8 percent slopes	Potentially highly erodible land
LwC2	Lowell silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
McA	McGary variant silty clay loam, 0 to 3 percent slopes, rarely flooded	Potentially highly erodible land
Ne	Newark silt loam, frequently flooded	Not highly erodible land
NkB	Nicholson silt loam, 1 to 6 percent slopes	Potentially highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OmB	Omulga silt loam, 1 to 6 percent slopes	Potentially highly erodible land
OmC2	Omulga silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
OpD2	Opequon silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land
OpE2	Opequon silty clay loam, 25 to 40 percent slopes, eroded	Highly erodible land
OsF	Opequon silty clay loam, 40 to 60 percent slopes, very rocky	Highly erodible land
OwB	Otwell silt loam, 1 to 6 percent slopes	Potentially highly erodible land
OwC2	Otwell silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
Pe	Peoga silt loam	Not highly erodible land
Pq	Pits, quarry	
PtB	Plainfield sand, 3 to 8 percent slopes	Potentially highly

RoB	Rossmoyne silt loam, 1 to 6 percent slopes	erodible land Potentially highly erodible land
RoC2	Rossmoyne silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
SaB	Sardinia silt loam, 1 to 6 percent slopes	Potentially highly erodible land
ScB	Sciotoville silt loam, 1 to 6 percent slopes	Potentially highly erodible land
ShE	Shelocta-Berks association, steep	Highly erodible land
ShF	Shelocta-Berks association, very steep	Highly erodible land
SmD	Shelocta-Muse association, hilly	Highly erodible land
SoE	Shelocta-Muse-Colyer association, steep	Highly erodible land
Sp	Skidmore gravelly loam, occasionally flooded	Not highly erodible land
TkA	Tilsit silt loam, 0 to 3 percent slopes	Potentially highly erodible land
TrB	Trappist silt loam, 3 to 8 percent slopes	Potentially highly erodible land
TrC	Trappist silt loam, 8 to 15 percent slopes	Highly erodible land
TrD2	Trappist silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
Ud	Udorthents, silty	
W	Water	
WgC	Wernock silt loam, 8 to 15 percent slopes	Highly erodible land
WmB	Williamsburg silt loam, 1 to 6 percent slopes	Potentially highly erodible land
WmC2	Williamsburg silt loam, 6 to 15 percent slopes, eroded	Highly erodible land

