

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Bm	Belmore loam, 0 to 2 percent slopes	Not highly erodible land
BmB	Belmore loam, 2 to 6 percent slopes	Potentially highly erodible land
BmC2	Belmore loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
BmD2	Belmore loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Bn	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Blount loam, 2 to 6 percent slopes	Potentially highly erodible land
Bo	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoB2	Blount silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CaB	Casco silt loam, 0 to 6 percent slopes	Potentially highly erodible land
CfC2	Casco and Fox soils, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Co	Colwood loam	Not highly erodible land
Cw	Colwood silt loam	Not highly erodible land
Db	Digby fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
DbB	Digby fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
Dm	Digby loam, 0 to 2 percent slopes	Not highly erodible land
DmB	Digby loam, 2 to 6 percent slopes	Potentially highly erodible land
Ds	Digby silt loam, 0 to 2 percent slopes	Not highly erodible land
DsB	Digby silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Em	Eel silt loam	Not highly erodible land
FoB	Fox loam, 2 to 6 percent slopes	Potentially highly erodible land
Gn	Genesee silt loam	Not highly erodible land
Ha	Haney fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
HaB	Haney fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
Hd	Haney loam, 0 to 2 percent slopes	Not highly erodible land
HdB	Haney loam, 2 to 6 percent slopes	Potentially highly erodible land
HdC2	Haney loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Hf	Haney silt loam, 0 to 2 percent slopes	Not highly erodible land
HfB	Haney silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Hh	Haskins and Digby fine sandy loams, over clay, 0 to 2 percent slopes	Not highly erodible land
HhB	Haskins and Digby fine sandy loams, over clay, 2 to 6 percent slopes	Potentially highly erodible land
Hk	Haskins and Digby loams, over clay, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins and Digby loams, over clay, 2 to 6 percent slopes	Potentially highly erodible land
Hm	Haskins and Digby silt loams, over clay, 0 to 2 percent slopes	Not highly erodible land
HmB	Haskins and Digby silt loams, over clay, 2 to 6 percent slopes	Potentially highly erodible land
Hs	Hoytville silt loam	Not highly erodible land

Ht	Hoytville silty clay	Not highly erodible land
Hv	Hoytville silty clay loam	Not highly erodible land
Kb	Kibbie loam, 0 to 2 percent slopes	Not highly erodible land
Ks	Kibbie silt loam, 0 to 2 percent slopes	Not highly erodible land
Ln	Lenawee silt loam	Not highly erodible land
Lw	Linwood muck	Not rated
Mb	Millgrove loam	Not highly erodible land
Mc	Millgrove loam, over clay	Not highly erodible land
Md	Millgrove silt loam	Not highly erodible land
Mf	Millgrove silt loam, over clay	Not highly erodible land
Mg	Millgrove silty clay loam	Not highly erodible land
Mh	Millgrove silty clay loam, over clay	Not highly erodible land
Mk	Millgrove silty clay	Not highly erodible land
Ml	Millsdale silty clay loam	Not highly erodible land
Mm	Montgomery silty clay	Not highly erodible land
Mn	Montgomery silty clay loam	Not highly erodible land
MoB	Morley loam, 2 to 6 percent slopes	Potentially highly erodible land
MrB	Morley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MrB2	Morley silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MrC	Morley silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MrC2	Morley silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MrD2	Morley silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MrE2	Morley silt loam, 18 to 25 percent slopes, moderately eroded	Highly erodible land
MrF2	Morley silt loam, 25 to 35 percent slopes, moderately eroded	Highly erodible land
MsC3	Morley soils, 6 to 12 percent slopes, severely eroded	Highly erodible land
Na	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
Np	Nappanee silt loam, 0 to 2 percent slopes	Not highly erodible land
NpB	Nappanee silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Pa	Pewamo silt loam	Not highly erodible land
Pc	Pewamo silty clay	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Ra	Randolph silt loam, 0 to 2 percent slopes	Not highly erodible land
RmB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
RmC2	Rawson loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RsB	Rawson silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Rt	Rimer and Tedrow loamy fine sands, over clay, 0 to 2 percent slopes	Not highly erodible land
RtB	Rimer and Tedrow loamy fine sands, over clay, 2 to 6 percent slopes	Potentially highly erodible land
ScB	St. Clair silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ScC2	St. Clair silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
ScD2	St. Clair silt loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
SdB	Seward fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
Sh	Shoals silt loam	Potentially highly erodible land
Sm	Sloan silty clay loam	Potentially highly erodible land
Sn	Sloan silty clay loam, over limestone	Not highly erodible land
SpB	Spinks loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
To	Toledo silty clay loam	Not highly erodible land
TsB	Tuscola loam, 2 to 6 percent slopes	Potentially highly erodible land
TtB	Tuscola silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wa	Wabash silty clay	Not highly erodible land

