

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AdD2	Alexandria silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
AdE	Alexandria silt loam, 18 to 25 percent slopes	Highly erodible land
AdF	Alexandria silt loam, 25 to 50 percent slopes	Highly erodible land
Ag	Algiers silt loam	Not highly erodible land
BnA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BrD	Berks channery silt loam, 12 to 18 percent slopes	Highly erodible land
BsG	Berks-Rock outcrop complex, 30 to 60 percent slopes	Highly erodible land
BtA	Bogart gravelly loam, 0 to 2 percent slopes	Not highly erodible land
BtB	Bogart gravelly loam, 2 to 6 percent slopes	Potentially highly erodible land
BvA	Bogart silt loam, 0 to 2 percent slopes	Potentially highly erodible land
BvB	Bogart silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CaB	Canfield silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CaC	Canfield silt loam, 6 to 12 percent slopes	Highly erodible land
CaC2	Canfield silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CdB	Cardington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdB2	Cardington silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
CdC	Cardington silt loam, 6 to 12 percent slopes	Highly erodible land
CdC2	Cardington silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CeC3	Cardington silty clay loam, 6 to 12 percent slopes, severely eroded	Highly erodible land
Cf	Carlisle muck	
CgB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CgC	Chili loam, 6 to 12 percent slopes	Highly erodible land
ChC	Chili-Wooster complex, 6 to 12 percent slopes	Highly erodible land
ChD	Chili-Wooster complex, 12 to 18 percent slopes	Highly erodible land
ChE	Chili-Wooster complex, 18 to 35 percent slopes	Highly erodible land
CkD	Chili and Conotton gravelly loams, 12 to 18 percent slopes	Highly erodible land
CkE	Chili and Conotton gravelly loams, 18 to 35 percent slopes	Highly erodible land
Cr	Condit silt loam	Not highly erodible land
CtD	Conotton Variant gravelly loam, 10 to 20 percent slopes	Highly erodible land
CvB	Coshocton loam, 2 to 6 percent slopes	Potentially highly erodible land
CvC	Coshocton loam, 6 to 15 percent slopes	Highly erodible land
ElB2	Ellsworth silt loam, 2 to 6 percent slopes, eroded	Highly erodible land
ElC2	Ellsworth silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
ElE2	Ellsworth silt loam, 12 to 25 percent slopes, eroded	Highly erodible land
FcA	Fitchville silt loam, 1 to 4 percent slopes	Not highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GfC	Glenford silt loam, 6 to 12 percent slopes	Highly erodible land
Ho	Holly silt loam	Not highly erodible land
JwA	Jimtown silt loam, 0 to 2 percent slopes	Not highly erodible land
JwB	Jimtown silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Kb	Killbuck silt loam	Not highly erodible land
Ln	Linwood muck	

Lo	Lobdell silt loam	Not highly erodible land
LtB	Lordstown silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LtC	Lordstown silt loam, 6 to 12 percent slopes	Highly erodible land
LtD	Lordstown silt loam, 12 to 18 percent slopes	Highly erodible land
LtE	Lordstown silt loam, 18 to 25 percent slopes	Highly erodible land
LtF	Lordstown silt loam, 25 to 40 percent slopes	Highly erodible land
LvB	Loudonville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LvC	Loudonville silt loam, 6 to 12 percent slopes	Highly erodible land
LvD	Loudonville silt loam, 12 to 18 percent slopes	Highly erodible land
LvE	Loudonville silt loam, 18 to 25 percent slopes	Highly erodible land
Ly	Luray silty clay loam	Not highly erodible land
LzB	Lykens silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MaA	Mahoning silt loam, 0 to 2 percent slopes	Not highly erodible land
MaB	Mahoning silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MaB2		Highly erodible land
Os	Orrville Variant silt loam	Not highly erodible land
OtB	Oshtemo sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
OtC	Oshtemo sandy loam, 6 to 12 percent slopes	Highly erodible land
Pc	Pewamo silty clay loam	Not highly erodible land
Pg	Pits, gravel	
RnA	Ravenna silt loam, 0 to 2 percent slopes	Not highly erodible land
RnB	Ravenna silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RrC	Rigley sandy loam, 6 to 12 percent slopes	Highly erodible land
RsB	Rittman silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsB2	Rittman silt loam, 2 to 6 percent slopes, eroded	Highly erodible land
RsC	Rittman silt loam, 6 to 12 percent slopes	Highly erodible land
RsC2	Rittman silt loam, 6 to 12 percent slopes, eroded	
RsD2	Rittman silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
ScE	Schaffenaker loamy sand, 10 to 40 percent slopes	Highly erodible land
Sg	Sebring silt loam	Not highly erodible land
Sh	Shoals silt loam	Not highly erodible land
Sn	Sloan silty clay loam	Not highly erodible land
ToA	Tiro silt loam, 1 to 4 percent slopes	Potentially highly erodible land
Ud	Udorthents	
Ur	Urban land	
W	Water	
WaA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wb	Wallkill silt loam	Not highly erodible land
WhA	Wheeling silt loam, 0 to 2 percent slopes	Not highly erodible land
WhB	Wheeling silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WhC	Wheeling silt loam, 6 to 12 percent slopes	Highly erodible land
WsB	Wooster silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WsC	Wooster silt loam, 6 to 12 percent slopes	Highly erodible land
WsD2	Wooster silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
WsE	Wooster silt loam, 18 to 35 percent slopes	Highly erodible land

