Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
As	Allis silt loam	Not highly erodible land
At	Atherton silt loam	Not highly erodible land
BrA	Braceville loam, 0 to 2 percent slopes	Not highly erodible land
BrB	Braceville loam, 2 to 6 percent slopes	Potentially highly erodible land
BrC2	Braceville loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CaB	Cambridge silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CaB2	Cambridge silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CaC	Cambridge silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CaC2	Cambridge silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CaD2	Cambridge silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
CbB	Cambridge silt loam, sandstone substratum, 2 to 6 percent slopes	Potentially highly erodible land
CbC2	Cambridge silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Cc	Canadice silt loam	Not highly erodible land
Cd	Canadice soils, mucky variant	Not highly erodible land
CeA	Canadice-Caneadea silt loams, 0 to 2 percent slopes	Not highly erodible land Not highly erodible land
CfA	Caneadea silt loam, 0 to 2 percent slopes	Not highly erodible land
CfB	Caneadea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CfC2	Caneadea silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CfD2	Caneadea silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Cg	Carlisle muck	Not highly erodible land
Ch	Chagrin silt loam	Not highly erodible land
CkA	Chenango silt loam, 0 to 2 percent slopes	Not highly erodible land
CkB	Chenango silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkC2	Chenango silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CkD2	Chenango silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
ClA	Chenango gravelly loam, 0 to 2 percent slopes	Not highly erodible land
ClB	Chenango gravelly loam, 2 to 6 percent slopes	Potentially highly erodible land
ClC2	Chenango gravelly loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CmA	Claverack loamy fine sand, silty subsoil variant, 0 to 2 percent slopes	Not highly erodible land
CmB	Claverack loamy fine sand, silty subsoil variant, 2 to 6 percent slopes	Potentially highly erodible land
CmC	Claverack loamy fine sand, silty subsoil variant, 6 to 12 percent slopes	Potentially highly erodible land
CnB	Claverack loamy fine sand, moderately shallow variant, 2 to 6 percent slopes	Potentially highly erodible land
CoB	Colonie loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
CoD	Colonie loamy fine sand, 6 to 18 percent slopes	Potentially highly erodible land
Ct	Conneaut silt loam	Not highly erodible land
ElB	Elnora loamy fine sand, 1 to 5 percent slopes	Not highly erodible land
Fr	Frenchtown silt loam	Not highly erodible land
Fs	Frenchtown silt loam, sandstone substratum	Not highly erodible land
Hm	Holly silt loam	Not highly erodible land
HoB	Hornell silt loam, 2 to 6 percent slopes	Potentially highly

		erodible land
HoC2	Hornell silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
HoD2	Hornell silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Io	Ilion silt loam	Not highly erodible land
Kf	Kingsville fine sandy loam	Not highly erodible land
Kg	Kingsville silty clay	Not highly erodible land
Lb	Lobdell silt loam	Not highly erodible land
MsB	Mahoning silt loam, shale substratum, 2 to 6 percent slopes	Potentially highly erodible land
MsB2	Mahoning silt loam, shale substratum, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
Or	Orrville fine sandy loam	Not highly erodible land
Os	Orrville silt loam	Not highly erodible land
OtB	Otisville sandy loam, 1 to 6 percent slopes	Potentially highly erodible land
OuB	Otisville gravelly sandy loam, 1 to 6 percent slopes	Potentially highly erodible land
OuC	Otisville gravelly sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
OvE	Otisville and Chenango soils, 12 to 25 percent slopes	Potentially highly erodible land
PeB	Pierpont silt loam, 2 to 6 percent slopes	Potentially highly erodible land
PeB2	Pierpont silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
PeC2	Pierpont silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
PoD2	Pierpont and Platea soils, 12 to 18 percent slopes, moderately eroded	Potentially highly erodible land
PsA	Platea silt loam, 0 to 2 percent slopes	Not highly erodible land
PsB	Platea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
PsB2	Platea silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
PsC	Platea silt loam, 6 to 12 percent slopes	Potentially highly erodible land
PsC2	Platea silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
PsC3	Platea silt loam, 6 to 12 percent slopes, severely eroded	Highly erodible land
RhB	Red Hook silt loam, 0 to 4 percent slopes	Potentially highly erodible land
Sf	Sheffield silt loam	Not highly erodible land
Sh	Sheffield silt loam, stratified substratum	Not highly erodible land
Sm	Steep land, loamy	Highly erodible land
Sn	Steep land, silty and clayey	Highly erodible land
Sw	Swanton fine sandy loam, silty subsoil variant	Not highly erodible land
VeA	Venango silt loam, 0 to 2 percent slopes	Not highly erodible land
VeB	Venango silt loam, 2 to 6 percent slopes	Potentially highly erodible land
VeB2	Venango silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
VeC	Venango silt loam, 6 to 12 percent slopes	Potentially highly erodible land
VeC2	Venango silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
VgA	Venango silt loam, sandstone substratum, 0 to 2 percent slopes	Not highly erodible land
VgB	Venango silt loam, sandstone substratum, 2 to 6 percent slopes	Potentially highly erodible land
WaA	Wallington silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wallington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
We	Willette muck	Not highly erodible land
WlA	Williamson silt loam, 0 to 2 percent slopes	Not highly erodible land
WlB	Williamson silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WlC2	Williamson silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
WlD2	Williamson silt loam, 12 to 18 percent slopes, moderately eroded	Potentially highly erodible land