

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AeC	Allegheny variant loam, 8 to 15 percent slopes	Highly erodible land
As	Ashton silt loam, occasionally flooded	Not highly erodible land
BaB	Barkcamp gravelly sandy loam, 0 to 8 percent slopes	Potentially highly erodible land
BaD	Barkcamp gravelly sandy loam, 8 to 40 percent slopes	Highly erodible land
BaF	Barkcamp very stony sandy loam, 40 to 70 percent slopes	Highly erodible land
BcB	Barkcamp clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BcD	Barkcamp clay loam, 8 to 25 percent slopes	Highly erodible land
BeB	Bethesda silt loam, 0 to 8 percent slopes	Potentially highly erodible land
BeD	Bethesda silt loam, 8 to 25 percent slopes	Highly erodible land
BhB	Bethesda shaly silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BhD	Bethesda shaly silty clay loam, 8 to 25 percent slopes	Highly erodible land
BhE	Bethesda shaly silty clay loam, 25 to 40 percent slopes	Highly erodible land
BhF	Bethesda very cobbly silty clay loam, 40 to 70 percent slopes	Highly erodible land
BsC	Brookside silty clay loam, 8 to 15 percent slopes	Highly erodible land
BsD	Brookside silty clay loam, 15 to 25 percent slopes	Highly erodible land
BsE	Brookside silty clay loam, 25 to 40 percent slopes	Highly erodible land
BuB	Brookside-Urban land complex, 3 to 15 percent slopes	Potentially highly erodible land
BuD	Brookside-Urban land complex, 15 to 40 percent slopes	Highly erodible land
Cg	Chagrin silt loam, occasionally flooded	Not highly erodible land
ChB	Chili gravelly loam, 3 to 8 percent slopes	Potentially highly erodible land
CmB	Chili-Urban land complex, 0 to 8 percent slopes	Potentially highly erodible land
CuB	Culleoka silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CuC	Culleoka silt loam, 8 to 15 percent slopes	Highly erodible land
DkB	Dekalb loam, 3 to 8 percent slopes	Potentially highly erodible land
DkC	Dekalb loam, 8 to 15 percent slopes	Highly erodible land
DkD	Dekalb loam, 15 to 25 percent slopes	Highly erodible land
DkE	Dekalb loam, 25 to 40 percent slopes	Highly erodible land
DmF	Dekalb moderately channery loam, 40 to 70 percent slopes	Highly erodible land
Dp	Dumps	
Ds	Dumps, mine	
DuB	Duncannon-Urban land complex, 0 to 15 percent slopes	Potentially highly erodible land
EbB	Elba silty clay loam, 3 to 8 percent slopes	Potentially highly erodible land
EbC	Elba silty clay loam, 8 to 15 percent slopes	Highly erodible land
EbD	Elba silty clay loam, 15 to 25 percent slopes	Highly erodible land
EbE	Elba silty clay loam, 25 to 40 percent slopes	Highly erodible land
ElB	Elkinsville silt loam, 3 to 8 percent slopes	Potentially highly erodible land
ElC	Elkinsville silt loam, 8 to 15 percent slopes	Highly erodible land
ElD	Elkinsville silt loam, 15 to 25 percent slopes	Highly erodible land
FbB	Fairpoint gravelly clay loam, 0 to 8 percent slopes	Potentially highly erodible land
FbD	Fairpoint gravelly clay loam, 8 to 25 percent slopes	Highly erodible land
FcB	Fairpoint silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
FcD	Fairpoint silty clay loam, 8 to 25 percent slopes	Highly erodible land
FtA	Fitchville silt loam, 0 to 3 percent slopes	Not highly erodible land

He	Hartshorn silt loam, occasionally flooded	Not highly erodible land
LeB	Lowell silt loam, 3 to 8 percent slopes	Potentially highly erodible land
LeC	Lowell silt loam, 8 to 15 percent slopes	Highly erodible land
LeD	Lowell silt loam, 15 to 25 percent slopes	Highly erodible land
LeE	Lowell silt loam, 25 to 40 percent slopes	Highly erodible land
LeF	Lowell silt loam, 40 to 70 percent slopes	Highly erodible land
LoB	Lowell-Westmoreland silt loams, 3 to 8 percent slopes	Potentially highly erodible land
LoC	Lowell-Westmoreland silt loams, 8 to 15 percent slopes	Highly erodible land
LoD	Lowell-Westmoreland silt loams, 15 to 25 percent slopes	Highly erodible land
LoE	Lowell-Westmoreland silt loams, 25 to 40 percent slopes	Highly erodible land
LoF	Lowell-Westmoreland silt loams, 40 to 70 percent slopes	Highly erodible land
LpF	Lowell-Westmoreland silt loams, benched, 30 to 70 percent slopes	Highly erodible land
MnB	Morristown clay loam, 0 to 8 percent slopes	Potentially highly erodible land
MnD	Morristown clay loam, 8 to 25 percent slopes	Highly erodible land
MnE	Morristown clay loam, 25 to 40 percent slopes	Highly erodible land
MoB	Morristown stony clay loam, 0 to 8 percent slopes	Potentially highly erodible land
MoD	Morristown stony clay loam, 8 to 25 percent slopes	Highly erodible land
MoE	Morristown stony clay loam, 25 to 40 percent slopes	Highly erodible land
MoF	Morristown very stony clay loam, 40 to 70 percent slopes	Highly erodible land
Ne	Newark silt loam, frequently flooded	Not highly erodible land
Nm	Newark silt loam, ponded	Not highly erodible land
Nn	Newark Variant silt loam, frequently flooded	Not highly erodible land
No	Nolin variant silt loam, occasionally flooded	Not highly erodible land
Nu	Nolin variant-Urban land complex	Not highly erodible land
OtB	Otwell silt loam, 3 to 8 percent slopes	Potentially highly erodible land
OtC	Otwell silt loam, 8 to 15 percent slopes	Highly erodible land
RcC	Richland loam, 8 to 15 percent slopes	Highly erodible land
RcD	Richland loam, 15 to 25 percent slopes	Highly erodible land
RcE	Richland moderately stony loam, 25 to 40 percent slopes	Highly erodible land
RhB	Richland silt loam, 3 to 8 percent slopes	Potentially highly erodible land
Uc	Udorthents-Pits complex	
Ud	Udorthents-Urban land complex	
W	Water	
WhB	Wellston silt loam, 3 to 8 percent slopes	Potentially highly erodible land
WhC	Wellston silt loam, 8 to 15 percent slopes	Highly erodible land
WkB	Westmore silt loam, 3 to 8 percent slopes	Potentially highly erodible land
WkC	Westmore silt loam, 8 to 15 percent slopes	Highly erodible land
WkD	Westmore silt loam, 15 to 25 percent slopes	Highly erodible land
WmB	Westmoreland silt loam, 3 to 8 percent slopes	Potentially highly erodible land
WmC	Westmoreland silt loam, 8 to 15 percent slopes	Highly erodible land
WmD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WmE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WmF	Westmoreland silt loam, 40 to 70 percent slopes	Highly erodible land
WoC	Westmoreland-Upshur complex, 8 to 15 percent slopes	Highly erodible land
WoD	Westmoreland-Upshur complex, 15 to 25 percent slopes	Highly erodible land
ZnB	Zanesville silt loam, 3 to 8 percent slopes	Potentially highly erodible land
ZnC	Zanesville silt loam, 8 to 15 percent slopes	Highly erodible land

