

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AvA	Avonburg silt loam, 0 to 2 percent slopes	Not highly erodible land
Bt	Brenton silt loam	Not highly erodible land
CdD2	Casco and Rodman gravelly loams, 6 to 18 percent slopes, moderately eroded	Highly erodible land
CdE	Casco and Rodman gravelly loams, 18 to 35 percent slopes	Highly erodible land
CeB	Celina silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CrA	Crosby silt loam, 0 to 2 percent slopes	Not highly erodible land
DaA	Dana silt loam, 0 to 2 percent slopes	Not highly erodible land
DaB	Dana silt loam, 2 to 6 percent slopes	Potentially highly erodible land
DbB	Dana silt loam, bedrock substratum, 2 to 8 percent slopes	Potentially highly erodible land
EcE2	Eden silty clay loam, 15 to 25 percent slopes, moderately eroded	Highly erodible land
EcF2	Eden silty clay loam, 25 to 50 percent slopes, moderately eroded	Highly erodible land
Ee	Eel silt loam	Not highly erodible land
ElA	Eldean loam, 0 to 2 percent slopes	Not highly erodible land
ElB2	Eldean loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
ElC2	Eldean loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
EnA	Eldean gravelly loam, 0 to 2 percent slopes	Not highly erodible land
EnB2	Eldean gravelly loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
EuA	Eldean-Urban land complex, nearly level	
EuB	Eldean-Urban land complex, gently sloping	
FcA	Fincastle silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fincastle silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FdA	Fincastle silt loam, bedrock substratum, 0 to 2 percent slopes	Not highly erodible land
FdB	Fincastle silt loam, bedrock substratum, 2 to 6 percent slopes	Potentially highly erodible land
Gn	Genesee loam	Not highly erodible land
Go	Genesee-Urban land complex	
HeE2	Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded	Highly erodible land
HeF	Hennepin-Miamian silt loams, 25 to 50 percent slopes	Highly erodible land
HoA	Henshaw silt loam, 0 to 2 percent slopes	Not highly erodible land
La	Landes sandy loam	Not highly erodible land
Lg	Lanier fine sandy loam	Not highly erodible land
MlB2	Miamian silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MlC2	Miamian silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MlD2	Miamian silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MnC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
MnD3	Miamian clay loam, 12 to 18 percent slopes, severely eroded	Highly erodible land
MsC2	Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MsD2	Miamian-Russell silt loams, 12 to 18 percent slopes, moderately eroded	Highly erodible land

MtC2	Miamian-Russell silt loams, bedrock substratum, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MuC	Miamian-Urban land complex, sloping	
OcA	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Pa	Patton silty clay loam	Not highly erodible land
Pg	Pits, gravel	
PrB	Princeton sandy loam, 2 to 8 percent slopes	Potentially highly erodible land
Ra	Ragsdale silty clay loam	Not highly erodible land
RdA	Raub silt loam, 0 to 2 percent slopes	Not highly erodible land
RdB	Raub silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Rh	Riverwash	
Rn	Ross loam	Not highly erodible land
RpB	Rossmoyne silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RtB	Russell silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RvB	Russell-Miamian silt loams, 2 to 6 percent slopes	Potentially highly erodible land
RvB2	Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RwB	Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes	Potentially highly erodible land
RwB2	Russell-Miamian silt loams, bedrock substratum, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RxB	Russell-Urban land complex, gently sloping	Not highly erodible land
Sh	Shoals silt loam	Not highly erodible land
SlA	Sleeth silt loam, 0 to 2 percent slopes	Not highly erodible land
St	Stonelick fine sandy loam	Not highly erodible land
ThA	Thackery silt loam, 0 to 2 percent slopes	Not highly erodible land
TpA	Tippecanoe silt loam, 0 to 2 percent slopes	Not highly erodible land
Ud	Udorthents	
Uf	Udorthents and Dumps	
UnA	Uniontown silt loam, 0 to 2 percent slopes	Not highly erodible land
UnB	Uniontown silt loam, 2 to 6 percent slopes	Potentially highly erodible land
UpA	Urban land-Eldean complex, nearly level	
UsA	Urban land-Patton complex, nearly level	
W	Water	
WbA	Warsaw loam, 0 to 3 percent slopes	Not highly erodible land
WeA	Wea silt loam, 0 to 2 percent slopes	Not highly erodible land
WeB	Wea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WuB	Wynn-Urban land complex, gently sloping	
WuC	Wynn-Urban land complex, sloping	
WyB	Wynn silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WyB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
WyC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
WzC3	Wynn silty clay loam, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
XeA	Xenia silt loam, 0 to 2 percent slopes	Not highly erodible land
XeB	Xenia silt loam, 2 to 6 percent slopes	Potentially highly erodible land

XeB2	Xenia silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
XfA	Xenia silt loam, bedrock substratum, 0 to 2 percent slopes	Not highly erodible land
XfB	Xenia silt loam, bedrock substratum, 2 to 6 percent slopes	Potentially highly erodible land
XfB2	Xenia silt loam, bedrock substratum, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land

---

