

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ag	Algiers silt loam	Not highly erodible land
BsA	Brookston silty clay loam, 0 to 2 percent slopes	Not highly erodible land
BsB	Brookston silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
Ca	Carlisle muck	Not highly erodible land
CcB	Casco loam, 2 to 6 percent slopes	Potentially highly erodible land
CcC2	Casco loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CgD2	Casco gravelly loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
CmD2	Casco-Miami-Fox complex, 12 to 18 percent slopes, moderately eroded	Highly erodible land
CnA	Celina silt loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Celina silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CnB2	Celina silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CnC2	Celina silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CoB	Celina bouldery silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CrA	Crosby silt loam, 0 to 2 percent slopes	Not highly erodible land
CrB	Crosby silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CsB	Crosby bouldery silt loam, 0 to 6 percent slopes	Potentially highly erodible land
Ed	Edwards muck	Not highly erodible land
Ee	Eel silt loam	Not highly erodible land
F1B	Fox loam, 2 to 6 percent slopes	Potentially highly erodible land
FmB	Fox sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
FnA	Fox silt loam, 0 to 2 percent slopes	Not highly erodible land
FnB	Fox silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FnB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FnC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
FoC2	Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Gn	Genesee silt loam	Not highly erodible land
Gp	Gravel pit	
HeA	Henshaw silt loam, 0 to 2 percent slopes	Not highly erodible land
HeB	Henshaw silt loam, 2 to 6 percent slopes	Potentially highly erodible land
HoA	Homer silt loam, 0 to 2 percent slopes	Not highly erodible land
IoA	Ionia silt loam, 0 to 2 percent slopes	Not highly erodible land
IoB	Ionia silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KaA	Kane silt loam, 0 to 2 percent slopes	Not highly erodible land
KeA	Kendallville silt loam, 0 to 2 percent slopes	Not highly erodible land
KeB	Kendallville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KeC2	Kendallville silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
KeD2	Kendallville silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Ln	Linwood muck	Not highly erodible land
Lp	Lippincott silty clay loam	Not highly erodible land

Ma	Made land	
MbC	Miami bouldery silt loam, 2 to 12 percent slopes	Potentially highly erodible land
MlA	Miami silt loam, 0 to 2 percent slopes	Not highly erodible land
MlB	Miami silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MlB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MlC	Miami silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MlC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MlD	Miami silt loam, 12 to 18 percent slopes	Highly erodible land
MlD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MlE	Miami silt loam, 18 to 25 percent slopes	Highly erodible land
MlE2	Miami silt loam, 18 to 25 percent slopes, moderately eroded	Highly erodible land
MmC3	Miami soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
MmD3	Miami soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
MmE3	Miami soils, 18 to 25 percent slopes, severely eroded	Highly erodible land
MoF2	Miami and Lewisburg silt loams, 25 to 50 percent slopes, moderately eroded	Highly erodible land
MrF2	Miami-Rodman complex, 25 to 50 percent slopes, moderately eroded	Highly erodible land
MsE2	Miami-Casco-Rodman complex, 18 to 25 percent slopes, moderately eroded	Highly erodible land
OcA	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Pa	Patton silty clay loam	Not highly erodible land
Qu	Quarry	
RgD2	Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RgF2	Rodman gravelly loam, 18 to 50 percent slopes, moderately eroded	Highly erodible land
Rn	Ross silt loam	Not highly erodible land
Sh	Shoals silt loam	Not highly erodible land
Sm	Shoals silt loam, till subsoil variant	Not highly erodible land
So	Sloan silt loam	Not highly erodible land
Sv	Sloan silt loam, gravelly subsoil variant	Not highly erodible land
UnB	Uniontown silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wa	Wallkill silt loam	Not highly erodible land
Wn	Warners silt loam	Not highly erodible land
WrA	Warsaw silt loam, 0 to 2 percent slopes	Not highly erodible land
WrB	Warsaw silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WsA	Wea silt loam, 0 to 3 percent slopes	Not highly erodible land

