Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ad	Adrian muck, drained	Not rated
Ae	Adrian muck, undrained	Not rated
Ca	Carlisle muck, drained	Not highly erodible land
Cb	Carlisle muck, undrained	Not highly erodible land
CcD2	Casco gravelly loam, 12 to 20 percent slopes, eroded	Highly erodible land
CeA	Celina silt loam, 0 to 2 percent slopes	Not highly erodible land
CeB	Celina silt loam, 2 to 6 percent slopes	Not highly erodible land
ChA	Celina-Strawn complex, 0 to 2 percent slopes	Not highly erodible land
ChB	Celina-Strawn complex, 2 to 6 percent slopes	Not highly erodible land
CrA	Crosby silt loam, 0 to 2 percent slopes	Not highly erodible land
CrB	Crosby silt loam, 2 to 6 percent slopes	Potentially highly erodible land
DoE	Donnelsville channery silt loam, 18 to 30 percent slopes	Highly erodible land
DpF	Donnelsville-Rock outcrop complex, 30 to 70 percent slopes	Highly erodible land
Dr	Drummer silty clay loam, gravelly substratum	Not highly erodible land
EmA	Eldean silt loam, 0 to 2 percent slopes	Not highly erodible land
EmB	Eldean silt loam, 2 to 6 percent slopes	Potentially highly erodible land
EmB2	Eldean silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
EmC2	Eldean silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
EnC2	Eldean-Casco complex, 6 to 12 percent slopes, eroded	Highly erodible land
EpB2	Eldean-Miamian complex, 2 to 6 percent slopes, eroded	Potentially highly erodible land
EpC2	Eldean-Miamian complex, 6 to 12 percent slopes, eroded	Highly erodible land
EpC3	Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded	Highly erodible land
EpD2	Eldean-Miamian complex, 12 to 18 percent slopes, eroded	Highly erodible land
EpD3	Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded	Highly erodible land
EpE2	Eldean-Miamian complex, 18 to 30 percent slopes, eroded	Highly erodible land
EsE3	Eldean-Rodman complex, 18 to 30 percent slopes, severely eroded	Highly erodible land
EuB	Eldean-Urban land complex, 2 to 6 percent slopes	Not highly erodible land
EuC	Eldean-Urban land complex, 6 to 12 percent slopes	Highly erodible land
Ge	Genesee silt loam, till substratum, rarely flooded	Not highly erodible land
Gn	Genesee silt loam, till substratum, occasionally flooded	Not highly erodible land
Ko	Kokomo silty clay loam	Not highly erodible land
Lg	Linwood muck, undrained	Not rated
Lh	Linwood mucky silt loam, drained	Not highly erodible land
Lm	Lippincott mucky silt loam	Not highly erodible land
Lp	Lippincott silty clay loam	Not highly erodible land
Lu	Lippincott-Urban land complex	Not highly erodible land
MgB2	Miamian silty clay loam, linestone substratum, 2 to 6 percent slopes, eroded	Potentially highly erodible land
MgC2	Miamian silty clay loam, limestone substratum, 6 to 12 percent slopes, eroded	Potentially highly erodible land
MgE2	Miamian silty clay loam, limestone substratum, 18 to 30 percent slopes, eroded	Potentially highly erodible land
MhA	Miamian silt loam, 0 to 2 percent slopes	Not highly erodible land
MhB	Miamian silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MhB2	Miamian silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land

MhC	Miamian silt loam, 6 to 12 percent slopes	Highly erodible land
MhC2	Miamian silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
MhD2	Miamian silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
MhE	Miamian silt loam, 18 to 30 percent slopes	Highly erodible land
MhE2	Miamian silt loam, 18 to 30 percent slopes, eroded	Highly erodible land
MkB2	Miamian silty clay loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
MkC2	Miamian silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
MkD2	Miamian silty clay loam, 12 to 18 percent slopes, eroded	Highly erodible land
MmC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded	Highly erodible land
MmD3	Miamian clay loam, 12 to 18 percent slopes, severely eroded	Highly erodible land
MmE3	Miamian clay loam, 18 to 30 percent slopes, severely eroded	Highly erodible land
MnB	Miamian-Urban land complex, 2 to 6 percent slopes	Potentially highly erodible land
MnC	Miamian-Urban land complex, 6 to 12 percent slopes	Highly erodible land
Mo	Milford silty clay loam, sandy substratum	Not highly erodible land
Ms	Millsdale silty clay loam	Potentially highly erodible land
MtA	Milton silt loam, 0 to 2 percent slopes	Potentially highly erodible land
MtB	Milton silt loam, 2 to 6 percent slopes	Not highly erodible land
MvC2	Milton silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
MxB	Milton-Urban land complex, 2 to 6 percent slopes	Not highly erodible land
OcA	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Not highly erodible land
Pa	Patton silty clay loam	Not highly erodible land
Pg	Pits, gravel	Not rated
Ph	Pits, quarry	Not rated
RaA	Randolph silt loam, 0 to 2 percent slopes	Not highly erodible land
RgE	Rodman gravelly loam, 18 to 35 percent slopes	Highly erodible land
Rn	Ross silt loam, occasionally flooded	Not highly erodible land
Ro	Ross silty clay loam, rarely flooded	Not highly erodible land
RuA	Rush silt loam, 0 to 2 percent slopes	Not highly erodible land
ScA	Savona silt loam, 0 to 2 percent slopes	Not highly erodible land
So	Sloan silt loam, sandy substratum, occasionally flooded	Not highly erodible land
StB2	Strawn silty clay loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
StC2	Strawn silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
StD2	Strawn silty clay loam, 12 to 18 percent slopes, eroded	Highly erodible land
StE2	Strawn silty clay loam, 18 to 35 percent slopes, eroded	Highly erodible land
SuA	Strawn-Crosby complex, 0 to 2 percent slopes	Not highly erodible land
SuB	Strawn-Crosby complex, 2 to 6 percent slopes	Potentially highly erodible land
ThA	Thackery silt loam, 0 to 2 percent slopes	Not highly erodible land
Tr	Tremont silty clay loam, rarely flooded	Not highly erodible land
Ts	Tremont silt loam, occasionally flooded	Not highly erodible land
Ud	Udorthents, loamy	Not rated
Wc	Wallkill silt loam, occasionally flooded	Not highly erodible land
WeA	Warsaw silt loam, 0 to 3 percent slopes	Not highly erodible land
WpA	Waupecan silt loam, 0 to 2 percent slopes	Not highly erodible land
WrA	Waynetown silt loam, 0 to 2 percent slopes	Not highly erodible land
Wt	Westland silty clay loam	Not highly erodible land