

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AgA0	Algiers silt loam	Not highly erodible land
AvA1	Avonburg silt loam, 0 to 2 percent slopes	Not highly erodible land
AvB1	Avonburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AvB2	Avonburg silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
BbA1	Birkbeck silt loam, 0 to 2 percent slopes	Not highly erodible land
BbB1	Birkbeck silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BbB2	Birkbeck silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
BcA0	Blanchester silt loam	Not highly erodible land
BrA0	Brookston silty clay loam	Not highly erodible land
BsA+	Brookston silt loam, overwashed	Not highly erodible land
BsA0	Brookston silt loam	Not highly erodible land
CcB1	Cincinnati silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CcC1	Cincinnati silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CeA1	Celina silt loam, 0 to 2 percent slopes	Not highly erodible land
CeB1	Celina silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CeB2	Celina silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CeC2	Celina silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CfF2	Casco and Rodman soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
CgE2	Casco, Rodman, and Fox soils, 18 to 25 percent slopes, moderately eroded	Highly erodible land
CrA1	Crosby silt loam, 0 to 2 percent slopes	Not highly erodible land
CrB1	Crosby silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CrB2	Crosby silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CtA1	Clermont silt loam	Not highly erodible land
DeA1	Delmar silt loam	Not highly erodible land
EdB2	Edenton silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
EdC2	Edenton silt loam, 6 to 12 percent slopes, moderately eroded	Highly erodible land
EdD2	Edenton silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
EeA0	Eel silt loam	Not highly erodible land
EfE2	Edenton and Fairmount soils, 18 to 25 percent slopes, moderately eroded	Highly erodible land
EfE3	Edenton and Fairmount soils, 18 to 25 percent slopes, severely eroded	Highly erodible land
EfF2	Edenton and Fairmount soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
EmA0	Eel loam	Not highly erodible land
EsC3	Edenton soils, 6 to 12 percent slopes, severely eroded	Highly erodible land
EsD3	Edenton soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
FcD2	Fox and Casco soils, 12 to 18 percent slopes, moderately eroded	Highly erodible land

FdD3	Fox, Casco, and Rodman soils, 12 to 25 percent slopes, severely eroded	Highly erodible land
FnA1	Fincastle silt loam, 0 to 2 percent slopes	Not highly erodible land
FnB1	Fincastle silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FnB2	Fincastle silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FxA1	Fox silt loam, 0 to 2 percent slopes	Not highly erodible land
FxB1	Fox silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FxB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FxC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
GeA0	Genesee silt loam	Not highly erodible land
GmA0	Genesee loam, sandy substratum	Not highly erodible land
GnA0	Genesee loam	Not highly erodible land
GSA0	Genesee silt loam, sandy substratum	Not highly erodible land
HeF1	Hennepin and Miami soils, 25 to 50 percent slopes	Highly erodible land
HeF2	Hennepin and Miami soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
HeF3	Hennepin and Miami soils, 25 to 50 percent slopes, severely eroded	Highly erodible land
HnA1	Henshaw silt loam	Not highly erodible land
KoA+	Kokomo silt loam, overwashed	Not highly erodible land
MdA0	Millsdale silty clay loam	Potentially highly erodible land
MeB3	Miami soils, 2 to 6 percent slopes, severely eroded	Potentially highly erodible land
MeC3	Miami soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
MeD3	Miami soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
MhE1	Miami and Hennepin silt loams, 18 to 25 percent slopes	Highly erodible land
MhE2	Miami and Hennepin silt loams, 18 to 25 percent slopes, moderately eroded	Highly erodible land
MmB1	Miami silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MmB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MmC1	Miami silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MmC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MmD1	Miami silt loam, 12 to 18 percent slopes	Highly erodible land
MmD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MnA1	Milton silt loam, 0 to 2 percent slopes	Potentially highly erodible land
MnB1	Milton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MnB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MnC2	Milton silt loam, 6 to 12 percent slopes, moderately eroded	Highly erodible land
MnD2	Milton silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MpE3	Miami and Hennepin soils, 18 to 25 percent slopes, severely eroded	Highly erodible land
MsD3	Milton soils, shallow, 12 to 18 percent slopes, severely eroded	Highly erodible land
MsF3	Milton soils, shallow, 25 to 50 percent slopes, severely eroded	Highly erodible land
MtB1	Milton silt loam, shallow, 2 to 6 percent slopes	Potentially highly erodible land
MtC2	Milton silt loam, shallow, 6 to 12 percent slopes, moderately eroded	Highly erodible land
MtD2	Milton silt loam, shallow, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MtE2	Milton silt loam, shallow, 18 to 25 percent slopes, moderately eroded	Highly erodible land
MtF2	Milton silt loam, shallow, 25 to 50 percent slopes, moderately eroded	Highly erodible land
MwA0	Medway loam	Not highly erodible land
MyA0	Medway silt loam	Not highly erodible land
OcA1	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB1	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land

OcB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded	erodible land Potentially highly erodible land
OcC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
PaA+	Bonpas silt loam, overwashed	Not highly erodible land
PcA0	Bonpas silty clay loam	Not highly erodible land
RaA0	Ragsdale silt loam	Not highly erodible land
RbA1	Raub silt loam	Not highly erodible land
ReA1	Reesville silt loam, 0 to 2 percent slopes	Not highly erodible land
ReB1	Reesville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RgA0	Ragsdale silty clay loam	Not highly erodible land
RhF1	Russell and Hennepin silt loams, 25 to 50 percent slopes	Highly erodible land
RhF2	Russell and Hennepin silt loams, 25 to 50 percent slopes, moderately eroded	Highly erodible land
RmA1	Rossmoyne silt loam, 0 to 2 percent slopes	Not highly erodible land
RmB1	Rossmoyne silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RmB2	Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RmC2	Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RmD2	Rossmoyne silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RnC3	Rossmoyne soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
RoA0	Ross loam	Not highly erodible land
RsA0	Ross silt loam	Not highly erodible land
RuB1	Russell silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RuB2	Russell silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RuC1	Russell silt loam, 6 to 12 percent slopes	Potentially highly erodible land
RuC2	Russell silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RuD1	Russell silt loam, 12 to 18 percent slopes	Highly erodible land
RuD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RuE1	Russell silt loam, 18 to 25 percent slopes	Highly erodible land
RuE2	Russell silt loam, 18 to 25 percent slopes, moderately eroded	Highly erodible land
RvB3	Russell soils, 2 to 6 percent slopes, severely eroded	Potentially highly erodible land
RvC3	Russell soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
RvD3	Russell soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
RvE3	Russell soils, 18 to 25 percent slopes, severely eroded	Highly erodible land
RxF3	Russell and Hennepin soils, 25 to 50 percent slopes, severely eroded	Highly erodible land
SaA1	Sardinia silt loam, 0 to 2 percent slopes	Not highly erodible land
SaB1	Sardinia silt loam, 2 to 6 percent slopes	Potentially highly erodible land
SaB2	Sardinia silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
ShA0	Shoals silt loam	Not highly erodible land
SmA1	Sleeth silt loam, mixed substratum, 0 to 2 percent slopes	Not highly erodible land
SmB1	Sleeth silt loam, mixed substratum, 2 to 6 percent slopes	Not highly erodible land
SnA+	Sloan silt loam, overwashed	Not highly erodible land
SnA0	Sloan silt loam	Not highly erodible land
StA1	Sleeth silt loam	Not highly erodible land
SyA0	Sloan silty clay loam	Not highly erodible land
ThA1	Thackery silt loam, 0 to 2 percent slopes	Not highly erodible land
ThB1	Thackery silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TmA1	Thackery silt loam, mixed substratum, 0 to 2 percent slopes	Not highly erodible land
TmB1	Thackery silt loam, mixed substratum, 2 to 6 percent slopes	Potentially highly erodible land
UnA1	Uniontown silt loam, 0 to 2 percent slopes	Not highly erodible land
UnB2	Uniontown silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land

WbA1	Williamsburg silt loam, 0 to 2 percent slopes	Not highly erodible land
WbB1	Williamsburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WbB2	Williamsburg silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
WbC1	Williamsburg silt loam, 6 to 12 percent slopes	Potentially highly erodible land
WbC2	Williamsburg silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
WbD2	Williamsburg silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
WbE2	Williamsburg silt loam, 18 to 25 percent slopes, moderately eroded	Highly erodible land
WeA+	Westland silt loam, overwashed	Not highly erodible land
WeA0	Westland silt loam	Not highly erodible land
WmA+	Westland silt loam, mixed substratum, overwashed	Not highly erodible land
WnA0	Westland silty clay loam, mixed substratum	Not highly erodible land
WtA0	Westland silty clay loam	Not highly erodible land
XeA1	Xenia silt loam, 0 to 2 percent slopes	Not highly erodible land
XeB1	Xenia silt loam, 2 to 6 percent slopes	Potentially highly erodible land
XeB2	Xenia silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
XeC1	Xenia silt loam, 6 to 12 percent slopes	Potentially highly erodible land
XeC2	Xenia silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
XnB3	Xenia soils, 2 to 6 percent slopes, severely eroded	Potentially highly erodible land
XnC3	Xenia soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land

